


CONTENTS





- handle design prevents roling
- ergonomically designed safety handle for optimum
- transmission of force
- chrome vanadium steel,oil-hardened and tempered
- VDE tested according to DIN EN/IEC 60900:2004





	Size	W// STANFORD	Size
SS-01	SL 3*75	SS-08	PH2*100
SS-02	SL 4*100	SS-09	PH3*150
SS-03	SL 5.5*125	SS-10	PZ0*60
SS-04	SL 6.5*150	SS-11	PZ1*80
SS-05	SL 8*175	SS-12	PZ2*100
SS-06	PH0*60	SS-13	PZ3*150
SS-07	PH1*80		

SAFETY INSULATED SCREWDRIVER

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic comfort grip handle
- Insulated to 1000 volt





	SL(mm)		Ph(mm)
IS-01	SL3 x 75	IS-04	PH0 x 60
IS-02	SL5.5 x 125	IS-05	PH1 x 80
IS-03	SL6.5 x 150	IS-06	PH2 x 100

SCREWDRIVER

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip





/// STANFORD	Size	/// STANFORD	Size
SC-01	SI 3 x 75	SC-13	Pz 2 x 100
SC-02	SI 5 x 38	SC-14	Pz 3 x 150
SC-03	SI 5 x 100	SC-15	T-8 x 75
SC-04	SI 6 x 100	SC-16	T-10 x 75
SC-05	SI 6 x 125	SC-17	T-15 x 100
SC-06	SI 8 x 150	SC-18	T-20 x 100
SC-07	Ph 0 x 75	SC-19	T-25 x 100
SC-08	Ph 1 x 75	SC-20	T-27 x 125
SC-09	Ph 2 x 100	SC-21	T-30 x 125
SC-10	Ph 2 x 150	SC-22	T-40 x 150
SC-11	Ph 3 x 150	SC-23	T-45 x 150
SC-12	Pz 1 x 75		

SCREWDRIVER

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic comfort grip handle
- Comply with GS standard



W STAIRFORD	Size	// STARFORD	Size	
SB-01	SI 3 x 75	SB-13	Pz 2 x 100	Ī
SB-02	SI 5 x 38	SB-14	Pz 3 x 150	
SB-03	SI 5 x 100	SB-15	T-8 x 75	
SB-04	SI 6 x 100	SB-16	T-10 x 75	
SB-05	SI 6 x 125	SB-17	T-15 x 100	
SB-06	SI 8 x 150	SB-18	T-20 x 100	
SB-07	Ph 0 x 75	SB-19	T-25 x 100	
SB-08	Ph 1 x 75	SB-20	T-27 x 125	
SB-09	Ph 2 x 100	SB-21	T-30 x 125	
SB-10	Ph 2 x 150	SB-22	T-40 x 150	
SB-11	Ph 3 x 150	SB-23	T-45 x 150	
SB-12	Pz 1 x 75			

SCREWDRIVER

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic comfort grip handle
- Comply with GS standard



	SF-01	SI 3 x 75	SF-13	Pz 2 x 100	I
	SF-02	SI 5 x 38	SF-14	Pz 3 x 150	
	SF-03	SI 5 x 100	SF-15	T-8 x 75	
	SF-04	SI 6 x 100	SF-16	T-10 x 75	
	SF-05	SI 6 x 125	SF-17	T-15 x 100	
	SF-06	SI 8 x 150	SF-18	T-20 x 100	
	SF-07	Ph 0 x 75	SF-19	T-25 x 100	
	SF-08	Ph 1 x 75	SF-20	T-27 x 125	
	SF-09	Ph 2 x 100	SF-21	T-30 x 125	
	SF-10	Ph 2 x 150	SF-22	T-40 x 150	
	SF-11	Ph 3 x 150	SF-23	T-45 x 150	
	SF-12	Pz 1 x 75			


SCREWDRIVER

 S2 or chrome vanadium steel,matt chromc plated black magnetic tip





W// STANFORD		/// STANFORD	
SW-01	PH 2 x 100	SW-04	SL 6 x 100
SW-02	PH 2 x 125	SW-05	SL 6 x 125
SW-03	PH 2 x 150	SW-06	SL 6 x 150



Screwdriver

Category: conventional plastic handle screwdriver, two-color injection molding handle screwdriver, through tang strengthened handle screwdriver and electric insulating screwdriver.

Each handle is of our spot color, no burr and comfortable to hold.

The hardness and torque force of the cutter holder reach international standards.

SCREWDRIVER





9IN1 INTERCHANGEABLE SCREWDRIVER SET

High quality handle

- Chrome vanadium steelSlotted:3,4,5,6
- Phillips:0,1,2
- Torx:10,15



	SI 3,4,5,6
SDS-16	Ph 0,1,2
	T 10,15

SCREWDRIVER

S2 or chrome vanadium steel

STANFORD

- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic comfort grip handle
- Comply with GS standard



W STANFORD			
SE-01	SI 3 x 75	SE-13	Pz 2 x 100
SE-02	SI 5 x 38	SE-14	Pz 3 x 150
SE-03	SI 5 x 100	SE-15	T-8 x 75
SE-04	SI 6 x 100	SE-16	T-10 x 75
SE-05	SI 6 x 125	SE-17	T-15 x 100
SE-06	SI 8 x 150	SE-18	T-20 x 100
SE-07	Ph 0 x 75	SE-19	T-25 x 100
SE-08	Ph 1 x 75	SE-20	T-27 x 125
SE-09	Ph 2 x 100	SE-21	T-30 x 125
SE-10	Ph 2 x 150	SE-22	T-40 x 150
SE-11	Ph 3 x 150	SE-23	T-45 x 150
SE-12	D= 1 v 75		

SI 3 x 75

Injection logo ergonomic comfort grip handle

SA-02	SI 5 X 30	SA-14	P2 3 X 130	
SA-03	SI 5 x 100	SA-15	T-8 x 75	
SA-04	SI 6 x 100	SA-16	T-10 x 75	
SA-05	SI 6 x 125	SA-17	T-15 x 100	
SA-06	SI 8 x 150	SA-18	T-20 x 100	
SA-07	Ph 0 x 75	SA-19	T-25 x 100	
SA-08	Ph 1 x 75	SA-20	T-27 x 125	
SA-09	Ph 2 x 100	SA-21	T-30 x 125	
SA-10	Ph 2 x 150	SA-22	T-40 x 150	
SA-11	Ph 3 x 150	SA-23	T-45 x 150	
SA-12	Pz 1 x 75			

SA-13

2PCS SAFETY INSULATED SCREWDRIVER SET

- S2 or chrome vanadium steel
- Matt chrome plated Black magnetic tip
- Injection logo ergonomic comfort grip handle





PC PC	\bigoplus
W// C7	

SDS-01

STANFORD	SL(mm)	Ph(mm)
DTS-2202	6.5 x 150	2 x 100
5IN1 RATCHE	T SCREWDRIVE	R AND BITS SET

SI5,SI6,Ph1,Ph2,Ph3

Double color ergonomic comfort grip handle

Bits size: SI5,SI6,Ph1,Ph2,Ph3

Double blister card packing

2PCS SCREWDRIVER SET (SLOTTED & PHILLIPS)

- S2 or chrome vanadium steel
- Matt chrome plated

SCREWDRIVER

Matt chrome plated

Black magnetic tip

S2 or chrome vanadium steel

Comply with GS standard

- Comply with GS standard





	" -		,
	V HINE		8
2 PC	\bigoplus		
/// STANFORD		,	SL(n
DTC 2204		0	200



Injection logo ergonomic comfort grip handle

- Black magnetic tip







11PCS RATCHET SCREWDRIVER SET

- S2 or chrome vanadium steel
- matt chrome plated
- black magnetic tip
- injection logo ergonomic comfort grip handle

 comply with GS standar SL 3,4,5

PZ1 PZ2 PH1 PH2 PH3 T10 T15





www.nbmind.com

4-1

SCREWDRIVER



7PCS WATCH SCREWDRIVER SET

S2 or chrome vanadium steelPearl nickel plated

Two-color ABS and PP handle

Ergonomic comfort grip handle
 Comply with GS standard

Black magnetic tip

4PCS MINI PICK AND HOOK SET

8IN1 SCREWDRIVER SET

Sl3x65,Sl5x65,Sl6x65

Aw13x65,prybar 5mm

Ergonomic comfort-grip handle8pc bits size: Ph0x65,Ph1x65,Ph2x65,

1pc straght pick

SDS-02

- 1pc 90 degree hook







- 1pc full hook
- 1pc offset 45 hook





Ph0x65,Ph1x65,Ph2x65,

SI3x65,SI5x65,SI6x65

6PCS WATCH SCREWDRIVER SET

PH000X50 , PH00X50 , PH0X50

6pcs watch screwdriver set: -2X50 , -2.5X50 , -3X50 ,



6 IN 1 SCREWDRIVER SET

- Ergonomic comfort grip handle Chrome vanadium steel
- Size:2pc Bits:6.3x65
- Ph1x3/16,8x75,Ph2x1/4





Bits:6.3x65 Ph1x3/16,8x75,Ph2x1/4

SCREWDRIVER

SCREWDRIVER BIT SET

NINGBO MIND IMPORT & EXPORT CO..LTD.

10pcs screwdriver bit set, I5mm,6mm, ph0,ph1,ph2,pz1,pz2,t15,t20, 1pc bit driver



DTS-7708

36PCS RATCHET SCREWDRIVER SET

- 25PC 6.3X25MM CR-V BITS:-3 , -5 , -6 , PH0 , PH1 , PH2 , PH3 , PZ0 , PZ1 , PZ2 , PZ3 , T10 , T15 , T20 , T25 , T27 , T30 , T40 , H1.5 , H2 , H2.5 , H3 , H4 , H5 , H6
- 9PC 1/4 *20.5 socket: 4 5 6 7 8 9 10 11 12 1PC 6.3X25mmADR 1PC ratchet handle



DTS-7709

6.5 x 150

32PCS WATCH SCREWDRIVER SET

- -3 -4 -5 -6 PH1 PH2X3 PH3 PZ1 PZ2 PZ3 T10 T15 T20 T25 T27 T30 T40 H3 H4 H5 H6
- 20PC 4X28MM CR-V BITS: -1.5 -2 -2.5 -3 PH000 PH00 PH0 PH1 T6 T7 T8 T9 T10 T15 T20 H1.5 H2.0 H2.5 H3.0 H4.0
- 1PC 6.3X25MM 4-6ADR 9PC 20.5mm socket: 4 5 6 7 8 9 10 11 12mm 1PC 6.3X50MM bits driver 1PC 4X60MM bits driver 1PC ratchet handle 1PC Precision batch handle



SI5.SI6.Ph1.Ph2.Ph3

32PCS WATCH SCREWDRIVER SET

30PCS 4X28MM CRV BITS: -1.5 -2.0 -2.5 -3.0 -3.5 -4.0 PH000 PH00 PH0 PH1 T4 T5 T6 T7 T8 T9 T10 T15 T20 H0.9 H1.3 H1.5 H2.0 H2.5 H3.0 H4.0 Y2.0,0.8 ,1.2, U2.6 1PC 4X60mm bit driver 1PC Precision batch handle





DTS-7710

18PCS RATCHET WRENCH & SCREWDRIVER SET

- Ratchet can be adjusted to each side freely.
- Soft grip handle for more comfortable.
- Very good set for mechanician.
- CONTAINS:
- 1pc mini ratchet T-handle. 1pc 25mm adaptor. 1pc magnetic extension shaft. 3pcs slotted: 3.0, 5.0, 6.0mm. 3pcs phillipe: PH1, PH2. PH3. 3pcs torx: T10, T15, T20 6pcs sockets: 5, 6, 7, 8, 9, 10mm



22PCS RATCHET WRENCH & SCREWDRIVER SET

- Ratchet can be adjusted to each side freely.
- Soft grip handle for more comfortable.
- Very good set for mechanician.
- CONTAINS:

1pc dual color ratchet screwdriver handle. 1pc 115mm magnetic extension shaf 4pcs slotted: 1.5, 2.0, 2.5, 3.0mm 4pcs phillipe: PH000, PH00, PH0, Ph 7pcs torx: T6, T7, T8, T9, T10, T15, 5pcs hex: 1.5, 2.0, 2.5, 3.0, 4.0mm



DTS-7713	Ph0x65,Ph1x65,Ph2x65,
	SI3x65,SI5x65,SI6x65

32PCS MOBILE PHONE REPAIR TOOLS SET

- 2pc mini pry bar; 1pc tweezer;1pc suction cup
- 1pc trigonal opening pick; 1pc SIM card tray opener
- 24pc 5/32* 28 mm standard bits:
- SL1.: H1.5. H2:
- PH000, PH00, PH0, PH1; Y000,Y00; T2, T3, T4, T5, T6, TT8, TT10; Triangle 3.0: P0.8. 0.8. 1.2. 1.5: INNER NUT: 2.5 Special PH2.5 More than 98% of mobile
- can be repaired with it , like all iPones and Androids and Samsung and other brands.



	Size
	SI 3,4,5,6
DTS-7714	Ph 0,1,2
	T 10,15

27PC PRECISION SOCKET & WRENCH SET

1pc aluminum precision screwdriver

14pc 4x50mm bits:

PH00, PH0, PH1, PH2;

T 5, T6, T7, T8, T9, T10, T15;


SL2, SL3, SL4;

5pc mini sockets: H4, H4.5, H5, H5.5, H6

• 6pc mini wrenches: H2.5, H3, H3.5, H4, H4.5, H5;

41PC MINI RATCHET SCREWDRIVER SET

- 1pc 60mm 1/4 inch magnetic extension bar
- 1pc 25mm 1/4 inch socket adaptor
- 6pc 1/4 inch sockets: 5, 6, 7, 8, 9, 10mm
- 32pc standard 1 inch bits: Slotted: SL3, SL4, SL5, SL6, 1/8, 5/32, 3/16, 1/4;





DTS-7715

22PCS RATCHET WRENCH & SCREWDRIVER SET

- Ratchet can be adjusted to each side freely.
- Soft grip handle for more comfortable.
- Very good set for mechanician.
- CONTAINS:

1pc dual color ratchet screwdriver handle. 1pc 115mm magnetic extension shaft. 4pcs slotted: 1.5, 2.0, 2.5, 3.0mm 4pcs phillipe: PH000, PH00, PH0, PH1 7pcs torx: T6, T7, T8, T9, T10, T15, T20 5pcs hex: 1.5, 2.0, 2.5, 3.0, 4.0mm





34PCS SCREWSRIVER BIT SET

34pcs screwsriver bit set

DTS-7716



4-2 www.nbmind.com www.nbmind.com

1pc 1/4 quick released ratchet wrench

9pcs sockets(CS with heat treatment):

1pc 100mm socket extension bar

1pc bit adaptor

1pc adaptor

4,5,6,7,8,9,10,11,12mm

1pc universal changing.

21pcs Cr-v bits(6.35*25mm):

SCREWDRIVER

48PCS SCREWSRIVER BIT SET

48pcs screwsriver bit set



DTS-7719

34PCS T-HANDLE SCREWDRIVER SET

- 1pc T-handle ratchet 7pcs 6.35*75mm bits 16pcs 6.35*25mm bits 1pc 115mm extension bar 1pc AD
- 8pcs 1/4" sockets: 5-6-7-8-9-10-11-12mm



/// STANFORD	SL(mm)	Ph(mm)
DTS-7721	6.5 x 150	2 x 100

59PCS T-HANDLE RATCHET SCREWDRIVER SET

- 1pc T-handle ratchet screwdriver 1 pc adjustable extension bar (140mm)
- 1pc 25mm adaptor 20pcs 1/4" sockets 5/32,3/16,7/32,1/4,9/32,5/16,11/32,3/8,7/16, 1/2.4.4.5.5.6.7.8.9.10.11.12 36pcs Cr-v bits (6.35x25mm)



54PCS SCREWSRIVER BIT SET

54pcs screwsriver bit set

NINGBO MIND IMPORT & EXPORT CO..LTD.



DTS-7720

48 PCS T-HANDLE RATCHET SCREWDRIVER SET

1pc T-handle ratchet screwdriver 1 pc adjustable extension bar 1pc adaptor 10pcs 1/4" CRV sockets: 12,11,10,9,8,7,6,5,4.5,4mm 35pcs Cr-v bits (6.35x25mm)



40-PIECE STUBBY TOOL SET

- 1pc 1/4 in and 3/8 in Drive Reversible Stubby Ratchet
- 1pc Stubby Adjustable Wrench
- 1pc Ratcheting Screwdriver
- 1pc extension bar(60mm length)
- 1pc 1/4*2" socket extension
- 14pc socket(CS with heat treatment)
- 1/4 in Metric Sockets:4,4.5,5,6,7,8,9,10,11,12mm
- 3/8 in Metric Sockets:13,14,15,16mm 1pc 1/4 in x 3/8 in Adapter
- 1pc screwdriver adapter
- 19pc screwdriver bits: Slotted:SL 5/32, SL 3/16, SL 1/4 Phillips:(2)PH1,(2)PH2,(2)PH3

Hex: 1/8 in, 1/4 in Star: T10, T15, T20, T25, T30 Square: SQ0.SQ1.SQ2





DTS-7724

61PCS RATCHET T-DRIVER SET

- 1pc ratchet T-handle
- 1pc precision screwdriver handle
 1pc soft extension bar
- 1pc adaptor
- 1pc 140mm extension bar
- 17pcs Cr-v bits(6.35x25mm); (SL6.SL5.SL4.SL3.S2.S3) . (T10,T15,T20,T25,PZ3,AD), (PH0,PH1,PH2,PH3,PZ1,PZ2)
- 30pcs Cr-v bits(4x28mm): (SL1.5,SL2.0,SL2.5,SL3.0,SL4.0,PH000) (PH00,PH0,PH1,T5,T6,T8) (T10,T15,H0.7,H1.0,H2.0,H4.0) (PZ0,PZ1,Y2.0,Y2.3,Y2.5,Y3.0) (0.8, 1.2, 2.0,U2.6, 2.0, 3.0) 9pcs 1/4" sockets: 5/32, 3/16, 1/4, 9/32 , 5/16 , 11/32 , 3/8 , 13/32 , 7/16



17PCS TOOL SET

1pc multi-function handle

1pc extension bar(length 60mm)

12pcs 25mm Cr-v bits

3pcs saw blade: 1 for metal 1 for drywall/sheetrock

1 for wood

DTS-7725

DTS-7726

- 13pcs precision blades:





14PCS LED PRECISION KNIFE SET

- 1pc precision knife handle
- #1,(2)#3,#4,#7,#10,(3)#11,(2)#12,#17,#38



SI 3,4,5,6



4-4

DTS-7723

High quality ratchet

17PCS RATCHET SCREWDRIVER SET

S

CREWDRIVER



STANFORD	Size
SDS-05	Bits:-4,5,6,Ph1,Ph2,T10,T15,
	Socket:4,4.5,5,5.5,6,7,8,9

26PCS RATCHET SCREWDRIVER AND BITS SET

- Ratchet structure for easy of keep turning
- 18pc CRV bits, length 65mm
- 6pc 1/4" sockets
- 1pc tool bag



/// STANFORD	Size
SD-04	Length 65mm, 1/4" sockets

29PCS RATCHET SCREWDRIVER SET

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic
- comfort grip handle
- Comply with GS standard





STANFORD	
SDS-08	SI,3,4,5,5,6,6,7
	Ph0,1,1,2,2,3,3,
	Pz0,1,1,2,2,3,3,
	T10,15,20,25,27,30,40

39PCS SCREWDRIVER SET

- 1pc screwdriver 16pcs chrome vanadium
- steel bits:3pcs SL:4,5.5,7mm,
- 7pcs PH:#1,#2*5,#3
- 3pcs star:T15,T20,T25, 2pcs hex:3mm,4mm 1pc adaptor
- 12pcs 1/4" driver sockets
- 6 S.A,E:1/4",5/16",11/32",3/8",
- 7/16".1/2"
- 6 metric:5mm,6mm,7mm,8mm 9mm,10mm
- 5pcs bit stand reversible ratchet with comfortable cushion grip





	"	STAP	4FOR	
;	SE)S-	20	

6PCS SCREWDRIVER SET

- S2 or chrome vanadium steel
- Matt chrome plated Black magnetic tip
- Injection logo ergonomic comfort grip
- Comply with GS standard



/// STANFORD	Size
SDS-03	SI 3x75,5x100,6x150
303-03	Ph 0x75,1x100,2x150

47PCS RATCHET SCREWDRIVER SET

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic comfort grip handle
- Comply with GS standard



DTS-6604

6PCS SCREWDRIVER SET

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic comfort grip handle
- Comply with GS standard





	SI(mm)	Ph(mm)	
DTS-6606	SI 4 x 75	Ph 1 x 75	
	SI 4 x 100	Ph 1 x 100	
	SI 6 x 150	Ph 6 x 150	

6PCS SCREWDRIVER SET

- S2 or chrome vanadium steel matt chrome plated
- black magnetic tip
- injection logo ergonomic
- comfort grip handle
- comply with GS standar







// STANFORD			
DTS-6607	SL5*75	PH1*75	
	SL5*100	PH1*100	
	SL6*150	PH2*150	

6PCS SCREWDRIVER SET

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo
- ergonomic comfort grip handle
- Comply with GS standard









	SI(mm)	Ph(mm)	
ZD-1102	SI 5 x 100	Ph 5 x 100	
	SI 5 x 150	Ph 5 x 150	
	CL6 v 150	Dh 6 v 150	

6PCS SCREWDRIVER SET

- S2 or chrome vanadium steel
- matt chrome plated
- black magnetic tip
- injection logo ergonomic
- comfort grip handle
- comply with GS standar







PH2*150


6PCS SAFETY INSULATED SCREWDRIVER SET

- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic comfort grip handle
- Indulate to 1000 volts









6PCS SCREWDRIVER SET (SLOTTED&PHILLIPS)

SL6*150


- S2 or chrome vanadium steel
- Matt chrome plated
- Black magnetic tip
- Injection logo ergonomic comfort grip handle
- Comply with GS standard

DTS-6608









6.5 x 150 1 x 100 www.nbmind.com www.nbmind.com










6PCS SCREWDRIVER SET

- S2 or chrome vanadium steel
- matt chrome plated
- black magnetic tip
- injection logo ergonomic comfort grip handle, insulated to 1000 volts





SCREWDRIVER



7PCS SCREWDRIVER SET

- S2 or chrome vanadium steel
- matt chrome plated
- black magnetic tip
- injection logo ergonomic
- comfort grip handle
- comply with GS star





andar	8 8 8	
NFORD	1000	
01 ()	DI- ()	

	SL(mm)	Ph(mm)	
	SL3*75	PH0*75	
DTS-6610	SL5*100	PH1*100	
D10-0010	SL6*125	PH2*125	
	SL6*150		

6PCS SCREWDRIVER SET

- S2 or chrome vanadium steel
- matt chrome plated
- black magnetic tip
- injection logo ergonomic
- comfort grip handle comply with GS standar





	SL(mm)	Ph(mm)
	SL 2*75	PH0*75
DTS-6611	SL 4*100	PH1*100
	SL 6*150	PH1*150

39PCS SCREWDRIVER SET

- 3 screwdrivers:PH2*125mm.PH1*100mm.PH0*75mm
- 4 flat screwdrivers:SL8*150mm,SL6*125mm,
- SL5*100mm,SL3*75mm
- 2 mini screwdrivers dishes:SL2.5,SL3*50mm
- 2 mini cacciaviti:PH00,PH0*50mm
- 6 mini screwdrivers:T5.T6.T7.T8.T9.T10*50mm
- 4 keys to bushings 1/4":4,5,6,7,mm
- 16 inserts SL3,SL4,SL5,SL6/PH0,PH1,PH2,PH3/PZ0,
- PZ1.PZ2.PZ3/H3.H4.H5.H6
- 1 screwdriver door inserts 1 adapter tips



7/ STANFORD	
DTS-6612	

10PCS RATCHET SCREWDRIVER SET

- S2 or chrome vanadium steel matt chrome plated
- black magnetic tip
- injection logo ergonomic comfort grip handle
- comply with GS standar







XV-STANFORD SL(mm) Ph(mm) SL3*75 PH0*75 SL4*100 PH1*75 DTS-6613 SL5*125 PH2*100 SL6*150 PZ1*75		CONTROL FACILITY OF STREET		
SL4*100 PH1*75 DTS-6613 SL5*125 PH2*100		SL(mm)	Ph(mm)	
DTS-6613 SL5*125 PH2*100		SL3*75	PH0*75	
210 0010		SL4*100	PH1*75	
SL6*150 PZ1*75	DTS-6613	SL5*125	PH2*100	
		SL6*150	PZ1*75	
SL8*150 PZ2*100		SL8*150	PZ2*100	

12PCS RATCHET SCREWDRIVER SET

- S2 or chrome vanadium steel
- matt chrome plated

- comfort grip handle



/// STANFORD	SL(mm)	Ph(mm)	
	SL 6*38	PH2*38	
	SL 3*75	PH0*75	
DTS-6614	SL 5*75	PH1*75	
D13-0014	SL 6*100	PH2*100	
	SL 8*150	PH3*150	

13PCS VDE INSULATED SCREWDRIVER SET

- 4pcs slotted 1.2*6.5*100mm,1*5.5*100mm,0.8*4*100mm,0.5*3*100mm,
- 2pcs phillips + PH2*100mm,PH1*80mm,
- 2pcs pozidriv PZ2*100mm,PZ1*80mm,
- 3pcs torx T20*100mm,T15*100mm,T10*100mm,
- 1pc screwdriver handle



	SL(mm)	Ph(mm)
	SL 2*75	PH0*75
DTS-7701	SL 4*100	PH1*100
	SL 6*150	PH1*150

7PCS VDE INSULATED SCREWDRIVER SET

- 3pcs Slotted 4*100mm,5.5*125mm,6.5*150mm,
- 3pcs Phillips + Ph0*60mm,ph1*80mm,ph2*100mm.
- 1pcvoltage Tester



	SL(mm)	Ph(mm)	
	SL3*75	PH0*75	
DTS-7702	SL5*100	PH1*100	
D13-1102	SL6*125	PH2*125	
	SL6*150		

6PCS VDE INSULATED SCREWDRIVER SET

- 3pcs Slotted -2.5*75mm 4*100mm.5.5*125mm.
- 3pcs Phillips + Ph0*60mm,ph1*80mm,ph2*100mm.



	SL(mm)	Ph(mm)
	SL 2*75	PH0*75
DTS-7703	SL 4*100	PH1*100
	SL 6*150	PH1*150

6PCS SCREWDRIVER SET

- SI4*75mm.sI5*100mm, SI6*125mm.
- Ph1*75mm,ph1*100mm.ph2*125mm



W// STANFORD	
DTS-7704	

8PCS SCREWDRIVER SET

36PCS SCREWDRIVER SET

- SI-6x38,-5x75,-6x100,-8x150,
- Phph2x38.ph1x75.ph2x100.
- 10pcs watch Screwdriver: -1.5x50,-2.0x50,-2.5x50,-3.0x50, ph000x50,ph00x50,ph0x50,t6x50,t8x50,t10x50,
- 18pc 6.3x25mm Bite

6 PC —



	SL(mm)	Ph(mm)	
	SL3*75	PH0*75	
	SL4*100	PH1*75	
DTS-7705	SL5*125	PH2*100	
	SL6*150	PZ1*75	
	CI 0*1E0	D72*100	



	_	_	_	_
ח	TS-7	77N	6	

www.nbmind.com

W

SE

Ш

STANFORD 6PCS SCREWDRIVER SET

Soft handle

- Chrome vanadium steel
- SL:0.5X3X75mm,1x5.5x100mm,1.2x6.5x125mm
- PH:0X75mm,1x100mm,2x125mm



DTS-6615

BIT SET

- Chrome vanandium Steel/S2 steel
- Chorme Plated/Gold Plated
- Special hardeding treatment





B:SDS-10 25mm

20PC PRECISION SCREWDRIVER SET

- Professional grade tools
- Content:
- 4PC Phillips:PH000.PH00.PH0.PH1 5PC Slotted:1/6",5/64",3/32",1/8",5/32"
- 5PC Torx external:T5,T6,T7,T9,T15
- 3PC Torx internal:T8,T10,T15
- 1PC Spanner slotted:2.6mm
- 1PC Triangle:3.0
- 1PC Triwing:3.0mm
- CR-V 6150 bits
- Surface:Nickel finish
- Ergonomic Shaft for better grip

6PCS SCREWDRIVER SET

- Soft handle
- Chrome vanadium steel
- SL:0.5X3X75mm,1x5.5x100mm,1.2x6.5x125mm
- PH:0X75mm,1x100mm,2x125mm



6PC PRECISION SCREWDRIVER

- Phillips:PH0.PH1
- Slotted:1.4,2,2.4,3mm
- CR-V blades with black finish



12 IN 1 PRECISION SCREWDRIVER SET

- Double-ended CR-V blades
- Content:1.5mm/PH00,2.5mm/PH0,
- 3.0mm/PH1,T9/T6,1.5mm/T7,2.0mm/T8



6PCS SCREWDRIVER SET

- Soft handle
- Chrome vanadium steel
- SL:0.5X3X75mm,1x5.5x100mm,1.2x6.5x125mm



6PC PRECISION SCREWDRIVER & BITS SET

- Content:14PC CR-Vbits
 - Phillips:PH000,PH00,PH0,PH1
 - Torx:T5,T6,T7,T8,T9
 - Slotted:1.5,2.0,2.5,3.0,4.0mm 1PC 4mm extension bar 1PC Dual-color precision



30 IN 1 SCREWDRIVER BITS SET

- Content:
- 9PC Torx:T4.T5.T6.T7.T8.T9.T10.T15.T20
- 7PC Slotted:1.0,1.2,2.0,2.5,3.0,3.5,4.0mm
- 4PC Phillips:PH000,PH00,PH0,PH1 8PC Hex:0.7,0.9,1.3,1.5,2.0,2.5,3.0,4.0mm 1PC Bits holder

1PC Screwdriver handle



SDS-13

33PC SCREWDRIVER BIT SET

- Phillips:#1,#2,#3
- Pozi:#1.#2.#3
- Slotted:3mm,4mm,5mm,6mm
- Hex:2mm,2.5mm,3mm,4mm,5mm,6mm
- Torx:T10,T15,T20,T25,27,T30,T40 Torx(Tamper-proof):T10,T15, T20.T25.27.T30.T40
- 1pc Quick Release Bit Holder



- Socket & bits with handle set of 23pcs:
- 23PC SOCKET & BIT TOOL SET 1 x Ratchet handle with 2 component
- 1 x Bit-Adapter 60mm
- 9 x Sockets. 1/4 inch drive:
- 4/5/6/7/8/9/10/11/12mm
- 12 x Bits 25mm:
- 4 x Hex:3/4/5/6mm 4 x Torx:T15/T20/T25/T30
- 2 x PH·PH1/PH2
- 2 x Slotted:4/5mm
- include storage box



52PC SCREWDRIVER & BIT SET

- 30pc Precision Screwdriver Bit
- Phillips:#000.#00.#0.#1
- Pozi:#0.#1
- Slotted:1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm
- Hex:0.7mm,0.9mm,1.3mm,1.5mm,2mm,2.5mm,3mm,4mm
- Torx:T4,T5,T6,T7,T8,T9,T10,T15,T20
- 1pc Extendable Precision Screwdriver
- 20pc 25mm Screwdriver Bit
- Phillips:#0,#1,#2,#2,#3
- Pozi:#0.#1.#2.#2.#3
- Slotted:2mm,2.5mm,3mm,4mm,5mm 5.5mm,6mm,6.5mm,7mm,8mm



BIT-01

38PC SCREWDRIVER SET

15PC SCREWDRIVER BIT SET

14pc 25mm Screwdriver Bit

Slotted:3mm.4mm.5mm.6mm

1pc Quick Release Bit Holder

Phillips:#1.#2.#3

Pozi:#1.#2.#3

Hex:3mm,4mm

- 6 x Torx:T10.T15.T20.T25.T30.T40
- 7 x Hex:2,2.5,3,4,5,5.5,6mm
- 7 x PH:2 x PH0,2 x PH1,2 x PH2,PH3
- 7 x Slotted:2,2.5,3,4,5,5.5,6mm
- 8 x PZ:2 x PZ0,2 x PZ1,2 x PZ2,2x PZ3
- 2 x Square:S1.S2
- 1/4 inch ratchet handle with 2



65PC SOCKET & BIT TOOL SET

- 9pc Socket:5mm,6mm,7mm,8mm,9mm,10mm, 11mm.12mm.13mm
- 20pc percision Screwdriver Bit
- Slotted:1mm,1.5mm,2mm,2.5mm,3mm Phillips:#000,#00,#0,#1
- Pozi:#0.#1
- Torx:T5.T6.T7.T8.T9
- Hex:0.9mm,1.3mm,1.5mm,2mm
- 31pc 25mm Screwdriver Bit
- Slotted:3mm,4mm,5mm,6mm
- 1pc 25mm Adaptor 1pc 60mm Magnetic
- Precision Bit Holder 1pc 1/4"x60mm
- Magnetic Bit Holder 1pc Precision Screwdriver



Bit-03

20PC SOCKET & SCREWDRIVER BIT TOOL SET

- 13pc 25mm Screwdriver Bit
- Phillips:#1.#2
- Pozi:#1.#2
- Slotted:5mm,6mm
- Torx:T10,T15,T20,T25,T27,T30,T40
- 5pc Socket:6mm,7mm,8mm,10mm,13mm
- 1pc Stubby Ratchet Handle



41PC SCREWDRIVER & BIT SET

- 12pc Precision Screwdriver Bit
 Phillips:#000,#00,#0
- Slotted:#2 #2 5 #3
- Torx:T5,T6,T7
- Hex:H1.3 H1.5 H2
- 16pc 25mm Screwdriver Bit
 Phillips:#0,#1,#2,#3
- Square:#0,#1,#2,#3
 Slotted:3mm,4mm,5mm,6mm
- Torx:T10 T15 T20 T25 9pc Socket:4mm,5mm,6mm,7mm
- 8mm 9mm 10mm 11mm 12mm
- 1pc Stubby Ratchet Screwdrive 1pc Precision Screwdriver
- 1pc 25mm Adaptor 1pc 60mm Magnetic Precision



BIT-11

33PCS SCREWDRIVER BITS SRT

- 32pcs 25mm screwdriver bit Phillips:#1.#2*3pc.#3
- Pozi:#1,#2*3pc,#3 Torx:T9.T10.T15.T20.T25.T27.T30.T40
- Slotted:3mm,4mm,4.5mm,5mm,5.5mm,6mm,6.5mm
- Hex:1.5mm,2mm,2.5mm,3mm,4mm,5mm,6mm



COMBINATION PLIERS

STANFORD

- High quality tools designed for professional use
- Tested to 1,000V AC/1,500V DC Bi-material TPR soft-grip handles.



		L(mm)
IP-01	6"	150
IP-02	7"	180
IP-02	8"	200

SIDE CUTTING PLIERS

- High quality tools designed for professional use
- Tested to 1,000V AC/1,500V DC
- Bi-material TPR soft-grip handles. Chrome vanadium steel.



W// STANFORD	Size	L(mm)
IP-06	6"	160

LONG NOSE PLIERS

- High quality tools designed for professional use
- Tested to 1,000V AC/1,500V DC
- Bi-material TPR soft-grip handles.



W// STANFORD	Size	L(mm)
IP-01	6"	150
IP-02	8"	200

LINESMAN PLIERS

- American Type Combination plier
- Drop forged high carbon or chrome vanadium steel longer life and durability Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for



W/ STANFORD		L(mm)
SU-801	6"	150
SU-802	7"	175
SU-803	8"	200

DIAGONAL NOSE PLIERS

- American Type Combination plier
- Drop forged high carbon or chrome vanadium steel longer life and durability Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for



		L(mm)
SX-601	6"	150
SX-602	7"	175
SX-603	8"	200

LONG NOSE PLIERS

- American Type Combination plier Drop forged high carbon or chrome
- vanadium steel longer life and durability Accord with european GS standard
- Two color handle, handle material TPE
- Ergonomic designed for using comfortably



		L(mm)
SD-601	6"	150
SD-602	7"	175
SD-603	8"	200

BENT NOSE PLIERS

PLIERS

- High quality tools designed for professional use
- Tested to 1,000V AC/1,500V DC
- Bi-material TPR soft-grip handles. Chrome vanadium steel.



/// STANFORD	Size	L(mm)
IP-07	6"	160
IP-14	8"	200

FLAT NOSE PLIERS

- High quality tools designed for professional use
- Tested to 1,000V AC/1,500V DC
- Bi-material TPR soft-grip handles.



/// STANFORD		L(mm)
IP-08	6"	160
IP-09	8"	200

ROUND NOSE PLIERS

- High quality tools designed for professional use
- Tested to 1,000V AC/1,500V DC
- Bi-material TPR soft-grip handles.
- Chrome vanadium steel.



W STANFORD		L(mm
IP-11	6"	160

BENT NOSE PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for using comfortably



W STANFORD		L(mm)
BNP-01	6"	150
BNP-02	8"	200

FLAT NOSE PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- Two color handle handle material TPE
- Ergonomic designed for using comfortably



Size	L(mm)	W// STANFORD	Size	L(mm)
6"	150	FNP-01	6"	150
8"	200	FNP-02	8"	200

ROUND NOSE PLIERS

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- Two color handle handle material TPE
- Ergonomic designed for using comfortably



		L(mm)
RNP-01	6"	150
RNP-02	8"	200

GROOVE JOIHT PLIERS

- High quality tools designed for professional use
- Tested to 1,000V AC/1,500V DC Bi-material TPR soft-grip handles.



		L(mm)
IP-12	10"	250

WIRE STRIPPING PLIERS

- High quality tools designed for professional use
- Tested to 1,000V AC/1,500V DC
- Bi-material TPR soft-grip handles. Chrome vanadium steel.



		L(mm)
IP-10	6"	160

CABLE CUTTER PLIERS

- high quality tools designed for professional use
- Tested to 1,000V AC/1500V DC
- Bi-material TPR soft-grip handles



END CUTTING PLIERS

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for using comfortably



		L(mm)
ECP-01	6"	150
FCP-02	8"	200

WIRE STRIPPING PLIERS

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- Two color handle,handle material TPE



Size L(mm)				
6"	150	STANFORD	Size	L(mn
8"	200	WSP-01	6"	150

HIGH-GRADE COMBINATION PLIER

- Drop forged used chrome nickel steel
- Long life and durability.Black finish
- Accord with european GS standard
- Two color handle,handle material TPE Ergonomic designed for using comfortably



		L(mm)
GJP-01	6"	150
GJP-02	7"	175
CID 03	Q"	200

180

200

DIAGINAL SIDE CUTTING PLIER

Drop forged high carbon or chrome vanadium

steel longer life and durability

Accord with european GS standard

Two color handle,handle material TPE

Ergonomic designed for using comfortably

Drop forged high carbon or chrome vanadium

LONG NOSE PLIER

steel longer life and durability

Accord with european GS standard

One color handle handle material TPE

Ergonomic designed for using comfortably

175

STANFORD

HIGH-GRADE SIDE CUTTING PLIER Drop forged used chrome nickel steel

Long life and durability

PLIERS

- Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for using comfortably



W/ STANFORD	Size	L(mm)
GJP-04	6"	150
GJP-05	7"	175
GJP-06	8"	200

HIGH-GRADE LONG NOSE PLIER

- Drop forged used chrome nickel steel
- Long life and durability
- Accord with european GS standard
- Two color handle handle material TPE Ergonomic designed for using comfortably



W// STANFORD	Size	L(mm)
GJP-07	6"	150
GJP-08	7"	175
GJP-09	8"	200

HIGH-GRADE BENT NOSE PLIER

- Drop forged used chrome nickel steel Long life and durability
- Accord with european GS standard
- Two color handle handle material TPE
- Ergonomic designed for using comfortably



		L(mm)
GJP-16	6"	150
GJP-17	8"	200

HIGH-GRADE FLAT NOSE PLIER

- Drop forged used chrome nickel steel Long life and durability
- Accord with european GS standard
- Two color handle,handle material TPE Ergonomic designed for using comfortably



/// STANFORD	Size	L(mm)
GJP-10	6"	160
GJP-11	8"	200

HIGH-GRADE BIG HEAD DIAGONAL CUTTING PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- One color handle,handle material TPE
- Ergonomic designed for using comfortably



		L(mm)
GJP-15	7.5"	180

HIGH-GRADE WIRE STRIPPING PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- One color handle handle material TPE
- Ergonomic designed for using comfortably



		L(mm)
GJP-12	6"	160

HIGH-GRADE END CUTTING PLIER UROPEAN TYPE COMBINATON PLIER

- Drop forged used chrome nickel steel Long life and durability
- Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for using comfortably



W // STANFORD	Size	L(mm)
GJP-13	6"	150
GJP-14	8"	200

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for using comfortably



		L(mm)
ECP-01	6"	150
ECP-02	7"	175
ECP-03	8"	200

EUROPEAN TYPE DIAGONAL SIDE CUTTING PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for using comfortably



/// STANFORD		L(mm)
ECP-07	6"	150
ECP-08	7"	175
ECP-09	8"	200

COMBINATION PLIER

- Drop forged high carbon or chrome vanadium
- steel longer life and durability
- Accord with european GS standard
- Two color handle handle material TPE



		L(mm)
PLH-01	6"	160
PLH-02	7"	180
PLH-03	8"	200

BENT NOSE PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- One color handle,handle material TPE
- Ergonomic designed for using comfortably



	Size	L(mm)
PLH-10	6"	150
PLH-11	8"	200

FLAT NOSE PLIER

PLH-04 PLH-05

PLH-06

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- One color handle handle material TPE
- Ergonomic designed for using comfortably



L(mm)			L(mm)
150	PLH-13	6"	160
200	PLH-14	8"	200

WIRE STRIPPING PLIERS

PLH-08

PLH-09

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- One color handle,handle material TPE
- Ergonomic designed for using comfortably



		L(mm)
PLH-12	6"	160

EUROPEAN TYPE LONG NOSE PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- Two color handle,handle material TPE
- Ergonomic designed for



		L(mm)
ECP-04	6"	150
ECP-05	7"	175
ECP-06	8"	200

HIGH-GRADE JAPANESE-PLIER

- Japanese type linesman plier
 - Drop forged high carbon or chrome vanadium steel longer life and durability
 - Accord with european GS standard
 - One color handle,handle material TPE
 - Ergonomic designed for using comfortably



W// STANFORD	Size	L(mm)
HJP-01	6"	150
HJP-02	7"	175
HJP-03	8"	200

HIGH-GRADE JAPANESE-PLIER

- Japanese type linesman plier
- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- One color handle,handle material TPE
- Ergonomic designed for using comfortably



W// STANFORD	Size	I (mm)
HJP-04	6"	150
HJP-05	7"	175
H IP-06	Q"	200

PLIERS

HIGH-GRADE JAPANESE-PLIER

Japanese type linesman plier

PLIERS

STANFORD

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Accord with european GS standard
- One color handle,handle material TPE
- Ergonomic designed for using comfortably



		L(mm)	
HJP-07	6"	150	
HJP-08	7"	175	
HJP-09	8"	200	

COMBINATION LABOR SAVING PLIERS

- high quality tools designed for professional use
- effort savings 30% than general pliers
 Bi-material TPR soft-grip handles
- carbon steel,chrome vanadium



/// STANFORD		
HJP-10	5"	
HJP-11	7"	

DIAGONAL LABOR SAVING PLIERS

- high quality tools designed for professional use
- effort savings 30% than general pliers
- Bi-material TPR soft-grip handles
- carbon steel,chrome vanadium,



W// STANFORD	Size
HJP-12	5"
HJP-13	7"

LONG NOSE LABOR SAVING PLIERS

- high quality tools designed for professional use
- effort savings 30% than general pliers
- Bi-material TPR soft-grip handles
- carbon steel,chrome vanadium,



/// STANFORD	Size	
HJP-14	5"	
HJP-15	7"	

DOUBLE X PLIERS FLAT NOSE

- high quality tools designed for professional use
- narrow space



/// STANFORD		
HJP-16	13"	

DOUBLE X PLIERS LONG NOSE

- high quality tools designed for professional use
- the double joint design ensue it easy to reach into long and narrow space



W // STANFORD		
HJP-17	13"	

DOUBLE X PLIERS LONG NOSE

- high quality tools designed for professional use
- the double joint design ensue it easy to reach into long and narrow space



HJP-18	13"

DOUBLE X PLIERS LONG NOSE

- high quality tools designed for
- the double joint design ensue it easy





STANFORD

/// STANFORD	Size	
HJP-19	13"	

DOUBLE X PLIERS LONG NOSE

- high quality tools designed for professional use
- the double joint design ensue it easy to reach into long and narrow space chrome vanadium steel



	8mm13"	
HJP-20	13mm13"	
	10mm13"	

FENCE PLIERS

fence pliers 10.5"



/// STANFORD	Size	
HJP-31	10.5"	

MULTI-FUNCTION STRIPPING WIRE CLAMP

Multi-function stripping wire clamp: 9"



1101 02	
	www.nbmind.com
	www.ripitiitid.com

PLIERS

STANFORD NINGBO MIND IMPORT & EXPORT CO.,LTD.

- EXTERNAL STRAIGHT CIRCLIP PLIER Drop forged high carbon or chrome vanadium
- steel longer life and durability
 Two color PVC dipping handle
- Accord with european GS standard
- Ergonomic designed for using comfortably



/// STANFORD		L(mm)
CPL-10	7"	175
CPL-11	9"	225
CPL-12	13"	325

INTERNAL BENT CIRCLIP PLIER

- Drop forged high carbon or chrome vanadium
- steel longer life and durability
 Two color PVC dipping handle
- Accord with european GS standard Ergonomic designed for using comfortably



W STANFORD		L(mm)
CPL-01	7"	175
CPL-02	9"	225
CPL-03	13"	325

INTERNAL STRAIGHT CIRCLIP PLIER

- Drop forged high carbon or chrome vanadium
- steel longer life and durability
 Two color PVC dipping handle
- Accord with european GS standard
- Ergonomic designed for using comfortably



/// STANFORD		L(mm)
CPL-04	7"	175
CPL-05	9"	225
CPL-06	13"	325

EXTERNAL BENT CIRCLIP PLIER

- Drop forged high carbon or chrome vanadium
- steel longer life and durability
- Two color PVC dipping handle
- Accord with european GS standard
- Ergonomic designed for using comfortably



M/ STANFORD		L(mm)
CPL-07	7"	175
CPL-08	9"	225
CPL -09	13"	325

SLIP JOINT PLIER

- Drop forged high carbon or chrome vanadium
- steel longer life and durability Heat treated
- Comfort grip handle
- Comply with GS standard




W/ STANFORD		L(mm)
SJP-06	6"	160
SJP-08	8"	200
SJP-10	10"	250

2PCS PLIER SET

- 8"Slip Joint Plier & 10" Groove Joint Plier
- Double cushion grip handles
- Drop forged steel construction
- Fully polished & chromeplated



MINI PLIERS Drop forged high carbon or chrome vanadium steel longer life and durability Heat treated Comfort grip handle Comply with GS standard



GROOVE JOINT PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Heat treated
- Comfort grip handle
- Comply with GS standard



W STANFORD		L(mm)
SLY-1001	8"	200
SLY-1002	10"	250
SLY-1003	12"	300

FAST ACTION GROOVE JOINT PLIERS

- drop forged high carbon or chrome
- vanadium steel longer life and durability
- heat treated
- accord with european GS standard
- ergonomic designed for using comfortably More than ordinary water pump clamp





	Size	L(mm)
SLY-1007	8"	200mm
SLY-1008	10"	250mm
SLY-1009	12"	300mm

D4 TYPE GROOVE JOINT PLIER

- Drop forged high carbon or chrome
- vanadium steel longer life and durability
- Heat treated
- Two color TPR soft-grip handle
- Accord with european GS standard
- Ergonomic designed for using comfortable

STANFORD



W /:			L(mm)
SL	Y-1004	8"	200
SL	Y-1005	10"	250
SL	Y-1006	12"	300

VDE D4 TYPE WATER PUMP PLIERS

- Chrome-vanadium steel
- Dual-material comfort grip handle
- Integral guards help prevent hand contact with conductive parts
- Insulated voltage:1000V



/// STANFORD	Size	
SLY-1010	9.5"	

WATER PUMP PLIERS

- Chrome-vanadium steel
- Dual-material comfort grip handle



		Size
1	SLY-1011	7"
١	SLY-1012	10"

WATER PUMP PLIERS chrome-vanadium steel Automatic box joint pliers, polished jaws,black

Phosphated,with pvc dipped handle



W// STANFORD	Size	
SLY-1013	7"	
SLY-1014	10"	
SLY-1015	12"	

TOWER PINCER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Heat treated
- Comfort grip handle
- Comply with GS standard



		L(mm)
SZX-801	8"	200
SZX-802	9"	225
SZX-803	10"	250
SZX-804	11"	275
SZX-805	12"	300

CARPENTER PLIERS

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Heat treated
- Comfort grip handle
- Comply with GS standard



W// STANFORD	Size	L(mm)
SHT-801	7"	175
SHT-802	8"	200
SHT-803	9"	225
SHT-804	10"	250
CLIT OOF	10"	200

END-CUTTING PLIERS

- Drop forged high carbon or chrome
- vanadium steel longer life and durability Heat treated
- Comfort grip handle
- Comply with GS standard



	Size	L(mm)
SHT-810	6"	150
SHT-811	7"	175
SHT-812	8"	200

16

STRAIGHT JAW GRIP LOCKING PLIER

- High carbon steel or chrome vanadium steel jaw for maximum
- Quick easy locking and release action
- Guarded release helps keep work fast and safe
- Curved jaws with wire cutters

PLIERS

Turn screw to adjust holding pressure fit work



/// STANFORD	Size	L(mm)
SDL-10	10"	250
SDL-07	7"	175
SDL-05	5"	125

CHAIN CLAMP LOCKING PLIERS

Chain length Can be Adjusted for need

LOCKING PLIERS

Chrome-vanadium steel

Wide opening 0-50mm

LOKING PLIERS

- High carbon steel or chrome vanadium
- Quick easy locking and release action
- Guarded release helps keep work fast and safe
- Curved jaws with wire cutters



		L(mm)
LP-10	10"	250
LP-07	7"	175
LP-05	5"	125

steel jaw for maximum

NINGBO MIND IMPORT & EXPORT CO. LTD.

- Turn screw to adjust holding pressure fit work



	3126	L(111111)
LP-10	10"	250
LP-07	7"	175
LP-05	5"	125

STRAIGHT JAW LOCKING PLIERS

- Straight welded jaws, without wire cutter, nickel plated



LPS-15 7" 175 LPS-16 10" 250 LPS-17 12" 300	## STANFORD	Size	L(mm)
	LPS-15	7"	175
LPS_17 12" 300	LPS-16	10"	250
21 0 17 12 000	LPS-17	12"	300

- Chrome-vanadium steel



W// STANFORD	Size	L(mm)
LPS-15	7"	175
LPS-16	10"	250
LPS-17	12"	300

SWIVEL PAD C CLAMP



// STANFORD	Size	
LPS-03	5"	
LPS-04	6"	
LPS-05	8"	
LPS-06	11"	
LPS-07	18"	

CRV STRAIGHT JAWS LOCKING PLIER

- Nickel Plated 3Rivets



LPS-02	10"

LONG JAW LOCKING PLIER

- High carbon steel or chrome vanadium steel jaw for maximum
- Quick easy locking and release action
- Guarded release helps keep work fast and safe
- Curved jaws with wire cutters
- Turn screw to adjust holding pressure fit work



/// STANFORD	Size	L(mm)
LP-65	6-1/2"	150
LP-09	9"	225

STRAIGHT JAW LOCKING PLIERS

- Chrome-vanadium steel
- Straight welded jaws, without wire cutter, nickel plated



		L(mm)
LPS-08	4"	100
LPS-09	6"	150
LPS-10	9"	225
LPS-11	11"	275
LPS-12	14"	350

3PCS MINI PLIERS

- drop forged high carbon or chrome vanadium steel longer
- life and durability
- heat treated
- Double dipper grip handle
- comply with GS standard



A 1000 H	•		
/// STANFORD	Size		
	4.5' mini flat nose plier	117mm	
SM-5502	4.5" mini diagonal plier	117mm	
	4.5" mini round nose plier	117mm	

4PCS CIRCLIP PLIER SET

- drop forged high carbon or chrome vanadium steel longer life
- and durability
- two color PVC dipping handle
- accord with european GS standard
- ergonomic designed for using comfortably





SET-08 7	"	175mm

3PCS PLIERS SET

- drop forged high carbon or chrome vanadium steel longer
- life and durability
- heat treated comfort grip handle





	6"diagonal cutting pliers	150mm
SBX-02	6" long nose pliers	150mm
	7" lineman pliers	175mm

3PCS MINI PLIERS

- drop forged high carbon or chrome vanadium steel longer
- life and durability
- heat treated
- comfort grip handle comply with GS standard





W // STANFORD		L(mm)	
	8"groove joint pliers	200mm	
SET-3304	8"long nose pliers	200mm	
	8" lineman nliers	200mm	

5PCS MINI PLIER

- Drop forged high carbon or chrome vanadium steel longer life and durability
- Heat treated
- Double dipper grip handle
- Comply with GS standard





STANFORD

	STANFORD		L(mm)
ı	SM-5501	4.5"mini long / diagonal	117
ı	3IVI-330 I	bent / end / flat nose plier	

3PCS MINI PLIERS

- drop forged high carbon or chrome vanadium steel longer
- life and durability
- heat treated comfort grip handle
- comply with GS standard





W/ STANFORD		L(mm)	
	6"diagonal cutting pliers	150	
SET-3302	6" long nose pliers	150	
	6" lineman pliers	150	

3PCS PLIER SET

- Drop forged high carbon or chrome vanadium steel
- longer life and durability
- Heat treated
- Comfort grip handle





W STANFORD		L(mm)
	6"diagonal plier	150
SET-3301	6"long nose plier	150
	8"lineman plier	200

4PCS PLIER SET

- Contains:
- 6"slip joint,6"long nose, 6"diagonal cutter,
- 7"linesman plier
- Drop forged steel





19

www.nbmind.com www.nbmind.com

STANFORD

4PCS COMBINATION PLIER&WRENCH SET

- Contains:6" Slip Joint Plier,6" Long Nose Plier,
- 6" Diagonal Plier and 8" Adjustable Wrench Double cushion grip handles for comfort and control
- Drop forged steel construction

STANFORD

Fully polished & chrome plated





SET-03

PLIERS

3PCS LOCK PLIER SET

- A Must Have Set For Home & Shop
- Drop Forged Jaws, milled Teeth
- Three Popular Sizes:5",7",and 10"



SET-02

8PCS VDE TOOLS SET

VDE screwdriver PH1*4.5*80

VDE screwdriver PH2*6*100

VDE screwdriver 0.4*2.5*75

VDE screwdriver 0.8*4*100 VDE voltage tester 140

VDE red tape 1000*19*0.15

16PCS VDE TOOLS SET

VDE H10.H12 socket bit adaptor handle

VDE H5,H6 ,H10 hexagon wrench

VDE screwdriver 0.8*4*100,1*5.5*125

VDE bent nose plier 6"

VDE combination plier 8"

 VDE water pump plier 10" VDF adjustable wrench 8"

VDE sickle blade cabke cutter

VDE screwdriver PH2*6*100, PH1*4 5*80

VDE voltage tester 140mm

VDE red tape 1000*19*0.15mm

■ VDE long nose plier 6"

VDE diagonal plier 6"

5PCS PLIER SET

- Contains:7-1/2" Diagonal cutters, 10" curved jaw locking plier,8" long nose plier, 8" slip joint plier, 12" groove joint plier
- Black matte, double cushion grip
- Heavy duty drop forged steel jaws, milled jaws hardened and tempered





SET-05

11PCS VDE TOOLS SET

- VDE combination plier 6"
- VDE diagonal plier 6" VDE bent nose plier 6"
- VDE screwdriver 0.8*4*100
- VDE screwdriver 1*5.5*125
- VDE screwdriver PH2*6*100
- VDE screwdriver PH1*4.5*80
- VDE screwdriver PH0*3*60
- VDE voltage tester 140mm
- VDE red tape 1000*19*0.05
- steel measuring tape 3m



VDE bent nose plier 8"

■ VDE long nose plier 6"

VDE cable shear 10"

SET-10

38PCS VDE TOOLS SET

- VDE screwdriver PH3*8*150,PH2*6*100,PH1*4.5*80,PH0*3*60 VDE screwdriver 1.2*6.5*150.1*5.5*125.0.8*4*100.0.4*2.5*75
- VDE hexagonal wrench 3mm,4mm,5mm,6mm,8mm,10mm
- VDE adjustable wrench 8" VDE combination plier 8"
- VDE wire stripper 6"
- VDE big head diagonal plier 7"
- VDE water pump plier 10"
- VDE socket bit adaptor handle 4mm,6mm,8mm,10mm,12mm,14mm
- VDE sickle balde cable cutter

- VDE scissors
- VDE flat blade cable cutter ■ VDE voltage tester 140mm
- VDE black tape 1000*19*0.05mm,red tape 1000*19(0.15mm hammer 300g, mini hacksaw, multimeter, bag



SET-12

7"combination pliers

9PCS VDE TOOL SET, 6"LONG NOSE PLIERS

- 6"sidecutting pliers
- VDE SCREWDRIVER 2.5×75
- 4×100
- 5.5×125 PH1×80 PH2×100

VDE 140MM test pencil



10PCS VDE TOOL SET

- 7"COMBINATION PLIERS
- 6"SIDE CUTTING PLIERS
- 6"LONG NOSE PLIERS 6"WIRE STRIPPING PLIERS 7"CABLE CUTTER PLIERS VDE SCREWDRIVER 4×100 5.5×125 PH1×80 PH2×100



AUTO WIRE STRIPPERS

auto wire strippers : 8", 24-10AWG /0.2-6mm²



199PCS AUTO WIRE STRIPPERS TOOL SET

■ 199PCS auto wire strippers tool set



20-1 20-2 www.nbmind.com www.nbmind.com

4 IN 1 CIRCLIP PLIER

Drop forged 65MN steel longer life and durability

STANFORD





STANFORD
CPR-01

CRIMPING PLIERS

- High-quality cold-rolled sheet material
- Crimps insulated terminals
- Easily cuts and strips wire
- Cleanly shears bolts
- Easy-to-read guage markings
- Wire looping and bending holes Spring loaded for self-opening action



	OILC
SBX-04	6"

HEAVY DUTY RATCHET CRIMPING PLIERS

- Profrssional quality crimping tool Fornon-insulated terminls
- Adjustable thumb-screw dial
- Hardened steel for durability
- Comfort grip handle



W STANFORD	
SBX-05	9"

WIRE STRIPPER

- Cable cutter with wire stripper
- Capacity:0.2-6mm
- length of strip:up to 25mm Metal frame. Comfort grip handle



/// STANFORD	Size
SBX-06	7"

INSULATED WIRE STRIPPER PLIERS

- High-quality cold-rolled sheet material
- Crimps insulated terminals
- Easily cuts and strips wire
- Cleanly shears bolts
- Easy-to-read guage markings
- Wire looping and bending holes



7 // STANFORD	Size
SBX-02	8"

EYELET PLIERS

- Auto-release feature ergonomic handle
- Parts made for drop forged steel and heat treated
- Chrome plated
- Punch hole



W STANFORD	
SBX-09	6"

WIRE STRIPPER AUTOMTIC

- Capacity:15-8 AWG. strips up to 24mm
- Material zinc
- No nicking. cutting or fraying wrie Wrie is automatically gripped and
- stripped with the same motion Adjustable dial
- Comfort bi-material grip handle



// STANFORD	Size
SBX-07	7"

INSULATED WIRE STRIPPER PLIERS

- High-quality cold-rolled sheet material
- Crimps insulated terminals
- Easily cuts and strips wire
- Cleanly shears bolts
- Easy-to-read guage markings
- Wire looping and bending holes
- Spring loaded for self-opening action



/// STANFORD	Size
SBX-01	8.5"

PUNCH PLIERS

Auto-release feature ergonomic handle

- Parts made for drop forged steel and
- heat treated
- Chrome plated
- Punch hole



	Size
SBX_08	Q"

DROP FORGED HEAVY DUTY PUNCH PLIERS

- auto-release feature ergonomic handle
- parts made for drop forged steel and heat treated
- Color polishing



SBX-10	8"	200mm

BENT NOSE PIPE WRENCH

- High quality carbon steel
- High-frequency processing of teeth
 Good Polishing
- PVC plastic handle



BPW-01	3/4"	
BPW-02	1"	
BPW-03	1.5"	
BPW-04	2"	
DDW/ OF	0.11	

PIPE WRENCH

- stillson type pipe wrench,drop forged
- handle, phosphated movable iaw



SGZ-61	8"
SGZ-62	10"
SGZ-63	12"
SGZ-64	14"
SGZ-65	18"
SGZ-66	24"
SGZ-67	36"
SGZ-68	48"

GERMANY TYPE PIPE WRENCH Jaw drop forged with high quality carbon steel,

- a handle body quality carbon steel sheet
- metal stamping, tooth of the frequency,
- type nut regulation adjusting clamping range



		L(mm)
SGZ-49	7"	175
SGZ-50	9"	225
SGZ-51	10.5"	252.5
SGZ-52	12"	300

PIPE WRENCH

- Sturdy, cast iron handle
- Drop forged chrome vanadium or high carbon steel
- Dip or spray the surface of plastic processing



		L(mm)
SGZ-08	8"pipe wrench	200
SGZ-10	10"pipe wrench	250
SGZ-12	12"pipe wrench	300
SGZ-14	14"pipe wrench	350
SGZ-18	18"pipe wrench	450
SGZ-24	24"pipe wrench	600
SGZ-36	36"pipe wrench	900
SGZ-48	48"pipe wrench	1200

PIPE WRENCH

- Heavy duty type, malleable cast Iron,
- or ductile cast Iron handle,phosphated
- movable jaw



SGZ-69	10"	33.5mm
SGZ-70	14"	48mm
SGZ-71	18"	60mm
SGZ-72	24"	75.5mm
SGZ-73	36"	102mm

45°DEGREE SWEDISH PIPE WRENCH

integral forging, with high quality carbon or chrome vanadium steel,jaw induction quenched



ΜĬ

WRENCH

/// STANFORD	Size	L(mm)
BPW-06	1/2'	15
BPW-07	1"	25
BPW-08	1.5"	40
BPW-09	2"	50
BPW-10	3"	80

HEAVY DUTY PIPE WRENCH

- mobile jaw drop forged with high quality
- carbon steel,
- heat treatment with quench and tempering,
- hardness of teeth is 55-60HRC
- globular graphite cast iron handle with



W// STANFORD	Size	L(mm)
SGZ-53	10"	250
SGZ-54	12"	300
SGZ-55	14"	350
SGZ-56	18"	450
SGZ-57	24"	600
SGZ-59	36"	900
SGZ-60	48"	1200

RATCHETING PIPE WRENCH

- Ratcheting pipe wrench TPR hangle,
- drop forged steel.phosphated finish.
- end can be used as crowbar



SGZ-74	8"	14-27mm
CC7 7E	4.4"	27 62

21 www.nbmind.com

CABLE CUTTER

BOLT CUTTER

The 55# steel is forged and the whole heat treatment is used.

STANFORD

- High frequency treatment of cutting edge, sharp cut, neat incision, handle body with plastic;
- It can be used for shearing multi strand copper and aluminum core cable materials, not suitable for shearing wire and steel wire.



/// STANFORD		L(mm)
BC-01	6"	165
BC-02	8"	210
BC-03	10"	240

BOLT CUTTER

- Drop forged chrome vanachium steel jaws
- Jaws hardened to Hrc 58-60 forlonger life
- Ideal for cutting bolts, rivets,and chain
- Strong tubular handlar handgles with rubber grips



W STANFORD		L(mm)
BC-08	8"	200

RATCHET CABLE CUTTER

Cutting cu-Al cable up to ø30mm(240mm²)



7 // STANFORD	Size	L(mm)
BC-09	10"	250x110x35mm

CABLE CUTTER

- Material:Fully drop forged T8A steel
 Surface:Black treatment head, Cutting edges induction quenched
- Be used to cooper-core,don't use tu cut hard-wire and wire-steel



/// STANFORD		G.W./N.W.	Means(cm)
BC-04	14"	15/14	38x23.5x30
BC-05	24"	17/16	59x29x17
BC-06	36"	17/16	78v18v19 5

BOLT CUTTER

Chrome-vanadium steel



W // STANFORD		
BC-37	14"	7mm
BC-38	18"	8mm
BC-39	24"	10mm
BC-40	30"	13mm
BC-41	36"	16mm

STILLSON TYPE BOLT CLIPPER

- drop forged blades with CRV steel,
- heat treatment, hardness of cutting edges
- is 58-62HRC, inactibation finishing on
- blade,drop forged adapter,



Size	L(mm)
14"	350
18"	450
24"	600
30"	750
36"	900
42"	1050
	14" 18" 24" 30" 36"

BOLT CUTTER

- Drop forged chrome vanachium steel jaws
 Jaws hardened to Hrc 58-60 forlonger life
- Ideal for cutting bolts, rivets,and chain
- Strong tubular handlar handgles with



W/ STANFORD		L(mm)
BC-12	12"	300
BC-14	14"	350
BC-18	18"	450
BC-24	24"	600
BC-30	30"	750
BC-36	36"	900

BOLT CUTTER

Chrome-vanadium steel



BC-48	12"	4mm
BC-49	14"	5mm
BC-50	18"	6mm
BC-51	24"	8mm
BC-52	30"	10mm
BC-53	36"	12mm

BOLT CUTTER

Chrome-vanadium steel



W STANFORD		
BC-54	12"	4mm
BC-55	14"	5mm
BC-56	18"	6mm
BC-57	24"	8mm
BC-58	30"	10mm
BC-59	36"	12mm
BC-60	42"	14mm





STANFORD

AVIATION SNIP

SNIP

çο

GARDEN TOOLS

 Heavy Duty snips with double layer handle Material:Carbon steel or chrome



/// STANFORD		
AS-01	10"right	П
AS-02	10"straight	
AS-03	10"left	

Chrome vanadium steel or carbon steel

GARDEN SHEAR

Double dirred handle

Poilshed or plated

PRUNING SHEARS

- Non-stick blades
- Heat-treated carbon steel head

NINGBO MIND IMPORT & EXPORT CO.,LTD.

 Ergonomic handles Soft comfort grips



/// STANFORD	Size	L(mm)
SP-0020	8"	215

TIN SNIP

- Drop forged steel
- Precision ground bladesLarge handle loops



TJ-08	8"	
TJ-10	10"	
TJ-12	12"	

- Double dirred handle



/// STANFORD		L(mm)
SP-0019	8"	200

GARDEN SHEAR

- Chrome vanadium steel or carbon steel
- Poilshed or plated



W // STANFORD		L(mm)
SP-0013	8"	200

TINMAN'S SNIPS GERMANY'S TYPE

- drop forged entirely,cutting edges induction quenched, with spring and easily use



W// STANFORD		L(mm)
SP-0021	8"	200
SP-0022	10"	250
SP-0023	12"	300
SP-0024	14"	350

- drop forged entirely, cutting edges induction
- TINMAN'S SNIPS STILLSON TYPE quenched,with spring and lock by oxhide



		L(mm)
SP-0025	8"	200
SP-0026	10"	250
SP-0027	12"	300
SP-0028	14"	350

GARDEN SHEAR

- 65Mn steel
- Heat treatment blade
- Black surface treatment
- PVC handle



		L(mm
SP-0015	7"	175
www.r	nbmind.c	om

FLORAL SHEAR

- Non-stick blades
- Heat-treated carbon steel head
- Ergonomic handles



/// STANFORD	Size	L(mm)
SP-0029	8"	203

PRUNING SHEARS

- Non-stick blades
- Heat-treated carbon steel head
- Ergonomic handles



		L(mm)
SP-0030	8"	203

PRUNING SHEARS

- Non-stick blades
- Heat-treated carbon steel head
- Ergonomic handles



	Size	L(mm)
SP-0033	8"	203

PRUNING SHEARS

- shears body material:steel,
- blade material:SK5 blade



W STANFORD	Size	ø(mm)
SP-0036	22.5CM	15

PRUNING SHEARS

- Non-stick blades
- Heat-treated carbon steel head
- Ergonomic handles
- Soft comfort grips



/// STANFORD	Size	L(mm)
SP-0031	8"	203

PRUNING SHEARS

- Non-stick blades
- Heat-treated carbon steel head
- Ergonomic handles
- Soft comfort grips 235g



		L(mm)
SP-0034	8"	203

PRUNING SHEARS

- shears body material:steel,
- blade material:SK5 blade



		ø(mm)
SP-0037	21.5CM	15

PRUNING SHEARS

- Non-stick blades
- Heat-treated carbon steel head
- Ergonomic handles
- Soft comfort grips



	Size	L(mm)
SP-0032	8"	203

PRUNING SHEARS

- shears body material:steel. blade material:SK5 blade



		ø(mm)
SP-0035	20.5CM	10

PRUNING SHEARS

shears body material:steel



_	
	Size

25

RIVET GUN

SNIP

çο

GARDEN TOOLS

GARDEN TOOLS Aluminium



HEDGE SHEARS

High carbon steel blade, telescopic oval

aluminium handle, PP+TPR grips.



HEDGE SHEARS

High carbon steel blade, telescopic oval

aluminium handle, PP+TPR grips.



LABOR SAVING RIVETER

Nozzle size:2.4mm,3.2mm,4.0mm,4.8mm







HEDGE SHEARS

High carbon steel blade













www.nbmind.com

m

3 WAY HEAVY DUTY STAPLE GUN





W// STANFORD			Ph(mm)
	1.2mm	10.6/11.3mm	4-14mm
HSG-01	1.2mm	6.3mm	8-14mm
	1.2mm	2mm	8-12mm

STAPLE GUN

Iron body,powder coated surtace





/// STANFORD	Size
HSG-02	4-8mm
HSG-03	4-14mm

STAPLE GUN/6-10MM

- All metal body
- Easy storage and portability as the tool has a handle lock
 Horizontal spring plate design ensures that strokes are accurate
 Can be operated with one hand
- Can accommodate 23 series, 13 series and 10F staple
- pins up to 10mm leg length
- Log lengths 6mm,8mm,10mm





/// STANFORD	
HSG-04	4-14mm

HEAVY DUTY 3 WAY STAPLE GUN

 hi/low power switch for drving control, all metal construction, quick jam release button, surface: chrome finish, for flat wire staples 4-14mm, 7.6mm cable staples 10-12mm, brad nails 10-14mm





## STANFORD	
HSG-05	4-14mm, 10-12mm, 10-14mm

4 IN 1 HEAVY DUTY STAPLE GUN

4 in 1 tools ,aluminum housing is lightweight and durable,uses heavy duty,light duty,and cable staples,as well as 18 ga,brads nail,surface:paint coating,compatible staples:heavy duty 1.2mm:6-14mm,light duty 0.7mm:6-10mm,cable:10-14mm,18 ga,brad nail:12-15mm






#STANFORD Size
HSG-06 6-14mm,6-10mm,10-14mm,12-15mm

STAPLE

Lron body,powder coated surface



STA-01	
STA-02	
STA-03	



CAULKING GUN

CAULKING

GUN

CKG-02

CKG-07 CKG-08

CAULKING GUN

Power coated



































100x400x10



PM-07

PM-08

PVC

PIPE

CUTTER

PVC PIPE CUTTER

- Body Material:Aluminium
- Blade Material:High Carbon/65Mn Steel
- Cutting Capacity:42mm



 Stanford
 Size

 PC-01
 L:190mm ø3-42mm

PVC PIPE CUTTER

- Rubber handles for more comfortable
- Quickly return button
- Particular design an acute angle blade



PC-04	L:230mm ø3-42mm

PVC PIPE CUTTER

- cutter body material:aluminium die-casting, blade
- material:SK5



PC-11	L:240mm	ø3-42mn

PVC PIPE CUTTER

shears body material:steel,blade



/// STANFORD	Size
PC-18	1 ·185mm ø3-36mm

METAL PIPE CUTTER

Cutting Capacity:3-16mm



STANFORD	Size
PC-03	ø3-16mm

METAL PIPE CUTTER Body Material:Aluminium



W// STANFORD	Size
PC-07	ø3-28mm
2PCS FLARIN	IG TOOLS KIT

Flaring Tools:3/16",1/4",5/16",3/8",1/2",5/8"

PVC PIPE CUTTER

- Apply to water pipe,aluminium plastics pipe
 GAS pipe,electrical
- Appliance pipe and other plastic pipelines Notto be applied on electric cableline and steel pipe Cutting Capacity:42mm



PC-08	L:233mm ø3-42mm

PVC PIPE CUTTER

- Body Material:Nylon
- Blade Material:65Mn Steel
- Cutting Capacity:3-42mm



PC-10	ø3-42mm

PVC PIPE CUTTER

- Body Material:Aluminium
- Blade Material:65Mn Steel
- Cutting Capacity:3-42mm



/// STANFORD	Size
PC-09	ø3-42mm

TUBE CUTTER

- Roller bearing
- High quality blade
- Revolving handle
- Alloy aluminium casting body



## STANFORD	Size	
PC-15	ø6-42mm	

METAL PIPE CUTTER

- Cutting Capacity:6-64mm
- Blade Materal:GCr15 Blade
- Cutter Body Material:Aluminium die-casting body
- Cutter Body Surface Treatement: surface plastic-spraying
- Apply to cut aluminium,copper and other non-ferrous metal pipe,but cun't stainless iron,iron tube



STANFORD Size	
PC-02 ø6-64mm	

PC-06

PVC PIPE CUTTER

shears body material:steel,blade
material:65Mn.SK5 blade



## STANFORD	Size
PC-12 L	L:215mm ø3-50mm

PVC PIPE CUTTER

shears body material:steel,blade
material:65Mn.SK5 blade



/// STANFORD	
PC-13	L:240mm ø3-50mm

PVC PIPE CUTTER

- shears body material:steel,blade
- material:65Mn.SK5 blade



PC-14 1 · 230mm ø3-42mm	F // STANFORD	
1 0 14 6.20011111 90 42111111	PC-14	L:230mm ø3-42mm

10PCS FLARING TOOLS KIT

Flaring Tools:3/16",1/4",5/16",3/8",1/2",5/8"
Cutting Capacity:3-28mm



PO

FLARING TOOL SET

- part:5 swage adapter
- blow plastic box



## STANFORD	
	flaring tools:3mm.5mm,
PC-16	6mm,8mm,10mm,12mm,
	14mm 15mm 16mm 19mm

45°DOUBLE FLARING TOOL SET

- tube cutter: 1/8" ~ 1-1/8" < 3-30mm >
- paet:6 swage adapters
- blow plastic box



W STANFORD	Size
DC 17	flaring tools:3/16".1/4",
F G-17	

33 www.nbmind.com

STANFORD

DRUM AUGER

Cable size:6mm*5m



W/ STA	NFORD
FDS-	-01

PVC PIPE

CUTTER

Cable size:8mm*5m.8mm*10m

DRAIN AUGER

NINGBO MIND IMPORT & EXPORT CO.,LTD.



W/ STANFORD	Size
FDS-02	8mm*5m
FDS-03	8mm*10m

RATCHET DIE STOCKS SET

Size:1-1/4",1-1/2",2"



FDS-04

UTILITY KNIFE

- Pull the button and cartridge backward to
- Refill new blades
- 8pcs SK5 blades
- Soft-grip handle



1.11	/NI	00	

UTILITY KNIFE

- Pull the button and cartridge backward to
- Refill new blades
- 8pcs SK5 blades
- Soft-grip handle



UTILITY KNIFE

- 3pcs SK5 blades Ideal for cutting bolts,
- rivets and chain
- Strong tubular handles with rubber grips



RATCHET DIE STOCKS SET

Size:1/4",3/8",1/2"3/4",1"1-1/4"



FDS-05

RATCHET DIE STOCKS SET

Size:1-1/4".1-1/2".2"



/// STANFORD	Size
FDS-06	

PLAIN VISES

- Polished or chromeplated
- Precision casting body with coating finish



		Size	
	FDS-07	2.5"	
	FDS-08	3"	
	FDS-09	4"	
	FDS-10	5"	
	FDS-11	6"	

UTILITY KNIFE

- Pull the button and cartridge backward to
- Refill new blades
- 8pcs SK5 blades
- Soft-grip handle



UKN-01	

ZINC-ALLOY UTILITY KNIFE

- Aluminum Alloy +ABS+TRP blade,
- SK5 knife blade,
- Springback with safety switch



UKN-10	9,18,25mm

ZINC-ALLOY UTILITY KNIFE Aluminum Alloy +ABS+TRP blade,

SK5 knife blade



W // STANFORD	
UKN-11	9,18,25mm

WOODWORKING VICE

- Polished or chromeplated
- Precision casting body with coating finish



FDS-12	6"	
FDS-13	8"	

HEAVY DUTY SWIVEL BENCH VISES WITH ANVIL

- hardened jaw of HRC 46-52
- large ground anvil
- fine casting body with coating finish
- inside ductile Iron screw nut
- 360-swivel base polished or chrome plated



	FDS-14	3"	FDS-17	6"
Ī	FDS-15	4"	FDS-18	8"
	FDS-16	5"		

CROSS SLIDS VISES

- Polished or chromeplated
- Precision casting body
- with coating finish



/// STANFORD	Size	
FDS-19	4"	
FDS-20	5"	
FDS-21	6"	

UTILITY KNIFE

- Metal-alloy body, multi-stop button
- and retractable blade
- Heavy duty cutter with
- blade comfortable holder



HEAVY DUTY ZINC ALLOY UTILITY KNIFE

- SK5 steel
- With 5knife blade



ZINC-ALLOY UTILITY KNIFE

- Zinc alloy +ABS+TPR SK5 blade,
- standby 4 blades, T
- shaped and horn blade



35 36 www.nbmind.com www.nbmind.com

KNIFE

UTILITY KNIFE





UKN-42

2PCS UTILITY KNIFE

UTILITY KNIFE Utility knife


UKN-41











ZINC-ALLOY UTILITY KNIFE

- Zinc alloy +ABS+TPR blade,
- can quickly change the blade,
- blade 3pcs SK5





UTILITY KNIFE

- Be Made of High strength Zine alloy
- Comfortable of lever button design
- Paint sprayed
- With 5 blades





UTILITY KNIFE

- be made of higt strength zinr alloy comfortable of lever button design
- paint sprayed
- handle designed for maximum control



UKN-14

- rotary cutters fit for fabric and sewing work
- special steel material,no rust two color plastic injection,

ELECTRICIAN'S KNIFE

comfatable using



ROTARY CUTTERS



GLASS SCRAPERS

- scrape the splotch ,paint,glue
- sticker and etc
- ergonomic bi-material handle
- is comfortable for extended use



UKN-17

MULTI TOOL

UTILITY KNIFE BLADES

■ 10pc SK5 sharp and durable blades Push-out storage case with hanger





UTILITY KNIFE BLADES

- 10pc SK5 sharp and durable blades Push-out storage case
- with hanger





37-1 www.nbmind.com www.nbmind.com

STANFORD

NINGBO MIND IMPORT & EXPORT CO.,LTD.



W STANFORD
UKN-19

MULTI TOOL

Stainless steel construction
Anodized aluminium handle



UKN-20



12 IN 1 MULTITOOL

UKN-21

MULTITOOL

Stainless steel construction
Anodized aluminium handle



UKN-22

MULTITOOL

Stainless steel construction



W STANFORE
UKN-23

MULTITOO

Stainless steel construction
Anodized aluminium handle



UKN-24

MULTITOOL

Stainless steel construction



W STANFORD
UKN-25

MULTITOOL

Stainless steel construction



W STANFORD
UKN-26

MULTITOOL

Stainless steel construction
Anodized aluminium handle



W STANFOR

MULTITOOL

Stainless steel constructionAnodized aluminium handle



UKN-28

16 IN 1 MULTITOOL


Stainless steel constructionAnodized aluminium handle



Stainless steel construction



STANFORI



STANFORD

SAW

PLASTIC MITRE BOX One-piece injection moulded ABS

PMB-01	300x140x78mm

BACK SAW

Precision ground teeth

 Ergonomic comfort nubber grip handle Double grip handle



STANFORD	
SER-10	10"/250mm
SER-12	12"/300mm
SER-13	14"/350mm

PLACTIC MITRE BOX

- Impulse hardened teeth
- Ground cross cut teeth
- Available teeth space:11 points/13 points
- Durably high carbon steel saw blade



/// STANFORD	
SER-36	12"/300mm
SER-37	14"/350mm

BACK SAW

- ABS plastic handle with rubber grip absorbs vibration while cutting
- Variety treatments of saw blades
- Diamond ground induction hardend teeth



	Size
SER-31	10"/250mm
SER-32	12"/300mm
SER-33	14"/350mm

HAND SAW

- Impulse hardened teeth
- Available teeth:aggressive cut/universal cut/cross cut
- Available teeth spase:6Tpi/7Ppi,8Tpi/9Ppi,11Tpi/12Ppi
- Durably high carbon steel saw blade
- ABS plastic handle with rubber grip adjustable saw blade



/// STANFORD	Size	
SER-34	12"/300mm	
SER-35	14"/350mm	

WOODEN HANDLE HANDSAW

precision ground teeth

39

ergonomic comfort nubber grip handle



/// STANFORD	Size	STANFORD	Size
SER-38	12"	SER-42	20"
SER-39	14"	SER-43	22"
SER-40	16"	SER-44	24"
SER-41	18"		

HAND SAW

- Precision ground teeth
- Ergonomic comfort nubber grip handle





12"	SER-20	20"
14"	SER-22	22"
16"	SER-24	24"
18"		
	12" 14" 16"	12" SER-20 14" SER-22 16" SER-24

WOODEN HANDLE HANDSAW

- 90 degree angle 45 degree angle marks in handle
- ABS plastic handle with rubber grip absorbs vibration while cutting
- Variety treatments of saw blades

www.nbmind.com

Diamond ground induction hardend teeth





SER-45	12"	SER-49	20"	
SER-46	14"	SER-50	22"	
SER-47	16"	SER-51	24"	
QED 40	10			

WOODEN HANDLE HANDSAW

- Impulse hardened teeth
- Available teeth:aggressive cut/universal cut/cross cut
- Available teeth spase:6Tpi/7Ppi,8Tpi/9Ppi,11Tpi/12Ppi
- Durably high carbon steel saw blade
- ABS plastic handle with rubber grip absorbs vibration while cutting

W STANFORD			
SER-85	12"/300mm	SER-89	20"/500mm
SER-86	14"/350mm	SER-90	22"/550mm
SER-87	16"/400mm	SER-91	24"/600mm
SFR-88	18"/450mm		

HAND SAW

- Tungsten carbide tip hand saw
- 50# high carbon steel blade
- Thickness:1.4mm,34 teeth, YG8 alloy-knife
- For cut Cement block



SER-28	24"	
SER-29	26"	
SER-30	28"	

3PCS SAW SET

- 1 pc hand saw 508mm(20")
- 8 teeth per inch, thickness 0.9mm, teeth are 2 way sharpened,
- Induction hardened. SK 5 steel. 1 backsaw 317mm(12.5")
- with fixation screw to incline angle, hardened blade, thickness 0.8mm
- 10 teeth per inch,teeth are 2 way sharpened,induction hardened
- SK5 steel. 1 saw 165mm(6.5"), hardened blade.10 teeth per inch
- 3 way sharpened, SK5 steel. Ergonomic handles, anti slip,
- 2componedts
- Saw blades must be protected by transparent sleeve



/// STANFORD		
HST-03		

JAB SAW

- ABS plastic handle with rubber grip absorbs vibration while cutting
- Available teeth:aggressive cut/universal cut/cross cut
- Available teeth spase:11 points
- Aggressive cut teeth



W// STANFORD	
SER-5 2	6"/150mm

BOARD SAW

- Impulse hardened teeth
- Available teeth type:aggressive cut/cross cut
- Available teeth space:11Tpoints Durably high carbon steel saw blade
- ABS plastic handle with rubber grip absorbs vibration



/// STANFORD	Size
SER-06	6"/150mm







JAB SAW

- ABS plastic handle with rubber grip absorbs vibration while cutting
- ABS plastic blade sheath for convenient carrying storage
- Variety treatments of saw blades

STANFORD

Aggressive,hard point teeth"ultra sharp"



FOLDABLE SAW

- Aggressive cut teeth
- Impulse hardenen teeth
- Durably high carbon steel saw blade
- Wood handle



W/ STANFORD	
SER-54	6"/150mm

JAB SAW

SAW

- ABS plastic handle with rubber grip absorbs vibration while cutting
- Variety treatments of saw blades
- Diamond ground induction hardend teeth
- Aggressive, hard point teeth "ultra sharp"



SER-55	7"/180mm

FOLDABLE SAW

- 65Mn alloy steel blade for super flexibility
- Extra size ergonomic comfortable grip provides gives friendly feeling
- Precision ground aggressive pull cut teeth finishes work 60% faster
- 9° curved cutting edge with a curvature-ground cross section ensure quick, clean and effortless cutting without displacement from wood by strong pulls



/// STANFORD	Size
SER-56	9"/230mm

FOLDABLE SAW

- Aggressive cut teeth
- Impulse hardenen teeth
- Durably high carbon steel saw blade
- ABS plastic handle with rubber grip absorbs vibration while cutting



SER-57	7"/180mm	Ī

PRUNING SAW

- Aggressive cut teeth
- Impulse hardenen teeth
- Durably high carbon steel saw blade
- ABS plastic handle with rubber grip absorbs vibration while cutting



/// STANFORD	Size	/// STANFORD	Size	
SER-58	9.5"	SER-60	12"	
SER-59	10.5"	SER-61	14"	

PRUNING SAW

- Ground high carbon steel blade hard chrome plated
- Aggressive pull stroke cut impulse hardening
- Super soft handle Strong ABS plastic frame
- Convenient safety sheath



W/ STANFORD	
SER-240	9.5"/240mm
SER-270	10.5"/270mm
SER-300	12"/300mm

PRUNING SAW

- Aggressive cut teeth
- Impulse hardenen teeth
- Durably high carbon steel saw blade
- Camber blade wood handle




/// STANFORD	Size	
SER-62	12"/300mm	
SER-63	13"/330mm	
SER-64	14"/350mm	

10pcs saw blade set









W STANFORD	
MX-102	6"

12 "HIGH GRADE ALUMINUM ALLOY SAW FRAME

high grade aluminum alloy saw frame





™ STANFORD	Size
MX-103	6"

12" HACKSAW FRAME 10-12" ADJUSTABLE HACKSAW FRAME

- Aluminum handle
- Flat tube • 65 manganese steel



/// STANFORD	
MX-136	10-12"

12 TIACKOAWI	II VAIVIL
Aluminum handleFlat tube	

W/ STANFORD		
MX-144	12"	

12" HACKSAW FRAME

- Aluminum handle
- Flat tube



	100
W/ STANFORD	

12" HACKSAW FRAME

 Aluminum handle Flat tube



W/ STANFORD	Size
MX-186	12"

ADJUSTABLE HACKSAW FRAME

Aluminum handle

STANFORD

Flat tube

SAW



W/ STANFORD	Size	
MX-812	8-12"	

ALUMINUM ALLOY HACKSAW FRAM

Electroplated aluminum alloy sawing frame 12"

STANFORD	Size	
MX-105	12"	

12 "LIGHT ALUMINUM ALLOY SAW FRAME

light aluminum alloy saw frame



W/ STANFORD	Size	
MX-106	12"	

GARDEN SAW

- garden saw
- tube diameter:18*30*1mm/18*30*1.2mm
- material of saw blade:65Mn/50Mn/T10/SK5
- double-side grinding teeth hardened by high frequency current
- PP.plastic handle
- black plastic spraying handle



	Size		Size	
SER-65	18"	SER-68	30"	
SER-66	21"	SER-69	32"	
SER-67	24"	SER-70	36"	

GARDEN SAW

- tube diameter:18*30*1mm/18*30*1.2mm
- material of saw blade:65Mn/50Mn/T10/SK5
- double-side grinding teeth hardened by high frequency current
- PP.plastic handle



/// STANFORD				
SER-71	18"	SER-74	30"	
SER-72	21"	SER-75	32"	
SER-73	24"	SER-76	36"	

GARDEN SAW

- ttube diameter:14*28*1mm/14*28*1.2mm
- material of saw blade:65Mn/50Mn/T10/SK5
- double-side grinding teeth hardened by high frequency current
- PP/TPR plastic handle protector
- plastic immersed.chrome handle



W // STANFORD			
SER-77	18"	SER-80	30"
SER-78	21"	SER-81	32"
SER-79	24"	SER-82	36"

GARDEN SAW

- tube diameter:19*0.8mm/22*0.9mm/17*27*1mm
- 12"wood-cutting blade
- black iron handle



STANFORD	Size
SED-83	12"

GARDEN SAW


- tube diameter:15*25*1mm
- 12"wood-cutting blade
- 12"metal-cutting blade
- 12"plastic-cutting blade



RAKES Product Size:38x7.5x19cm Material:3.0mm A3 Carbon Steel










RAK-04








RAK-01







*/		_
W/ STANFORD	Size	
A: RAK-09	A:28*47	
B: RAK-10	B:26*22	

CLAMP

SPRING

- Strong and durable tools for quick clamping, with heavy duty springs
- Strong nylon construcion.

STANFORD

- Solf-grop handles.
- Strong plastic jaws



SCP-01	2"(50mm)	SCP-04	6"(150mm)
SCP-02	3"(75mm)	SCP-05	9"(225mm)
SCP-03	4"(100mm)		

RATCHET CLAMP

- PA6 Nylon Frame.
- Soft-grip TPR handle.
- Zinc alloy ratchet gear.



/// STANFORD		C(max)
SCP-06	5"	39mm
SCP-07	6-1/4"	53mm
SCP-08	9"	78mm

G CLAMP

- Reinforced malleable cast iron frame
- Powder coated finish
- Zinc plated thread rod



W STANFORD	Size		
SCP-12	3"	SCP-15	6"
SCP-13	4"	SCP-16	8"
SCP-14	5"		

QUICK G-CLAMP

- quick release screw mechanism for fast clamping action
- includes 2 removable, hi-visibility clamp pads that won't
- mark or mar your work
- soft,and rubberized handle for a firm,comfortbale hold size:2"3"4"



/// STANFORD	Size			
SCP-09	2"	SCP-11	4"	
SCP-10	3"			

QUICK RATCHET CLAMP

- High qually ratchet clamps that easily sprea as well as clamp
- Wide opening
 - - Quick release soft-grip handles



Hardened and tempered carbon steel bar 6×22mm

ш	STANFORD	Size	STANFORD	Size
Ш	SCP-17	6"	SCP-21	30"
	SCP-18	12"	SCP-22	36"
	SCP-19	18"	SCP-23	48"
П	SCP-20	24"		

F CLAMP

- Heavy duty construction
- Plastic protection cap to rebuce marking on work piece
- Bi-material soft-grip handle According to DIN5117



SCP-24	80x150mm
SCP-25	100x300mm
SCP-26	120x300mm

F CLAMP

F clamps,w/3pcs swivel shose,hexagonal screw head



SCP-27	200x140mm	SCP-30	450x140mm
SCP-28	250x140mm	SCP-31	600x140mm
SCP-29	400x140mm	SCP-32	800x140mm

RATCHETING F CLAMP



SCP-33	200x120mm	SCP-40	1000x120mm
SCP-34	250x120mm	SCP-41	300x140mm
SCP-35	300x120mm	SCP-42	400x140mm
SCP-36	400x120mm	SCP-43	500x120mm
SCP-37	500x120mm	SCP-44	600x120mm
SCP-38	600x120mm	SCP-45	800x120mm
SCP-39	800x120mm		

G CLAMP





W// STANFORD	Size
SCP-51	3", 4", 5", 6" 8"

QUICK G-CLAMP

Quick G-clamp : 2", 3", 4"



/// STANFORD	Size
SCP-61	2", 3" ,4"

SPRING CLAMP

4pcs spring clamp 3"



W/ STANFORD	Size
SCP-71	3"

ADJUSTABLE WRENCH

- High carbon steel or chrome vanadium steel
- Matt chrome plated or semi polished



AW-06	6"	
AW-07	8"	
AW-08	10"	

ADJUSTABLE WRENCH

- High carbon steel or chrome vanadium steel
- Drop forged with hardened jaws
- Nickle iron plated
- Dual material confort grip handle
- Smooth runing law adjustment



M/ STANFORD		L(mm)
AW-01	6"	150
AW-02	8"	200
AW-03	10"	250
AW-04	12"	300

ADJUSTABLE WRENCH

 using high quality steel forging, the whole quenching process dual color plastic handle.flexible.use more comfortable



W/ STANFORD		
AW-24	6"	
AW-25	8"	
AW-26	10"	
AW-27	12"	

ADJUSTABLE WRENCH

- High carbon steel or chrome vanadium steel
- Matt chrome plated or semi polished
- Dual material confort grip handle



## STANFORD	Size	
WRH-01	6"	
WRH-02	8"	
WRH-03	10"	
WRH-04	12"	

ADJUSTABLE WRENCH

- High carbon steel or chrome vanadium steel
- Matt chrome plated or semi polished Dual material confort grip handle



1000		- 1
AW-06Q	6"	
AW-08Q	8"	
AW-10Q	10"	
AW-12Q	12"	
AW-15Q	15"	

ADJUSTABLE WRENCH

using high quality steel forging, the whole quenching process dual color plastic handle,flexible,use more comfortable handling type jaw,tube live dual-use design



W/ STANFORD	Size	
AW-28	6"	
AW-29	8"	
AW-30	10"	
AW-31	12"	

ADJUSTABLE WRENCH

 using high quality steel forging, the whole quenching process dual color plastic handle.flexible.use more comfortable



/// STANFORD		
AW-32	6"	
AW-33	8"	
AW-34	10"	
AW-35	12"·	

ADJUSTABLE WRENCH

- Hardened and heat treated with satin finish for addded
- Corrosion resistance. Features smooth action iaw and
- Double dipped non-slip foam grip for added comfort and
- Control-even with greasy hands.



/// STANFORD		
AW-09	6"	
AW-10	8"	
AW-11	10"	
AW-12	12"	
AW-13	15"	

Matt chrome plated or semi polished Wide profile groove for easy knurl adjustment Dual material confort grip handle

High carbon steel or chrome vanadium steel



W// STANFORD		L(mm)
AW-14	6"	150
AW-15	8"	200
AW-16	10"	250
AW-17	12"	300
AW-18	15"	375

ADJUSTABLE WRENCH

- High carbon steel or chrome vanadium steel
- Nickle plated finish
- Wide profile groove for easy knurl adjustment
- Dual material confort grip handle



## STANFORD		L(mm)
AW-19	6"	150
AW-20	8"	200
AW-21	10"	250
AW-22	12"	300
AW-23	15"	375

ADJUSTABLE WRENCH

STANFORD

ADJUSTABLE WRENCH

Chrome-vanadium steel

ADJUSTAB

Ē

WRENCH

Wide jaw opening, streamlined and ergonomic design



7 // STANFORD	Size	L(mm)
AW-36	6"	150
AW-37	8"	200
AW-38	10"	250
AW-39	12"	300
AW-40	15"	375

ADJUSTABLE WRENCH

- Chrome-vanadium steel
- Light duty type adjustable wrench, with ratchet wrench end



W STANFORD	Size	L(mm)
AW-41	8"	200
AW-42	10"	250

ADJUSTABLE WRENCH

- Chrome-vanadium steel
- Ratchet adjustable wrench, with quick withdrawal function



W/ STANFORD	Size	L(mm)
AW-43	8"	200
AW-44	10"	250

using high quality steel forging,the whole quenching process super strong ,durable



/// STANFORD		
AW-45	8-42mm	

MULTI-PURPOSE SPANNER

 using high quality steel forging, the whole quenching process super strong ,durable



/// STANFORD	
AW-46	12-35mm
AW-47	25-65mm

ADJUSTABLE BASIN WRENCH

MULTI-PURPOSE SPANNER

- Drop forged teeth
- The length 11"



	Size
BWH-01	11" 5.2E

PAINT BRUSHES

- Chrome vanadium steel
- Serrated cutting edges prevent materials from slipping during use
- Ergonomic comfort handle



		L(mm)	
BRU-38	1.5"	38	
BRU-50	2"	50	
BRU-63	2.5"	63	
BRU-75	3"	75	
BRU-125	5"	125	
BRU-150	6"	150	

PAINT BRUSHES

- Material: PE, wooden handle



		L(mm)	
BRU-10	1"	25	
BRU-11	1.5"	38	
BRU-12	2"	50	
BRU-13	2.5"	63	
BRU-14	3"	75	
	3"		

PAINT BRUSHES

Material: Pig's bristles, wooden handle



			L(mm)
ı	BRU-15	1"	25
	BRU-16	1.5"	38
	BRU-17	2"	50
	BRU-18	2.5"	63
	BRU-19	3"	75
	BRU-20	4"	100

ROLLER BRUSH



W STANFORD		
BRU-01	A: 9"	
BRU-02	B: 9"	
DDII 00	0.0"	

W STANFORD	
BRU-01	A: 9"
BRU-02	B: 9"
BRU-03	C: 9"

ROLLER BRUSH



/// STANFORD		
BRU-04	A:9"	
BRU-05	B:9"	

ROLLER BRUSH

Material selectable: Chemical fiber or polyester or clear



7 // STANFORD	Size
BRU-06	A: 4", 7" 9"
BRU-07	B: 4", 7" 9"
BRU-08	C: 4", 7" 9"

PAINT BRUSHES

- Paint Brushes
- Size: 1.5",2",2.5",3",4",5",6"



/// STANFORD	Size
BRU-101	1.5",2",2.5",3",4",5

11pcs Mini Paint Roller



PAINT BRUSH SET

5pcs Paint Brush Set



www.nbmind.com

PUTTY-KNIFE&BRUSH

PUTTY- KNIFE Scraper stain steel Wood handle

STANFORD



W STANFORD			
EP-01	1.5"(4cm)	EP-05	4"(10cm)
EP-02	2"(5cm)	EP-06	5"(12.5cm)
EP-03	2.5"(6cm)	EP-07	6"(15cm)
EP-04	3"(8cm)		

PUTTY- KNIFE Scraper stain steel



W STANFORD				
EP-08	1.5"	EP-12	4"	
EP-09	2"	EP-13	5"	
EP-10	2.5"	EP-14	6"	
EP-11	3"			

PUTTY- KNIFE

- Scraper stain steel
- Wood handle



/// STANFORD	
ESP-015G	1.5"(4cm)
ESP-020G	2"(5cm)
ESP-025G	2.5"(6cm)
ESP-030G	3"(8cm)
ESP-040G	4"(10cm)

PUTTY- KNIFE

- Double Color TPR Handle
- Material:Stainless Steel



/// STANFORD	Size	
EAP-015G	1.5"(4cm)	
EAP-020G	2"(5cm)	
EAP-025G	2.5"(6cm)	
EAP-030G	3"(8cm)	
EAP-040G	4"(10cm)	

BRICK TROWEL

- Chrome vanadium steel
- Serrated cutting edges prevent materials from slipping during use

ET STANGERD

Ergonomic comfort handle

A		
W// STANFORD	Size	
BRI-01	280x140x1.0	
BRI-02	280x140x0.8	

BRICK TROWEL

- Chrome vanadium steel
- Serrated cutting edges prevent materials from slipping during use

Ergonomic comfort handle



STANFORD	Size	
BRI-08	280x115	
BRI-09	280x120	
BRI-10	280x130	

BRICK TROWEL

- 65 manganese steel
- The PVC Plastic handle
- Aluminum rive
- 290*120mm



W STANFORD	Size
BRI-07	290x120mm

BRICK TROWEL

- Chrome vanadium steel
- Serrated cutting edges prevent materials from slipping during use
- Ergonomic comfort handle



BRI-04	280x115
BRI-05	280x120
BRI-06	280x130

PUTTY-KNIFE

Putty-knife Size:1.5",2", 2.5",3",4",5",6"



Ī	W STANFORD	
	EP-101	1.5",2", 2.5",3",4",5",6"

PLASTERING TROWELS

BRI-11	230x105x6mm	
BRI-12	225x80x6mm	



W/ STANFORD				
BRI-15	6"	BRI-18	9"	
BRI-16	7"	BRI-19	10"	
RPI-17	Q"			



BRI-25	6"	BRI-28	12"	
BRI-26	8"	BRI-29	14"	
BRI-27	10"			



/// STANFORD		
BRI-38	8"	
BRI-39	10"	
BRI-40	12"	

PLASTERING TROWELS


W// STANFORD	Size
BRI-13	300x100x19mm
BRI-14	300x100x12mm



	BRI-20	7"	BRI-23	10"	
	BRI-21	8"	BRI-24	11"	
1	BRI-22	9"			



W// STANFORD			
BRI-30	150mm	BRI-34	350mm
BRI-31	200mm	BRI-35	400mm
BRI-32	250mm	BRI-36	450mm
BRI-33	300mm	BRI-37	60mm



W/ STANFORD	Size(L)	
BRI-41	14cm	
BRI-42	20cm	
BRI-43	40cm	
BRI-44	60cm	

HEX KEY

7 IN 1 HEX KEY WRENCH

STANFORD

- Material:Chrome vanadium steel
- Hex:2-2.5-3-4-8
- Slotted:5

HEX KEY





HEK-04	2,2.5,3,4,8mm


8PCS FOLDING KEY SET Material:Chrome vanadium steel

Size:1.5-2-2.5-3-4-5-6-8mm



- 1	ΠEN-02	1.0,2,2.0,0,4,

8PCS HEX KEY SET







THK-07	2,2.5,3,4,5,6,8mm

8PCS FOLDING HEX KEY SET

- Egonomic comfort-grip handle
- Foldable design for easy storage






THK-08	2,2.5,3,4,5,6,8mm









	OILC
THK-08	2,2.5,3,4,5,6,8mm

8PCS FOLDING HEX KEY SET

 Material:S2/CRV/Carton Steel Surface:Black/Chrome plated/Satin Finish





TEK-11	Hex key:1.5,2,3,4,5,6mm
	PH: 5mm SL:5mm 1/4 ADP
	Slocket:8 9 10mm

8PCS FOLDING KEY SET



HEK-03	1.5,2,2.5,3,4,5,6,8mm

- 8PCS FOLDING HEX KEY SET Material:S2/CRV/Carton Steel
- Surface:Black/Chrome plated/Satin Finish





TEK-08	A: Meteic:1.5,2,2.5,3,4,5,6mm	
TEK-09	B: SEA:5/64",3/32",7/64",1/8",	
	9/64",5/32",3/16",7/32"	
TEK-10	C: TORX:T9,T10,T15,T20,T25,T27,T30	

8PCS FOLDING HEX KEY SET

Material:S2/CRV/Carton Steel





TEK-12	A: Meteic:1.5,2,2.5,3,4,5,6,8mm
TEK-13	B: SEA:5/64",3/32",7/64",1/8",
	9/64",5/32",3/16",7/32",1/4"
TEK-1/	C: Tory:T0 T40 T46 T20 T26 T27 T20 T40

8PCS FOLDING HEX KEY SET

- Material:S2/CRV/Carton Steel
- Surface:Black/Chrome plated/Satin Finish



/// STANFORD	Size	V // STANFORD	Size
TK-11	2mm	TK-15	5mm
TK-12	2.5mm	TK-16	6mm
TK-13	3mm	TK-17	8mm
TK-14	4mm	TK-18	10mm

7PCS T-HANDLE HEX SET

- Material:Chrome vanadium steel



9PCS BALL POINT INNER HEX KEY SET



W// STANFORD	L	Size
LAT-133	112mm	9PC short arm ball point hex key set
LAT-166	170mm	9PC long arm ball point hex key set
LAT-199	224mm	9PC extra long arm ball point hex key set

9PCS STAR KEY SET



/// STANFORD		Size
LAT-233	112mm	9PC short arm star key set
LAT-266	170mm	9PC long arm star key set
L AT 200	224mm	QDC ovtra long arm star key set

T-TYPE HEX KEY WRENCH

Material:carbon steel,S2,Cr-V



TK-01	1.5mm	TK-06	2mm
TK-02	2.5mm	TK-07	3mm
TK-03	4mm	TK-08	5mm
TK-04	5.5mm	TK-09	6mm
TK-05	8mm	TK-10	10mm

16PCS T-HANDLE HEX SET

- Bi-material handle for frim grip and extra torque
- Material:Chrome vanadium steel
- High quality BMC



## STANFORD	
THK-16	T10x75,T15x75,T20x100,T25x100,T30x150,T45x200,T50x200,
	H2x75.H2.5x75.H3x100.H4x100.H5x150.H8x200.H10x200

9PCS HEX KEY SET



/// STANFORD	L	Size
LAT-333	112mm	9PC short arm hex key set
LAT-366	170mm	9PC long arm hex key set
LAT-399	224mm	9PC extra long arm hex key set

8PCS BALL POINT INNER HEX KEY SET



HEK-15	112mm	8PC short arm ball point hex key set
HEK-16	170mm	8PC long arm ball point hex key set
HEK-17	224mm	8PC extra long arm ball point hex key set

9PCS BALL POINT INNER HEX KEY SET



HEK-18	112mm	9PC short arm ball point hex key set
HEK-19	170mm	9PC long arm ball point hex key set
HEK-20	224mm	9PC extra long arm ball point hex key set

9PCS BALL POINT INNER HEX KEY SET



W STANFORD		
HEK-21	112mm	9PC short arm ball point hex key set
HEK-22	170mm	9PC long arm ball point hex key set
HEK-23	224mm	9PC extra long arm ball point hex key set

9PCS HEX KEY SET

HEX KEY



W STANFORD		
HEK-24	112mm	9PC short arm hex key set
HEK-25	170mm	9PC long arm hex key set
HEN 36	224mm	9PC extra long arm hex key set

13PCS BALL POINT INNER HEX KEY SET



W/ STANFORD	
HEK-27	13PC short arm ball point hex key set
HEK-28	13PC long arm ball point hex key set

9PCS HEX KEY SET



W// STANFORD	
HEK-29	9PC long arm hex key set
HEK-30	9PC extra long arm hex key set

25PCS BALL POINT INNER HEX KEY SET



W/ STANFORD	Size
HEK-31	25PC ball point hex key set
HEK-32	25PC hex key set

26PCS T-HANDLE HEX KEY SET





W STAN	FORD	Size
HEK-3	33	26PC ball point hex key set
HEK-3	34	26PC hex key set

9PC HEX KEY SET

- 1.5-2-2.5-3-4-5-6-8-10mm
- Material:Carbon steel Surface:sanding



COMBINATION WRENCH

- High quality forged chrome vanadium steel
- Satin chrome plated against corrosion.



/// STANFORD	• mm	L(mm)	B(mm)	D(mm)	S1(mm)	S2(mm)	
CWR-01	5.5x7	120	15.4	17.5	3.5	3.5	20
CWR-02	6x7	120	15.1	16.8	3.5	3.6	20
CWR-03	8x9	140	18.7	20.8	3.7	3.6	35
CWR-04	8x10	140	19.5	22.0	4.2	4.2	35
CWR-05	9x11	155	23.5	26.0	4.5	4.5	35
CWR-06	10x11	155	22.4	25.5	4.6	4.6	50
CWR-07	10x12	170	23.5	26.0	4.5	4.5	35
CWR-08	10x13	170	22.5	29.5	4.6	5.3	70
CWR-09	11x13	170	27.6	30.0	5.0	5.0	65
CWR-10	12x13	170	27.1	29.3	4.9	5.3	75
CWR-11	12x14	170	27.6	30.0	5.0	5.0	65
CWR-12	13x15	185	32.0	34.0	5.5	5.5	65
CWR-13	13x16	190	32.0	37.5	5.8	5.8	65
CWR-14	13x17	180	29.3	37.5	5.3	6.3	90
CWR-15	14x15	180	21.0	33.0	5.3	5.4	90
CWR-16	14x17	190	32.0	37.5	5.8	5.8	100
CWR-17	16x17	200	34.9	37.5	6.5	6.3	135
CWR-18	16x18	220	39.5	42.2	6.5	6.5	100
CWR-19	17x19	220	37.5	38.7	6.3	6.3	160
CWR-20	18x19	220	38.7	41.0	6.6	6.3	160
CWR-21	19x21	235	43.5	48.0	7.0	7.0	170
CWR-22	19x22	235	43.5	48.0	7.0	7.0	170
CWR-23	20x22	230	42.1	46.8	7.1	6.8	205
CWR-24	21x23	245	44.4	48.6	7.3	6.9	230
CWR-23	22x24	250	47.8	52.5	7.8	7.8	125
CWR-26	23x26	260	52.5	57.5	8.0	8.0	125
CWR-27	24x27	260	51.6	56.9	8.1	8.1	325
CWR-28	25x28	270	52.3	57.9	8.4	8.3	350
CWR-29	27x30	280	57.5	64.0	8.8	8.8	170
CWR-30	30x32	295	61.4	65.1	8.0	8.6	440

COMBINATION SPANNERS

- High quality forged chrome vanadium steel, with 75° offset ring end
- Satin chrome plated against corrosion.



/// STANFORD	• mm	L(mm)	B(mm)	D(mm)	S1(mm)	S2(mm)	(g)
DSR-01	5.5x7	165	10.9	12.4	5.0	5.5	20
DSR-02	6x7	165	11.0	12.7	5.4	5.5	45
DSR-03	8x9	185	13.9	15.5	6.8	7.2	60
DSR-04	8x10	180	13.9	15.4	6.0	6.5	35
DSR-05	9x11	195	16.6	18.0	7.0	7.5	35
DSR-06	10x11	200	16.3	17.6	6.8	7.2	75
DSR-07	10x12	195	16.6	18.0	7.0	7.5	35
DSR-08	11x13	215	19.6	21.0	8.0	8.5	65
DSR-09	12x13	220	19.6	21.5	7.2	7.7	90
DSR-10	12x14	215	19.6	21.0	8.0	8.5	65
DSR-11	13x15	235	22.2	23.6	9.0	9.5	65
DSR-12	13x16	240	22.2	26.3	9.5	10.0	65
DSR-13	14x15	230	23.6	21.9	8.9	9.1	140
DSR-14	14x17	240	22.2	26.3	9.5	10.0	100
DSR-15	16x17	255	24.6	26.4	8.6	9.3	160
DSR-16	16x18	250	25.0	26.3	10.0	10.5	100
DSR-17	17x19	265	27.6	29.0	11.0	11.5	170
DSR-18	18x19	270	27.5	28.8	10.5	10.2	220
DSR-19	19x21	285	30.4	33.2	12.0	13.0	85
DSR-20	20x22	290	30.9	33.4	10.5	11.4	250
DSR-21	21x23	310	31.9	34.4	11.8	12.4	340
DSR-22	22x24	315	33.2	36.0	13.0	14.0	125
DSR-23	23x26	325	36.0	40.5	14.0	15.0	125
DSR-24	24x27	330	36.2	40.6	11.5	13.2	360
DSR-23	25x28	355	37.8	42.1	13.6	14.8	470
DSR-26	27x30	355	40.5	44.0	15.0	16.0	170
DSR-27	30x32	390	44.0	47.1	13.8	14.9	550

COMBINATION SPANNERS

- High quality forged chrome vanadium steel,
- 15° offset as per DIN standard
- Satin chrome plated against corrosion.
- DIN3113



/// STANFORD	• mr	L(mm) B(mm)	D(mm	ı) S1(mr	n) S2(mm) (g)
CSR-01	6	110	14.8	10.5	3.7	4.9	20
CSR-02	7	120	16.1	11.3	4.0	5.3	25
CSR-03	8	130	18.5	12.9	4.2	5.0	25
CSR-04	9	140	20.5	14.6	4.2	5.0	30
CSR-05	10	150	22.2	16.2	4.9	6.4	40
CSR-06	11	160	25.5	17.3	4.9	7.0	50
CSR-07	12	170	26.7	18.7	5.3	7.6	65
CSR-08	13	180	28.0	9.6	5.5	8.2	70
CSR-09	14	190	30.3	21.4	5.9	7.7	85
CSR-10	15	200	32.8	22.8	6.2	8.5	100
CSR-11	16	210	33.9	23.7	6.1	9.1	105
CSR-12	17	220	35.9	24.7	6.5	9.1	125
CSR-13	18	230	37.8	26.9	6.9	10.0	145
CSR-14	19	235	38.9	27.7	7.0	10.1	160
CSR-15	20	250	41.4	29.2	7.3	11.0	180
CSR-16	21	260	43.4	31.0	7.1	10.9	195
CSR-17	22	270	45.9	32.2	8.1	11.2	245
CSR-18	23	280	47.8	34.3	7.8	11.1	250
CSR-19	24	290	49.9	34.8	9.2	11.2	315
CSR-20	25	300	51.2	36.6	9.2	12.4	350
CSR-21	26	310	53.2	37.4	9.2	12.9	350
CSR-22	27	320	55.9	39.3	9.3	12.7	390
CSR-23	28	330	56.5	40.9	9.9	13.5	430
CSR-24	29	340	60.0	42.4	10.0	13.6	490
CSR-23	30	350	60.9	43.8	10.0	14.7	500
CSR-26	32	370	64.5	46.6	11.3	14.9	640

FLEXIBLE RATCHET WRENCH

- Flex head tilts 180 at any interbal to
- Reach into tight places
- Hex head set screw instead of being pinned.



7 // STANFORD	Size	L(mm)	(g)
WRH-24	6mm	126	36
WRH-25	7mm	141	41
WRH-26	8mm	141	41
WRH-27	9mm	149	54
WRH-28	10mm	157	68
WRH-29	11mm	165	74
WRH-30	12mm	173	95
WRH-31	13mm	181	105
WRH-32	14mm	189	110
WRH-33	15mm	197	127
WRH-34	16mm	205	153
WRH-35	17mm	213	178
WRH-36	18mm	221	190
WRH-37	19mm	229	207
WRH-38	20mm	229	207
WRH-39	21mm	250	310
WRH-40	22mm	290	450
WRH-41	23mm	290	450
WRH-42	24mm	310	580
WRH-43	25mm	310	580
WRH-44	26mm	330	680
WRH-45	27mm	330	680
WRH-46	28mm	330	680
WRH-47	30mm	350	920
WRH-48	32mm	395	1010

54

RATCHET WRENCH

WRENCH

STANFORD

 High quality forged chrome vanadium steel 72T head



/// STANFORD	Size	L(mm)
WRH-01	8mm	140
WRH-02	9mm	150
WRH-03	10mm	160
WRH-04	11mm	165
WRH-05	12mm	170
WRH-06	13mm	180
WRH-07	14mm	190
WRH-08	15mm	200
WRH-09	16mm	210
WRH-10	17mm	225
WRH-11	18mm	235
WRH-12	19mm	245
WRH-13	20mm	245
WRH-14	21mm	290
WRH-15	22mm	290
WRH-16	23mm	290
WRH-17	24mm	332
WRH-18	25mm	332
WRH-19	26mm	359
WRH-20	27mm	359
WRH-21	28mm	359
WRH-22	30mm	404
WRH-23	32mm	424

6PCS COMBINATION WRENCH

- Chrome-vanadium steel/carbon steel Chrome plated,mirror polished,matt finish, black nickel
- 10,12,13,14,15,17mm



7PCS FLEXIBLE GEAR WRENCH

- Chrome-vanadium steel/carbon steel Flex head tilts 180 at any interval to
- reach into tight places Chrome plated, mirror polished, matt finish,

black nickel 3/8",7/16",1/2",9/16",5/8",11/16",3/4"



7PCS FLEXIBLE GEAR WRENCH

- Chrome-vanadium steel/carbon steel
- 72-tooth ratcheting gear Flex head tilts 180 at any interval to
- reach into tight places Chrome plated, mirror polished, matt finish black nickel
- 8, 10, 12, 13, 14, 17, 19MM



WR-08


7PCS FLARE NUT WRENCH

- Chrome-vanadium steel/carbon steel Chrome plated, mirror
- polished,matt finish, black nickel
- 6*8,9*11,10*12, 13*14,15*17,16*18, 19*22mm



12PCS COMBINATION WRENCH SET


- High carbon steel or chrome vanadium steel
- Chrome plated. polished packing details



6.8.9.10.11.12.13.14.16.17.18.19mm

14PCS COMBINATION WRENCH SET

- High carbon steel or chrome vanadium steel
- Chrome plated polished packing details



8.9.10.11.12.13.14.17.18.19.20.22.24mm

11PCS RATCHET COMBINATION WRENCH

- Chrome-vanadium steel/carbon steel
- 72-tooth ratcheting gear Chrome plated,mirror polished,
- matt finish,
- black nickel

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19mm



10PCS DOUBLE RING OFFSET WRENCH

Chrome-vanadium steel/carbon steel


Chrome plated, mirror polished,

matt finish,black nickel

16X17,17X19mm

8PCS DOUBLE OPEN END WRENCH

- Chrome-vanadium steel/carbon steel
- Chrome plated, mirror polished, matt finish, black nickel 6*7,8*9,10*11,12*13,14*15,16*17,18*19,





6PCS COMBINATION WRENCH

- black nickel 8X10,10X12,11X13,12X14,13X15,14X17,
 - 6,8,10,12,14,17mm



10PCS DOUBLE RING OFFSET WRENCH

 Chrome-vanadium steel/carbon steel Chrome plated.mirror polished. matt finish, black nickel 6*7,8*9,10*11,12*13,14*15,16*17,18*19, 20*22,21*23,24*27mm



Chrome-vanadium steel/carbon steel Chrome plated,mirror polished,matt finish,



8PCS REVERSIBLE GEAR WRENCH

Chrome-vanadium steel/carbon steel Chrome plated,mirror polished. matt finish black nickel 8.9.10.12.14.17.19.22mm



8PCS DOUBLE OPEN END WRENCH

- Chrome-vanadium steel/carbon steel
- Chrome plated, mirror polished, matt finish, black nickel 6*7,10*10,10*11,10*12,13*15,16*18,18*21 19*22mm



PCS RATCHET COMBINATION WRENCH

- Chrome-vanadium steel/carbon steel
- Chrome plated,mirror polished,matt finish, black nickel 6,8,10,12,14,17,19,22mm



BPCS FLEXIBLE GEAR WRENCH

 Chrome-vanadium steel/carbon steel Chrome plated, mirror polished. matt finish, black nickel 8.10.11.12.14.17.19.22mm



STANFORD

- high quality carbon steel or 40CrV steel drop forged
- heat treatment satin finished,zinc plated,
- chrome palted
- or black finished

WRENCH



STANFORD	
WR-21	24mm,27mm,30mm,32mm,
	36mm,41mm,46mm,50mm,
	55mm
	60mm 65mm 70mm 75mm

L-TYPE WRENCH WITH HOLE

high quality carbon steel or 40CrV steel

heat treatment fully polished,chrome

drop forged,

plated with hole

NINGBO MIND IMPORT & EXPORT CO.,LTD. SLOGGING SPANNER RING TYPE

- high quality carbon steel or 40CrV steel drop forged
- heat treatment satin finished,zinc plated,
- chrome palted
- or black finished



W STANFOR	
WR-22	24mm,27mm,30mm,32mm,
	36mm,41mm,46mm,50mm,
	55mm
	60mm 65mm 70mm 75mm

L-TYPE WRENCH SPECIAL TYPE

- high quality carbon steel or 40CrV drop forged heat treatment fully polished chrome plated,



STANFORD	
WR-23	6mm,7mm,8mm,9mm,10mm,
	11mm,12mm,13mm,14mm,
	15mm,16mm,17mm,18mm,
	19mm,20mm,21mm,22mm,
	23mm,24mm,25mm,26mm,
	27mm,28mm,30mm,32mm

L-TYPE WRENCH WITH CROWBAR

- heat treatment socket fully polished,
- handle sand blasting



7/ STANFORD	
WR-25	14mm,17mm,19mm,21mm,
	22mm,23mm,24mm,26mm,
	27mm

FOLDABLE CROSS RIM WRENCH

- high quality carbon steel,drop forged, heat treatment,
- fully polished, chrome plated



/// STANFORD			
WR-26	14"<	16*355>,	17mm,19mm,
	21mm	,23mm	

CROSS RIM WRENCH

high quality carbon steel, drop forged,

34mm,36mm

WR-24 6mm,7mm,8mm,9mm,10mm, 11mm, 12mm, 13mm, 14mm, 15mm.16mm.17mm.18mm. 19mm,20mm,21mm,22mm, 23mm,24mm,25mm,26mm, 27mm,28mm,30mm,32mm

fully polished,chrome plated



	WR-27	14"<	16*355>, 17mm,
- 1		19mm	21mm 23mm

CROSS RIM WRENCH


- high quality 40CrV steel,drop forged,
- satin finished chrome plated with plastic pad



W STANFOR		
WR-28	16"<	16*406>, 17mm,19mm,
	21mm	n.23mm

EXTENDABLE PLUG WRENCH

handle high quality carbon steel sockrt 40CrV steel drop forged



WR-29	350-530mm long with
	sock 17mm 19mm

1/4" DR. 6PT. REG SOCKETS



W// STANFORD			L(mm)
SKT-01	4	12	25
SKT-02	4.5	12	25
SKT-03	5	12	25
SKT-04	5.5	12	25
SKT-05	6	12	25
SKT-06	6.5	12	25
SKT-07	7	12	25
SKT-08	8	12	25
SKT-09	9	13	25
SKT-10	10	15	25
SKT-11	11	16	25
SKT-12	12	17	25
SKT-13	13	18	25
SKT-14	14	20	25

3/8" DR. 6PT. REG SOCKETS

F // STANFORD	H(mm)		L(mm)
SKT-5	6	17	28
SKT-6	7	17	28
SKT-7	8	17	28
SKT-8	9	17	28
SKT-9	10	17	28
SKT-70	11	17	28
SKT-71	12	18	28
SKT-72	13	18	28
SKT-73	14	20	28
SKT-74	15	22	28
SKT-75	16	22	28
SKT-76	17	24	30
SKT-77	18	26	30
SKT-78	19	26	30
SKT-79	20	28	30
SKT-80	21	28	30
SKT-81	22	30	32
SKT-82	23	32	32
SKT-83	24	32	32





Extraor 62 (mm) L(mm) SKT-94 8 22 SKT-95 9 22 SKT-96 10 22 SKT-97 11 22 SKT-98 12 22 SKT-99 13 22 SKT-100 14 22 SKT-101 15 22 SKT-102 16 22 SKT-103 17 24 SKT-104 18 25	
SKT-96 10 22 SKT-97 11 22 SKT-98 12 22 SKT-99 13 22 SKT-100 14 22 SKT-101 15 22 SKT-102 16 22 SKT-103 17 24	
SKT-97 11 22 SKT-98 12 22 SKT-99 13 22 SKT-100 14 22 SKT-101 15 22 SKT-102 16 22 SKT-103 17 24	
SKT-98 12 22 SKT-99 13 22 SKT-100 14 22 SKT-1101 15 22 SKT-102 16 22 SKT-103 17 24	
SKT-99 13 22 SKT-100 14 22 SKT-101 15 22 SKT-102 16 22 SKT-103 17 24	
SKT-100 14 22 SKT-101 15 22 SKT-102 16 22 SKT-103 17 24	
SKT-101 15 22 SKT-102 16 22 SKT-103 17 24	
SKT-102 16 22 SKT-103 17 24	
SKT-103 17 24	
11 = 1	
SKT-104 18 25	
SKT-105 19 26	
SKT-106 20 28	
SKT-107 21 28	
SKT-108 22 30	
SKT-109 23 32	
SKT-110 24 32	
SKT-111 25 34	
SKT-112 26 34	
SKT-113 27 36	
SKT-114 28 38	
SKT-115 29 38	
SKT-116 30 40	
SKT-117 32 42	

1/4" DR. 6PT. DEEP SOCKETS

	H(mm)	ø2(mm)	L(mm)	
SKT-15	4	12	50	
SKT-16	4.5	12	50	
SKT-17	5	12	50	
SKT-18	5.5	12	50	
SKT-19	6	12	50	
SKT-20	6.5	12	50	
SKT-21	7	12	50	
SKT-22	8	12	50	
SKT-23	9	13	50	
SKT-24	10	15	50	
SKT-25	11	16	50	
SKT-26	12	17	50	
SKT-27	13	18	50	
SKT-28	14	20	50	

57


EXTENSION BAR

EB-01





STANFORD





W// STANFORD	H(mm)	ø2(mm)	L(mm)
SKT-84	8	17	63
SKT-85	9	17	63
SKT-86	10	17	63
SKT-87	11	17	63
SKT-88	12	18	63
SKT-89	13	18	63
SKT-90	14	20	63
SKT-91	15	22	63
SKT-92	16	22	63
SKT-93	17	24	63

1/2" DR. 6PT. DEEP SOCKETS



W/ STANFORD	H(mm)	ø2(mm)	L(mm)	
SKT-119	8	22	78	
SKT-120	9	22	78	
SKT-121	10	22	78	
SKT-122	11	22	78	
SKT-123	12	22	78	
SKT-124	13	22	78	
SKT-125	14	22	78	
SKT-126	15	22	78	
SKT-127	16	22	78	
SKT-128	17	24	78	
SKT-129	18	25	78	
SKT-130	19	26	78	
SKT-131	20	28	78	
SKT-132	21	28	78	
SKT-133	22	30	78	
SKT-134	23	32	78	
SKT-135	24	32	78	
SKT-136	25	34	78	
SKT-137	26	34	78	
SKT-138	27	36	78	
SKT-139	28	38	78	
SKT-140	29	38	78	
SKT-141	30	40	78	
SKT-142	32	42	78	

1/4" DR. BIT SOCKETS

	0		L(mm)
SKT-29	1/4"	FD3.5	37
SKT-30	1/4"	FD4	37
SKT-31	1/4"	FD4.5	37
SKT-32	1/4"	FD5.5	37
SKT-33	1/4"	FD6.5	37
SKT-34	1/4"	FD7	37
SKT-35	1/4"	FD8	37

*				
	0		L(mm)	
SKT-36	1/4"	T8	37	
SKT-37	1/4"	T10	37	
SKT-38	1/4"	T15	37	
SKT-39	1/4"	T20	37	
SKT-40	1/4"	T25	37	
SKT-41	1/4"	T27	37	
SKT-42	1/4"	T30	37	
OLCT 40	4 / 4 !!	T40	0.7	

T				
W // STANFORD	0		L(mm)	
SKT-44	1/4"	PZ1	37	
SKT-45	1/4"	PZ2	37	
SKT-46	1/4"	PZ3	37	


~				
	0		L(mm)	
SKT-47	1/4"	PH1	37	
SKT-48	1/4"	PH2	37	
SKT-49	1/4"	PH3	37	

	0		L(mm)
SKT-50	1/4"	HW3	37
SKT-51	1/4"	HW4	37
SKT-52	1/4"	HW5	37
SKT-53	1/4"	HW6	37
SKT-54	1/4"	HW7	37
SKT-55	1/4"	HW8	37
SKT-56	1/4"	HW10	37

∯				
W STANFORD	0		L(mm)	
SKT-57	1/4"	T8	37	
SKT-58	1/4"	T10	37	
SKT-59	1/4"	T15	37	
SKT-60	1/4"	T20	37	
SKT-61	1/4"	T25	37	
SKT-62	1/4"	T27	37	
SKT-63	1/4"	T30	37	
SKT-64	1/4"	T40	37	

SLIDING T-BAR

100			
/// STANFORD	H(mm)	L(mm)	
EB-21	1/4"	115	
EB-22	3/8"	160	
EB-23	1/2"	250	






	Size
EB-31	1/2H
EB-32	3/8H
EB-33	1/4H

SHORT T-TYPE WRENCH

- Handle quality carbon steel, drop forged heat treatment
- Socket fully polished, handle sand blasting, chrome plated



/// STANFORD		STANFORD	
TWH-08	8m	TWH-12	14m
TWH-09	10m	TWH-13	17m
TWH-10	12m	TWH-14	19m
TWH-11	13m		

LONG SOCKET T-TYPE WRENCH

- Handle quality carbon steel,socket 40CrV steel
- Drop forged,forged,heat treatment,satin

 finished,chrome 	★ Plated	24.5cm	→
			7
			i
// STANFORD	Size	/// STANFORD	Size

/// STANFORD	Size	## STANFORD	Size	
TWH-01	6m	TWH-05	14m	
TWH-02	10m	TWH-06	17m	
TWH-03	12m	TWH-07	19m	
TWH-04	13m			

MINI RATCHET WRENCH

- Chrome vanadium steel,chrome plated
- Forward/reverse ratchet
- Quick-relesae mechanism
- size: 1/4"



	Size
EB-38	1/4"

RACHET HANDLES

- High quality forged Chrome Vanadium Steel, Chrome plated.
 Ergonomic design comfort-grip handle.
- Quick-release button.
- 72 teeth fine mechanism.



	m(g)	
EB-35	1/4"Dr	
EB-36	3/8"Dr	
ER-37	1/2"Dr	

SOCKET WRENCH SET

RATCHET WRENCHES

- Chrome-vanadium steel
- Ratchet wrench with quick release, with raised
- Button, curved handle, 72T



/// STANFORD	Size	L(mm)	
EB-39	1/4"	141	
EB-40	3/8"	190	
EB-41	1/2"	239	

RATCHET WRENCHES

- Chrome-vanadium steel
- Ratchet wrench with quick release, with raised
- Button,curved handle,72T



STANFORD		L(mm)	
EB-42	1/4"	150	
EB-43	3/8"	204	
FR-44	1/2"	257	

72T RATCHET WRENCH

Reversible,72-tooth gear

RATCHET WRENCH

- Chrome vanadium steel,chrome plated
- Forward/reverse ratchet
- Quick-relesae mechanism
- size: 1/4", 3/8", 1/2"



EB-45	1/4"
EB-46	3/8"
EB-47	1/2"

72T RATCHET WRENCH WITH EXPANSION ROD

- Reversible,72-tooth gear
- Chrome vanadium steel.chrome plated

8 IN 1 COMBINATION WRENCH

Material:chrome vanadium steel

- Forward/reverse ratchet
- Quick-relesae mechanism
- Size: 1/4", 3/8", 1/2"



EB-48	1/4"	
EB-49	3/8"	
EB-50	1/2"	

72T RATCHET WRENCH

- Reversible,72-tooth gear
- Chrome vanadium steel, chrome plated
- Forward/reverse ratchet
- Quick-relesae mechanism
- size: 1/4", 3/8", 1/2"



W// STANFORD		
EB-51	1/4"	
EB-52	3/8"	
EB-53	1/2"	

 Surface:chrome plated Size:3/8"-13/16"

With magnetic



/// STANFORD	Size
SKK-04	3/8"-13/16"

ADJUSTABLE CLICK TORQUE WRENCH

Chrome-vanadium steel

EB-35

Adjustable Click Torque Wrench, ratchet head



45T Torque Wrench

- 19mm CR-V long socket
- 21mm CR-V long socket



1/2" Dr 470mm 28-21Nm

3/8"DR 12PCS SOCKET SET

- 10pcs socket 3/8"Dr: 10.11.12.13.14.15.17.19.22.24mm
- 1pc ratchet handle 3/8"Dr
- 1pc extension bar 3/8"Dr:6"



1/2"DR 12PCS SOCKET SET

- 10-1/2"dr.sockers:10,11,12,13,14. 15,17,19,22,24mm
- 1-1/2"dr.extension bar:5"
- 1-1/2"dr.flipper ratchet handle-72t



3PCS 1/2" DR SOCKET SET

- Chrome-vanadium steel,
- Chrome plated.mirror polished
- 3pcs 1/2"Dr,17.19.21mm



UNC-003

12PCS SOCKET SET

- 10-1/2"Dr.Socket:10.12.13.14.15.17.19.21.22.24mm
- 1-1/2"Dr. Extension Bar:5"
- 1-1/2"Dr.Fipper Ratchet Handle



1/4"DR 12PCS SOCKET SET

- 10pcs socket 1/4"Dr:
- 5,6,7,8,9,10,11,12,13,14mm 1pc ratchet handle 1/4"Dr
- 1pc extension bar 1/4"Dr:5"



20PCS SOCKET SET

- 1-Plastic holder
- 1-1/2"Dr,filpper
- ratchet handle,W/Q.R
- 18-1/2"Dr.socket:8,9,10,11,12,13,14, 15,16,17,19,21,22,23,24,27,30,32mm



45PCS 1/4" & 3/8"DR. SOCKET WRENCH SET

- 10-1/4"Dr.Sockets:4.4.5.5.6.7.8.9.10.11.12mm
- 10-1/4"Dr.Sockets:5/32,3/16,7/32,1/4,9/32,5/16,11/32,3/8,7/16,1/2"
- 3-3/8"Dr.Sockets:9/16,5/8,1/16"
- 4-3/8"Dr.Sockets:13,14,15,17mm
- 1-3/8"Dr.Stubby Ratchet Handle
- 1-1/4"(M)x3/8"(F)Adapter
 11-Bit ,+1pcs Holder
- 1-Bit Adapter 25L
- 1-Ratchet Screwcriver Handl
- 1-6" Adjustable Wrench
- 1-3/8"Dr.Extension Bar 3"
- 1-Plastic Case

UNC-045

3/4"DR 14PCS SOCKET SET

- 10-sockets:22,24,27,30,32,36,38,41,46,50mm
- Ratchet:495mm
- Extension bar:100mm
- Sliding handle:456mm
- Extension bar:200mm



61 www.nbmind.com www.nbmind.com ഗ

Ш

15PCS SOCKET SET

- 10-3/8"Dr.Socket:10,11,12,13,14,17, 19,21,22,24mm
- 2-3/8"Dr. Extension Bar:3"&6"
- 2-3/8"Dr.Spark Plung Socket:



UNC-015

- 16-socket:19,21,22,23,24,26,27, 30,32,34,36,38,41,46,48,50mm
- 1pc 3/4" sliding T (flexible bar) 1pc 4" extension bar
- 1pc 8" extension bar
- 1pc 3/4" drive premium ratchet



40PCS SOCKET

- 12PCS 1/4DR. Metric SOCKETS:4,4.5,5,5.5,6,7,8,9,10,11,12,13MM 12PCS 1/4DR. SAE SOCKETS:5/32",3/16",7/32",1/4",9/32",
- 5/16",11/32",3/8",13/32",7/16"15/32",1/2"
 3PCS-1/4"DR.SAE SOCKETS(8PT):1/4", 5/16",3/8".
- 3PCS-3/8"DR SAF SOCKETS: 9/16", 11/16", 3/4"
- 3PCS-3/8"DR.Metric SOCKETS: 14,16,17MM. 1PC-3/8"DR.RATCHET HANDLIE.
- 1PC-3/8" DR.EXTENSION BAR 3"
- 1PC-3/8" DR.SPARK PLUG SOCKET 21MM
- 1PC-SPINNER HANDLIE 6".
- 1PC-ADAPTOR. 1PC-SPIN DISC ■ 1PC-BLOW CASE



UNC-040

24PCS SOCKET SET

- 18-1/2"DR.socket:10-11-12-13-14-15-16-17-18-19-20-21-22-23-
- 2-1/2"DR.extension bar:5"&10"
- 1-1/2"DR.Sliding T bar:250mm
- 1-1/2"DR. universal joint
- 1-1/2"DR. flipper
- ratchet handle .W/QR





- 24-27-30-32mm
- 1-1/2"DR. Speeder Handle

 - 1-1/2"DR. flipper

 - 1-1/2"DR. fiex handle:10"



25PCS 1/2" DR SOCKET SET

- · Chrome-vanadium steel,
- Chrome plated, mirror polished 1pc ratchet handle 1/2"Dr. with quick release
- 2pcs extension bar 1/2"Dr: 125mm & 250mm
- 18pcs socket 1/2"Dr:10,11,12,
- **1**3.14.15.16.17.18.19.20.21.22. 23.24.27.30.32mm
- 1pc sliding bar 1/2"Dr
- 1pc universal joint 1/2"Dr



36PCS 1/2" DR SOCKET SET

- Chrome-vanadium steel.
- Chrome plated, mirror polished
- 1pc ratchet handle 1/2"Dr, with quick release
- 19pcs socket 1/2"Dr:8,9,10,11,12, 13,14,15,16,17,18,19,20,21, 22,24,27,30,32mm
- 1pc sliding bar 1/2"Dr
- 1pc universal joint 1/2"Dr
- 2pcs spark plug socket 1/2" Dr:16mm&21mm

UNC-036

63

12pcs combination wrench: 8.9.10.11.12.13.14.15.16. 17,18,19mm



46PCS SOCKET SET

- 13-1/4"Dr.sockets:4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm
- 21-1/4"Dr.Inserted Bit Socket:(T)8,10,15,20,25,30(H)3,4,5,6,7,8mm
- (+)4,5.5,7(+)1,2,3(x)1,2,3
- 1-Bit Adapter 30L
- 1-1/4"Dr. Spinner handler
- 1-1/4"Dr. Filpper ratchet
- 1-1/4"Dr. Flexible extension bar:
- 150mm
- 1-Blow case

UNC-046

13pcs 1/2"dr.socket:10-32mm

52PCS SOCKET SET(1/4"&1/2")

- 11pcs 1/4"dr.socket:4-13mm
- 1pc 1/4"dr.ratchet handle
- 1nc 1/2"dr ratchet handle
- 1pc 1/4"dr.extension bar:3"
- 2pcs 1/2"dr.extension bar:5"&10"

Α

- 1pc 1/4"dr.sliding T-bar
- 1pc 1/2"dr.sliding T-bar 1pc 1/2"dr.universal joint
- - 1pc screwdriver handle
 - 1pc 1/2"dr.spark plug socket:21mm
 - 1pc bit holder
 - 1pc bit adaptor 5pcs regular point bits:#3,#4,#5,#6,#7
 - 3pcs phillips point bits:#1,#2,#3

 - 5pcs hex screr bits:T10,T15,T20,T25,T30 3pcs hex key wrenches:1.5,2,2.5mm





-0	(Alles)	
E// STANFORD		

82PCS 1/4"&1/2" DR SOCKET SET

- chrome-vanadium steel.
- chrome plated,mirror polished
- 12pcs socket 1/2"Dr:14,15,16,17,18,19,20,22,
- 24,27,30,32mm
- 13pcs socket 1/4"Dr: 4.4.5.5.5.5.6.7.8.9.10.11.
- 12.13.14mm

SKK-01 SKK-02

- 2pcs universal joint 1/2"Dr & 1/4"Dr
- 2pcs extension bar 1/2"Dr:125mm & 250mm
- 2pcs extension bar 1/4"Dr:100mm & 50mm
- 2pcs spark plug socket 1/2"Dr;16mm & 21mm 1pc T-bar adaptor 3/8"Dr.<F>*1/2"Dr,<M>
- 1pc sliding bar 1/4"Dr
- 1pc spiner handle 1/4"Dr:65mm
- 17ncs socket bits
- 1pc coupler 1/4"Dr:1/4"Dr*1/4"
- 1pc coupler 1/2"Dr"1/2"Dr*5/16"
- 1pc flexible extension bar 1/4"Dr:150mm
- 15pcs 5/16" 30mm<L>bits
- 9pcs combination wrench:8,10,11,12,13,14,17,19,22mm
- 2pcs ratchet handle 1/2"Dr, & 1/4"Dr.with guick relesae



60PCS 1/4" & 1/2" DR SOCKET SET

- Chrome-vanadium steel.
- Chrome plated, mirror polished
- 18pcs socket 1/2"Dr:10-11-12-13-14-15-16-17-18-19-20-21-
- 22-23-24-27-30-32mm
- 13ncs socket 1/4"Dr:4-4 5-5-5 5-6-7-8-9-10-11-12-13-14mm
- 2pcs spark plug socket:16mm & 21mm
- 4pcs extension bar 1/2"Dr:125mm & 250mm,1/4"Dr:50mm-100mm
- 2pcs universal joint 1/4" & 1/2"Dr ■ 1pc 1/2" T-cock socket
- 1pc squarebar
- 1pc 1/4" slide bar
- 3pcs hex key wrench:1.5-2-2.5
- 12pcs combination wrench:8-9-10-11-12-13-14-15-16-17-18-19mm
- 2pcs 72T ratchet handle 1/4" & 1/2"Dr.with guick release
- 1pc flexible extension bar 1/4"Dr:150mm



UNC-060

72PCS 1/4"&1/2" DR SOCKET SET

- Chrome-vanadium steel.
- Chrome plated, mirror polished
- 10pcs socket 1/4"Dr: 4,5,6,7,8,9,10,11,12,13mm
- 16pcs socket 1/2"Dr;10,11,12,13,14,15,16,17,18,19.20,21,22,
- 23 24 27mm
- 1pc universal joint 1/2"Dr
- 1pcs coupler 1/4"Dr
- 1pc extension bar 1/4"Dr:100mm
- 2pcs extension bar 1/2"Dr:125mm & 250mm
- 1pc T bar adapter:3/8"<F>*1/2"<M>
- 1pc spark plug socket:21mm 1pc spinner handle 1/4"Dr
- 32pcs bir25mm<L>:Hex:3-4-5-6-7-8mm.SL:4-5-5.5-6-7mm.
- PZ:#0-#1-#2-#3.S:#0-#1-#2-#3. ■ Torx:T8-T9-T10-T15-T20-T25-T27-T30-T40
- 4pcs hex key wrench:1.25-1.5-2.5-3mm



www.nbmind.com www.nbmind.com

SOCKET WRENCH SET

64

1pc metalbox

27PCS SOCKET SET

- 20-1/2"DR.socket:10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm
- 2-1/2"DR.extension bar:5"&10"
- 1-1/2"DR. universal joint
- ratchet handle .W/QR 1-1/2"DR.Sliding T handle 10"



40PCS SOCKET WRENCH SET 1pc ratchet handle 1/4"Dr

- 1pc universal joint 1/4"Dr 1pc sliding bar 1/4"Dr
- 1pc extension bar 1/4"Dr 13pcs socket 1/4"Dr:4,4.5,5,5.5, 6 7 8 9 10 11 12 13 14mm 22pcs socket bit 1/4"Dr



UNC-040

- 2-1/4"Dr. Extension Bar:2" & 4"
- 1-1/4"Dr. Universal joint ■ 1-1/4"Dr. Slidingt handler
- handle-24T
- 3-hex key wrench:1.5-2.5mm

STANFORD 94PCS SOCKET SET

- Chrome-vanadium steel
- Chrome plated, mirror polished
- 2pcs ratchet handle 1/4", 1/2" Dr, with guick release
- 2pcs extension bar 1/2" Dr 125mm, 250mm
- 18pcs 1/2" Dr socket: 10.11.12.13.14.1.16.17.18.19.20.21.22.23.
- 24.27.30.32mm

SO

CKET WRENCH

SET

- 4pcs deep socket 1/2" Dr: 14,15,17,19mm
- 2pcs universal joint 1/4", 1/2" Dr
- 1pcs spinner handle 1/4" Dr: 150mm 2pcs soark plug socket 1/2" Dr; 16mm, 21mm
- 2pcs extension bar 1/4" Dr: 50mm, 100mm
- 13pcs 1/4" Dr socket: 4.4.5.5.5.5.6.7.8.9.10.11.12.13.14mm
- 3pcs hex key wrench: 1.5.2.2.5mm
- 1pc sliding T bar 1/4" Dr
- 8pcs deep socket 1/4" Dr: 6,7,8,9,10,11,12,13mm
- 1pc flexible extension bar 1/4" Dr: 150mm
- 1pc coupler 1/2" Dr:1/2" *5/16"
- 1pc bits adaptor 1/4" Dr
- 15pcs 30mm<L>bit
- 17pcs bit socket
- 1pc T-bar adaptor 1/2" Dr



WESTERNAMENTAL PROPERTY.

108PCS 1/4" & 1/2" DR SOCKET SET

- Chrome-vanadium steel.
- Chrome plated,mirror polished
- 17pcs socket 1/2"Dr:10-11-12-13-14-15-16-17-18-
- 19-20-21-22-24-27-30-32mm
- 5pcs long socket 1/2"Dr:14-15-17-19-22
- 2pcs extension bar 1/2"Dr:125mm & 250mm
- 2pcs universal joint 1/4" & 1/2"Dr
- 1pc squarebar
- 2PCS 1/2"Dr socket:16 & 21mm
- 2pcs extension bar 1/4"Dr:50mm & 100mm
- 13pcs socket 1/4"Dr:4-4.5-5-5.5-6-7-8-9-10-11-12-
- 1pc 1/4" slide bar
- 8pcs long socker 1/4"Dr:6-7-8-9-10-11-12-13mm
- 5pcs E socket 1/4"Dr:E4-5-6-7-8
- 1pc spring socket 1/2"Dr:5/16"
- 8pcs E socket 1/2"Dr:E10-11-12-14-16-18-20-24 1pc 1/2" T-cock socket
- 18pcs 1/4"Dr bit:PH1-PH2, PZ1-PZ2,
- T8-T10-T15-T20-T25-T30-40, SL: 4-5.5-7mm
- Hex: 3-4-5-6mm
- 2pcs 72T ratchet handle 1/4" & 1/2"Dr,
- with quick release
- 3pcs hex key wrench:1.5-2-2.5
- 17pcs 5/16"*30mm bit:Hex:8-10-12-14mm
- SL:8-10-12mm PZ3-PZ4
- PH3-PH4
- T40-45-50-55-60-70 18pcs 1/4"*25mm bit:PH1-PH2 .
- PZ1-PZ2
- T8-T10-T15-T20-T25-T30-40
- SL: 4-5.5-7mm . Hex: 3-4-5-6mm

UNC-108

170PCS SOCKET SET

- Chrome-vanadium steel
- Chrome plated,mirror polished
- 13pcs 1/4" DR.METRIC SOCKET:4,4.5,5,5.5,6,7,8,9,10,11,12,13,14MM
- 5pcs1/4" DR.TORX SOCKET:E4.E5.E6.E7.E8.
- 7pcs1/4" DR.DEEP SOCKETS:4.5.6.7.8.9,10MM
- 2pcs1/4" DR.EXTENSION BAR:2"&4"
- 1pc1/4" DR.SLIDING T BAR
- 1pc1/4"DR SPINNER HANDLE:6"
- 30ncs1/4"DR BIT
- SOCKETS:H2,3,4,5,6,FD4,5.5,7,PH1,2,3,T8,9,10,15,T20,
- 25,27,30,T8,9,10,15,20,25,27,30
- 10pcs3/8" DR.SOCKET:10.11.12.13.14.15.16.17.18.19MM
- 6pcs3/8" DR.TORX SOCKETS:E10,E11,E12,E14,E16,E18
- 6pcs3/8" DEEP SOCKETS:10.11.12.13.14.15MM 1pc3/8" DR.EXTENSION BARS:6"
- 17pcs 1/2"DR.METRIC SOCKETS:10,11,12,13,14,15,16,
- 17.18.19.20.21.22.24.27.30.32MM
- 2pcs 1/2" DR.TORX SOCKETS:E20,E24
- 5pcs 1/2" DR.DEEP SOCKETS:16.17.18.19.22MM
- 2pcs 1/2"DR.SPARK PLUG SOCKETS:16&21MM
- 2pcs 1/2"DR.EXTENSION BARS:5"&10"
- 1pc 3-WAY-ADAPTER
- 3pcs QUICK RATEHET HANDLE:
- 1/4"&3/8"&1/2"
- 3pcs UNIVERSAL JOINT:1/4"&3/8"&1/2"
- 2pcs 3/8"&1/2" DR.BIT HOLDER
- 24pcs BITS:
- H7,8,10,12,14;FD8,10,12;PH.3,4;
- PZ 3,4;T40,45,50,55,60,70;
- TT40 45 50 55 60 70
- 7pcs HEX KEY WRENCHES: 1.5,2,2.5,3,4,5,6MM
- 10pcs BITS:
- T8,9,10,15,20,25,30; 4,5.5,7
- 1pc 1/4" DR BIT HOLDER

121PCS 1/4"&3/8"&1/2" DR SOCKET SET

- Chrome-vanadium steel.
- Chrome plated, mirror polished
- 2pcs extension bar 1/2"Dr:125mm & 250mm
- 2pcs extension bar 3/8"Dr:150mm & 75mm
- 7pcs socket 1/2"Dr:20-21-22-24-27-30-32mm 3pcs universal joint 1/2"Dr,3/8"Dr,1/4"Dr
- 2pc T bar adapter:1/2M*3/8F&1/4M*3/8F
- 11pcs short socket 3/8"Dr:9-10-11-12-13-14-15-16-
- 17-18-19mm
- 4pcs long socket 3/8"Dr:13-14-15-17mm
- 8pcs E socket 3/8"Dr:E8-10-11-12-14-16-18-20mm
- 1pc squarebar
- 1pc extension bar 1/4"Dr:50mm
- 10pcs short socket 1/4"Dr:4-5-6-7-8-9-10-11-12-13mm
- 4pcs long socket 1/4"Dr:8-9-10-12mm
- 1pc test pencil
- 18pcs 1/4" 25mm bit
- 9pcs hex key wrench
- 11pcs combination wrench: 8-9-10-11-12-13-
- 14-16-17-18-19mm
- 2pcs screwdriver 3pcs 72T ratchet handle
- 1/4" & 3/8" & 1/2"Dr.
- with quick release
- 1PC Pen sub interchange
- 1PC filter wrench
- 2PCS 3/8"Dr socket:16 & 21mm
- 1pc 1/2"Dr bit:1/2*100*H10 17pcs 3/8"Dr bit:
- 3/8*48*1/4*T30-40:PH1-2 . PZ1-2:SL55-6.5:
- H3-4-5-5.5-6,3/8*48*5/16*
- T45-50-55-60



CLAW HAMMER

- Drop-Forged alloy steel
- Reinforced fibre glass shaft with plastic cover Impact-Absorbent soft grip
- Hard wood handle



			Size
FL-08	8 Oz	FL-20	20 Oz
FL-12	12 Oz	FL-24	24 Oz
FL-16	16 Oz		

MACHINIST HAMMER WITH HICKORY HANDLE



			Size	
HM-65	100g	HM-69	500g	
HM-66	200g	HM-70	600g	
HM-67	300g	HM-71	800g	
HM-68	400a	HM-72	1000a	

RUBBER MALLET

- Designed to protect the workpiece where a
- Reinforced fibre glass shaft



W// STANFORD			
HM-30	8 Oz	HM-33	24 Oz
HM-31	12 Oz	HM-34	32 Oz
HM-32	16 Oz		

CLAW HAMMER

- Drop-Forged alloy steel
- Reinforced fibre glass shaft with plastic cover
- Impact-Absorbent soft grip
- hard wood handle



I // STANFORD			
HM-52	8 Oz	HM-55	20 Oz
HM-53	12 Oz	HM-56	24 Oz
HM-54	16 Oz		

MACHINIST HAMMER

- Reinforced fibre glass shaft,impactabsorbent soft grip Drop dorged alloy steel head
- Polished striking face



			•
HM-01	100g	HM-06	600g
HM-02	200g	HM-07	800g
HM-03	300g	HM-08	1000
HM-04	400g	HM-09	1500
HM-05	500a	HM-10	2000

- metal hammer may cause damage

			Size
HM-30	8 Oz	HM-33	24 Oz
HM-31	12 Oz	HM-34	32 Oz
HM-32	16 Oz		

2WAY MALLET

- 2 Material head made of rubber and pvc
- Protect the workpiece from damage 2 Ends with different hardness
- Ergonomic comfort-grip TPR handle



	Size
HM-35	25mm
HM-36	30mm
HM-37	35mm

CLAW HAMMER WITH HICKORY HANDLE



HM-58 21mm HM-61 27mm	W// STANFORD			
LIM FO COMMON LIM GO COMMON	HM-58	21mm	HM-61	27mm
	HM-59	23mm	HM-62	29mm
HM-60 25mm	HM-60	25mm		

SLEDGE HAMMER

- Strong and light weight tubular shaft
- Hardened and tempered



- 1				7
ı				
1	HM-22	1/4 Lb	HM-26	1.5 Lb
	HM-23	1/2 Lb	HM-27	2 Lb
ı	HM-24	3/4 Lb	HM-28	2.5 Lb
	LIM 25	11h	LIM 20	2 l h

SLEDGE HAMMER

- Strong and light weight tubular shaft



			Size
HM-12	2 Lb	HM-17	10 Lb
HM-13	3 Lb	HM-18	12 Lb
HM-14	4 Lb	HM-19	16 Lb
HM-15	6 Lb	HM-20	18 Lb
HM-16	8 Lb	HM-21	20 Lb

16x4x254mm

16x19x305mm 16x4x305mm

16x19x350mm 16x4x350mm

16x19x400mm

16x4x400mm

16x19x450mm

16x4x450mm

HAMMER

ထွ

CLAW HAMMER

Fine polishing head and overall heat-treatment handle bending and pull-off force reaches ANSI:TPR.



W/ STANFORD	Size	
HMR-01	16 Oz	
HMR-02	20 Oz	
HMR-03	24 Oz	

FIBERGLASS HANDLE AXE

Fully heat-treated and polished face

Comfortable tubular handle with rubber grip

Carbon steel heat treated

Comply with GS standard

ROOFING HAMMER

- Strong and light weight tubular shaft
- Hardened and tempered
- Ergonomic comfort-grip TPR handle



W STANFORD	Size	
HM-11	16 Oz	

STONE HAMMER

- Reinforced fibre glass shaft,impact-absorbent soft grip
- Drop dorged alloy steel head
- Polished striking face
- Ergonomic comfort-grip TPR handle



2 800g	HM-45	1500g
3 1000	g HM-46	2000g
4 1250	lg	
	12 800g 13 1000	12 800g HM-45 13 1000g HM-46

FIBERGLASS HANDLE AXE

- carbon steel,heat treated
- fully heat-treated and polished face
- strike surface and blade hardness:HRC47-57



HM-75	1000g	HM-77	2000g
HM-76	1500g	HM-78	3000g

WOODEN HANDLE AXE

- carbon steel,heat treated
- fully heat-treated and polished face
- strike surface and blade hardness:HRC47-57



STANFORD	Size	STANFORD	Size
HM-80	400g	HM-86	1200g
HM-81	500g	HM-87	1250g
HM-82	600g	HM-88	1400g
HM-83	700g	HM-89	1600g
HM-84	800g	HM-90	1800g
HM-85	1000g	HM-91	2000g

WOODEN HANDLE AXE

- carbon steel,heat treated
- fully heat-treated and polished face strike surface and blade hardness:HRC47-57



	1LB,1.25LB,1.5LB
	1.75LB,2LB,2.25LB
HM-95	2.5LB,2.75LB,3LB,3.5LB
	4LB,4.5LB,5LB,5.5LB
	61 R 71 R 81 R

HAMMER SET

- Drop-forged alloy steel Ergonomic comfort-grip TPR
- handle and walnut wooden handle
- Size:16OZ and 500G



HM-51

2PCS HAMMER AND AXE SET

- 1000G stone hammer



- 600G fiberglass handle axe



SHOVEL

- length: 1020mm
- weight:1kg
- a-220mm,b 285 mm.c 490 mm,D -



HM-101

Weight 5lb,



HM-102



CHISEL AND PUNCH WITH HANDL



CHS-01	16x250mm
CHS-02	16x300mm
CHS-03	16x250mm
CHS-04	16x300mm

WRECKING BAR

- high carbon steel,spraying paint or plastic
- american style design
- for pulling nails,wrecking/dismantling and prying



MINI FLAT BARE

- CHS-21 12X22X12 CHS-24 30X30X16 ■ GHSh22artl&x22x4PsprGH5g25aint 36x39x16 ■ WillSr238Ip24be3Cax1d6chiselends



		(D)X(C)
CHS-35	7"	7/8"*1/8"
CHS-36	8"	1"*5/32"
CHS-37	10"	1"*5/32"
CHS-38	12"	1-3/8"*1/4"
CHS-39	13"	1-3/8"*1/4"
CHS-40	15"	1-3/8"*1/4"
CHS-41	18"	1-3/8"*1/4"



W// STANFORD	Size	
CHS-15	16x200mm	
CHS-16	16x200mm	
CHS-17	16x250mm	
CHS-18	16x300mm	
CHS-19	16x250mm	
CHS-20	16x300mm	

WRECKING BAR

- high carbon steel,spraying paint or plastic
- american style design
- for pulling nails,wrecking/dismantling and prying



CHS-26	350x16mm	CHS-30	700x16mm
CHS-27	400x16mm	CHS-31	800x16mm
CHS-28	500x16mm	CHS-32	1000x16mm
CHS-29	600x16mm		

PRY BAR NAIL PULLER

- high carbon steel, spraying paint or plastic
- Eight design available



/// STANFORD	Size(L)	
CHS-42	8"	
CHS-43	10"	
CHS-44	12"	

CAT CLAW NAIL PULLER

CHS-05 CHS-06

CHS-07

CHS-08

CHS-11

CHS-12

CHS-13

CHS-14

- high carbon steel, spraying paint or plastic with comfortable rubber handle
- distinct claw design for better pulling nails



W // STANFORD	Size(L)	
CHS-33	11"	9/16"
CHS-34	12"	5/8"

PRY BAR NAIL PULLER

- high carbon steel
- Round square or octagonal shank available
- for fixing tens & plywood



	Size(L)
CHS-45	8"
CHS-46	10"
CHS-47	12"

68

67 www.nbmind.com www.nbmind.com

PUNCH, WRECKING

BAR

EUROPEAN STYLE WRECKING BAR

- high carbon steel,spraying paint or plastic
- european style design

STANFORD

for pulling nails,wrecking/dismantling and prying



STANFORD	length <l></l>	shank size <d></d>	STANFORD	length <l></l>	shank size <d></d>
CHS-48	12"	1/2"	CHS-53	30"	3/4"
CHS-49	18"	5/8"	CHS-54	32"	3/4"
CHS-50	20"	5/8"	CHS-55	36"	3/4"
CHS-51	24"	3/4"	CHS-56	42"	7/8"
CHS-52	28"	3/4"	CHS-57	48"	7/8"

PULL BENDER

- high carbon steel,chrome-plating
- Italian style design
- for pulling and bending steel
- bar with size of 6-8,8-10,10-12,12-14, 14-16mm

5PC PRY BAR SET

heel bar:1/2"*16"<12*400mm>

3PC NAIL PUNCH SET

Size:1/32",2/32",3/32"



	Size(L)	(D)	(A)x(B)
CHS-58	13-3/5"	3/8"	6*8mm
CHS-59	13-3/5"	3/8"	8*10mm
CHS-60	16"	1/2"	10*12mm
CHS-61	20"	9/16"	12*14mm
CHS-62	20"	5/8"	14*16mm

• 4pcs pry bar:1/4"*8"<6*200mm>,3/8"*12"<10*300mm>,

■ 7/16"*18"<11*450mm>,1/2"*24"<12*600mm>,

5PCS PRY BAR SET

- high carbon steel,spraying paint or plastic
- open color box and display case packing
- customization of tool combination allowed set includes: 18"*1-3/8"*1/4"flat pry bar
- 15"*1-3/8"*1/4"flat prv bar
- 13"*1-3/8"*1/4"flat pry bar
- 12"*1-3/8"*1/4"flat pry bar 8"*1"*5/32"mini flat pry bar



AUTOMATIC CENTER PUNCH

- Hardend tip instant marking
- No hammer needed
- Brass handle



5PC PUNCH & CHISEL SET

Drop forged 40CR steel size: 1/8"solid pin 5/32" center 1/8" pin 1/2" cold 3/4" cold

CHISEL SET

- 5pc pin punches:3/32"x4-1/4",1/3"x4-3/4",5/32"x5",3/16"x5"-1/4", 1/4"x5-3/4"
- 5pc taper punches:3/32"x5-1/4" 1/8"x5-3/4",5/32"x6",3/16"x6-1/4", 1/4"x6-3/4" 3pc cold chisels:3/8"x5-1/2",
- 1/2"x6",5/8"x6-1/2"
- 2pc center punches:1/8"x5",3/16"x6"
- 1pc chisel-punch guage



- Carbon steel



#// STANFORD				
NP-01	1.5mm	NP-06	5mm	
NP-02	2mm	NP-07	6mm	
NP-03	2.5mm	NP-08	8mm	
NP-04	3mm	NP-09	10mm	
NP-05	4mm	NP-10	12mm	

9PC NUMBER PUNCH SET

- Surface:sanding

1.5mm	NP-06	5mm	NP-11	1.5mm	NP-16	5mm
2mm	NP-07	6mm	NP-12	2mm	NP-17	6mm
2.5mm	NP-08	8mm	NP-13	2.5mm	NP-18	8mm
3mm	NP-09	10mm	NP-14	3mm	NP-19	10mm
4mm	NP-10	12mm	NP-15	4mm	NP-20	12mm

Carbon steel

Surface:sanding

38PCS NUMBER & LETTER PUNCH

- carbon steel
- surface:Sandblasting
- 7" brass handle automatic punch with adjustable tension - no hammer needed.



	TANFORD	
NP-	-21	4mm

36PC NUMBER & LETTER PUNCH SET

Made of carbon steel

27PC LETTER PUNCH SET

Surface: sanding



W/ STANFORD			Size
NP-22	1.5mm	NP-26	4mm
NP-23	2mm	NP-27	5mm
NP-24	2.5mm	NP-28	6mm
NP-25	3mm		

6PC PIN PUNCH SET

- Drop forged 40CR steel
- Size:S6.35x1.5x150mm S8x3x150mm S8x4x150mm S8x5x150mm S9.5x6x150mm S9.5x8x150mm



6PC PUNCH SET

- Drop forged 40CR steel
- 3pc center punch



6PCS PUNCH & CHISEL SET

- Drop forged 40CR steel
- 2pc cold chise
- 1pc center punch
- 2pc taper punch 1pc cape chise





12PCS HOLLOW PUNCH SET

- Size:1/8"-3/4"
- Carbon steel





69 www.nbmind.com

WOOD RASP FILE

Comfortable rubber grip handle

Comply with GS.standard

WOOD

CHISE

WOOD CHISEL

- Drop forged chrome vandadium steel blade.
- Heat treated for edge retention

STANFORD

- Blade edge honed
- Steel butt designed for heavy pupounding with a hammer or mallet
- Ergonomic grip handle
- Comply with GS.BSCI.FSC GPA standard



## STANFORD		L(A)mm	L(B)mm
KT-015	6	105	130
KT-030	10	105	130
KT-050	13	105	130
KT-060	16	105	130
KT-075	19	105	130
KT-090	22	105	130
KT-100	25	105	130
KT-115	32	105	130
KT-130	38	105	130

3PCS WOOD CHISEL SET

- Drop forged chrome vanadium steel blade. Heat treated for edge retention
- Blade edge honed
- Steel butt designed for heavy pupounding with a hammer or mallet
- Ergonomic grip handle
- Comply with GS.BSCI.FSC GPA standard
- Short type



		L(mm)	
KTS-01	13	105	
	19	105	
	25	105	

3PCS WOOD CHISEL SET

- High quality chisels with hardened annealed blades
- Ergonoimc comfort-grip TPR handle
- Slow to blunt or rust Forged steel
- Fully ground blades





KTS-02	130mm

3PCS WOOD CHISEL SET

- Drop forged chrome vanadium steel blade.
- Heat treated for edge retention
- Blade edge honed
- Steel butt designed for heavy pupounding with a hammer or mallet
- Ergonomic grip handle
- Comply with GS.BSCI.FSC GPA standard
- Long type



// STANFORD		L(mm)
KTS-03	13	130
	19	130
	25	130

3PCS WOOD CHISEL SET

- High quality chisels with hardened, annealed blades
- Ergonoimc comfort-grip TPR handle
- Slow to blunt or rust
- Forged steel Fully ground blades





W STANFORD	
KTS-04	130

71

4PCS WOOD CHISEL SET

- High quality chisels with hardened, annealed blades
- Ergonoimc comfort-grip TPR handle
- Slow to blunt or rust



A TOWN
-
STATE OF
PERMIT

/// STANFORD	Size
KTS-05	130


8PCS WOOD CHISEL



KTS-801	

STEEL FILE

- High-quality alloy steel Coated teeth for durability
- Comfortable rubber grip handle
- Used on concave and convex as well as flat surface
- Comply with GS.standard



		L(mm)	
KT-201	8"flat	200	
KT-202	8"round	200	
KT-203	8"flat round	200	
KT-204	8"square	200	
KT-205	8"three square	200	

3PCS 200MM STEEL FILE SET

- High carbon-content steel.double-cut surfaces
- Ergonomic comfort-grip TPR handle
- Contents:half round,round,flat



3PCS 200MM WOOD RASP FILE SET

8"flat

8"round

8"flat round

8"three square

8"square

200

200

200

200

High-quality alloy steel Coated teeth for durability

Used on concave and convex as well as flat surface

- High carbon-content steel.double-cut surfaces
- Ergonomic comfort-grip TPR handle
- Contents:half round,round,flat

KT-206

KT-207

KT-208

KT-209

KT-210



12PC FILE SET

KTS-06

- 1pc × round file 315mm,diameter 7.5mm, for metal
- 1pc ×triangle file 315mm.width 13mm for metal
- 1pc ×flat file 315mm,20×5mm,for metal
- 1pc ×halg round file 315mm,20×6mm,for metal ,blade length 200mm
- 1pc ×half round file rasp 315m,20×5.7mm,for wood
- 1pc ×round rasp 315mm,diameter 7.5mm,blade length 200mm,
- comply with cut 2.50 CrV steel
- 1pc ×half round 160mm,6.0×2.3mm,for metal
- 1pc ×flat 160mm,7mm,for metal
- 1pc ×round 160mm,diameter3.8mm,for metal
- 1pc ×triangle160mm,width 4.8mm,for metal
- 1pc ×flat-pointed 160mm,,7×1.6m,for metal
- 1pc ×square 160mm,3.5×3.5mm,for metal,blade length100mm, comply with cut 2.high carbon steel





www.nbmind.com

MEASURE TOOL

15

Function: measure distance

Type: full plastic casing, rubber covered casing, Aluminum alloy casing, etc.

The thickness and accuracy of the tape reach international standards.

The casing is bright-colored, made of ABS.

The hook is of two kinds, magnetic and nonmagnetic

MEASURE TAPE

- clear ABS case
- forward blade stop botton



TM-30	3m<10ft*16mm>
TM-31	5m<16ft*19mm
TM-32	7.5m<25ft*25mm>

- Tape measure One stop



FS-33B	3m(10ft)x16mm(5/8")
FS-55B	5m(16ft)x19mm(3/4")
FS-88B	7.5m(25ft)x25mm(1")

MEASURE TAPE

- Heavy duty rubber coverOne self-locking button



W/ STANFORD	
TM-09	3m(10ft)x16mm(5/8")
TM-10	5m(16ft)x19mm(3/4")
TM-11	7.5m(25ft)x25mm(1")

MEASURE TAPE

- Heavy duty rubber cover
- One self-locking button



TM-21	3m x 16mm
TM-22	5m x 19mm
TM-23	7.5m x 25mm

MEASURE TAPE

- nylon coated blade for maximum durability
- impact resistant rubberized case
- heat-treated spring

provides long life and smooth blade rewind strong belt clip comply with GS standard one locking button	811
--	-----

FS-33A	3m x 16mm	
FS-55A	5m x 19mm	
FS-88A	8m x 25mm	

MEASURE TAPE



TM-01	3m x 16mm	
TM-02	5m x 19mm	
TM-03	5m x 25mm	
TM-04	7.5m x 25mm	
TM-05	10m x 25mm	

Ergonomically and popular design,co-molded rubber

MEASURE TAPE



- 1				
				Size
П	TM-33	3m x 16mm	TM-36	7.5m x 25mm
П	TM-34	5m x 16mm	TM-37	10m x 25mm
П	TM-35	5m x 25mm		

MEASURE TAPE

MEASURE TAPE

 Abs case, high precision hook, 0.115mm thicknrss blade,nylon coated blade,better than traditional ones in abrasion resistance, corrosion, and not easy to be bent



STANFORD

// STANFORD	Size	
TM-38	3m x 16mm	
TM-39	5m x 25mm	
TM-40	7.5m x 25mm	







W// STANFORD	Size	
TM-301	3m x 16mm	
	5m x 19mm	
	7.5m v 25mm	







MEASURE

TOOL

MEASURE

TOOL

STANFORD



		Size	STANFORD	
1	ΓM-18	3m x 16mm	TM-25	7.5m x 25mm
1	ΓM-19	5m x 19mm	TM-26	8m x 25mm
1	ΓM-20	5m x 25mm	TM-27	10m x 25mm

MEASURE TAPE

Abs case,high precision hook,0.14mm thicknrss blade,nylon coated blade, better than traditional ones in abrasion resistance, corrosion, and not easy to be bent

			4
/// STANFORD	Size	/// STANFORD	Size
TM-41	3m x 16mm	TM-44	7.5m x 25mm
TM-42	5m x 19mm	TM-45	8m x 25mm
TM-43	5m v 25mm		

LONG STEEL TAPE

inlaid metal pieces to extend life of the tape,comfortable

rocking hand feeling. taking back the blade with 3 times speed



W STANFORD					
MTP-67	10m x 13mm	MTP-70	30m x 13mm		
MTP-68	15m x 13mm	MTP-71	50m x 13mm		
MTP-69	20m v 13mm				

FIBERGLASS TAPE

ABS Shell Pack Black glue, PVC tape



W/ STANFORD	Size
MTP-61	20m x 15mm
MTP-62	30m x 15mm
MTP-63	50m x 15mm



HIGH PERFORMANCE TAPE MEASURE

- gdlon double coated fiberglass guarantees lifetime use tough tapes won't break even when vehicles drive over them
- more durable than steel,
- more functional than
- cloth tape
- heavy duty cast construction with impact resistant ABS case or frame



MTP-64	20m<66ft*15mm>	
MTP-65	30m<100ft*15mm>	
MTP-66	50m<165ft*15mm>	

FIBERGLASS MEASURING TAPE

- Fiberglass blade
- shock resistant with cloed case fold handle for quick rewind tape
- comply with GS standard





MTP-A20	20m x 15mm
MTP-A30	30m x 15mm
MTP-A50	50m x 15mm

FIBER GLASS MEASURING TAPE

- Fiberglass blade
- shock resistant with cloed case fold handle for quick rewind tape
- comply with GS standard





MPT-S20	20m x 15mm
MPT-S30	30m x 15mm
MPT-S50	50m x 15mm

MTP-A20	20m x 15mm
MTP-A30	30m x 15mm
MTP-A50	50m x 15mm

LONG STEEL TAPE

ABS shell diameter in creased to strengthen even more the firm shake the use of mrtal inserts, the service life increased by 50%

/// STANFORD	
MTP-72	30m x 13mm
MTP-73	50m x 13mm

FIBERGLASS TAPE



/// STANFORD	Size
MTP-74	30m x 13mm
MTP-75	50m x 13mm

HIGH PERFORMANCE TAPE MEASURE

- Gdlon double coated fiberglass guarantees lifetime use tough tapes won't break even
- more durable than steel. more functional than cloth tape heavy duty cast construction
- with impact resistant ABS case or frame
- Zip line-3:1 gear ratio for faster rewinding



## STANFORD	Size
MTP-76	30m<100ft*15mm>
MTP-77	50m<165ft*15mm>

FIBER GLASS MEASURING TAPE



W STANFORD	Size	Size
MT-15	20m	Fiber Glass Measuring Tap
MT-16	30m	Fiber Glass Measuring Tap
MT-17	50m	Fiber Glass Measuring Tap



W// STANFORD	Size	
MT-12	20m	Fiber Glass Measuring Tap
MT-13	30m	Fiber Glass Measuring Tap
MT-14	50m	Fiber Glass Measuring Tap

AUTOMATIC LEVELING CROSSLINER KIT

- Wavelength 630-680cm
- Laser class 2 Output power<1mw
- Self-leveling 3
- Self-leveling speed<7 secretary
- Precision +0 5mm/m
- Spread angle<100
- Work Range<10m







MINI LASER LEVEL

- Horizonatl measurement LED indicator.
- Manetic bottom for easy use on steel.
- May fix mini-tripod on
- the bottom of the level.
- Accuracy:±2mm/m
- laser power:<1mw</p> Waelength:650mm
- Power supl:2xLR3 batteries



LCK-02

DIGITAL DISPLAY DISTANCE MEASURING WHEEL

Maximum measuring range:99999.9m/99999.9ft

Accuracy of measurement: +/-0.5%

- Minimum display numerical: 0.1m/0.3ft Appropriate temperature:
- -10°C~45°C The wheel diameter:
- 160mm/6" Unit of measure:
- m/feet The battery:

7 two batteries

LCK-03





- Maximum measuring range:99999.9m
- Accuracy of measurement:+/-0.5% Minimum display numerical:0.1m
- Appropriate temperature:
- -10°C~45°C The wheel diameter
- 318mm/12.5" Unit of measure:m
- With a night light system. convenient and used under the condition of bad ligh



LCK-04

75 www.nbmind.com www.nbmind.com 76

STANFORD

LASER TAPE MEASURE

- 7.5m tape measure(Metric/Imperial),Laser horizontal point direct full 360° vial with magnetic adjustable bolt.
- Laser Wavelength:630-670n
- Laser power:≤1mw
- Laser class:2

15

MEASURE

TOOL



LCK-05	7.5m

- DISTANCE DETECTOR Measurement accuracy: /-3mm
- Units: m/in/ft
- Measurement range (no reflector): 0.03-40m

NINGBO MIND IMPORT & EXPORT CO.,LTD.

- Measurement time: 0.1-4 seconds
- Laser grade: Class II
- Type of laser: 635nm, < 1MW
- Automatically shut off the laser: 60 seconds
- Automatic shutdown: 480 seconds
- Lighting: white LED lamp
- Product size:
- 118*38*22mm
- Working temperature range: 0 C -40 C
- Storage temperature range: -20 C -60 C Specifications: 40 meters, 50 meters 60 meters



	Size		Size
SFD-02	40m	SFD-04	60m
SFD-03	50m		

DISTANCE DETECTOR

- Laser grade: Class II
- Laser type: 635nm, < 1MW
- Measurement range
- Automatically turn off the laser: 60 seconds
- Lighting: white LED lamp product size:
- 0 C -40 C Specifications: 40 meters 60 meters, 80 meters and



SFD-05	40m	SFD-07	80m
SFD-06	60m	SFD-08	100m

MULTI-FUNCTION DETECTOR

- Detect active circuit
- Detect metal tube
- Measure scope:0.45-15m
- Laser wavelength:650nm
- Max.depth of detecting metal:20nml
- Max.depth of detecting
- AC power supply:20mm
- Battery voltage:9V DC



3PC CHALK LINE SET

15 m/50 feet chalk box

113 g/4 oz chalk

Black marker

DETECTOR

- AC wire inside the wall
- detector has sound alarm, and shows
- ≤18mm
- Φ25mm; ≤30mm AC live wire detecting depth AC 90 ~ 250V



- Suitable for indoor decoration use
- Can detect metal. STUD.
- When detect metal, wood or AC wire,the
- analog display
 Can detect STUD in the same object
 STUD detecting depth:wood 30*30mm:
- Metal detecting
- depth: iron pipt



3PC CHALK LINE SET

- 15 m/50 feet chalk box
- 113 g/4 oz chalk



www.nbmind.com

CL-03

- Black marker



STANFORD
CL-01

- Measurement accuracy: /-3mm
- Unit: m/in/ft

- (no reflector): 0.03-40m (HT-180)
- 118*54*27mm
- Working
- temperature range:
- Storage temperature range: -20 C -60 C 100 meters



W// STANFORD	Size	/// STANFORD	Size
SFD-05	40m	SFD-07	80m
SFD-06	60m	SFD-08	100m

3PC CHALK LINE SET

- 15 m/50 feet chalk box
- 113 g/4 oz chalk
- Black marker



7//	STANFORD
CI	- 04

3PC CHALK LINE SET

- 15 m/50 feet chalk box
- 113 g/4 oz chalk



16-pc 23-рс 25-рс 32-pc ALUMINIUM SQUARE RULER ANGLE SQUARE RULER



COMBINATION SQUARE



14"/350mm

16"/400mm

THICKNESS GAUGE

Packing:blister card

TG-01

TG-02

TG-03

TG-04





12"

STANFORD





NCITAL		

- Make quicker measurements
- With less eyes strain using this
- Caliper with extra large Easy-to-see LCD read out.
- Includes 1.5 volt button Cell battery and strage case.



	Size
CAL-02	150mm/6"
CAL-03	200mm/8"
CAL-04	300mm/12"

- MICROMETER Outside Micrometer
- Painted frame
- Carbide measuring face



	range	reading
MP-01	25-50mm	0.01mm
MP-02	50-75mm	0.01mm
MP-03	75-100mm	0.01mm




1

MEASURE

100L

STAINLESS STEEL RULER

STANFORD



SSR-01	6"/150mm	
SSR-02	12"/300mm	
SSR-03	20"/500mm	
SSR-04	24"/600mm	
SSR-05	40"/1000mm	

SPIRIT LEVEL

- Lightweight aluminum frame
- Rubber ends for shock absorption
- Strong-holding magnetic base with milled edge
- High visible vials read plumb.
- level and 45 degrees



NIV-S09	9"

SPIRIT LEVEL

- Lightweight aluminum frame
- Rubber ends for shock absorption
- Strong-holding magnetic base with milled edge
- High visible vials read plumb.
- level and 45 degrees



W/ STANFORD	Size
NIV-L09	9"

SPIRIT LEVEL

- 3 solid block acrylic vials won't break,leak,or fog
- 3 solid block acrylic vials won't break,leak,or fog milled working surface for improved accuracy



/// STANFORD	Size	
NIV-E09	9"	

SPIRIT LEVEL

- Aluminum frame
- ABS ends for shock absorption 3high visible vials
- With measure tape



W/ STANFORD			Size
NIV-L16	16"	NIV-L36	36"
NIV-L24	24"	NIV-L48	48"
NIV-L32	32"		

SPIRIT LEVEL

cast aluminum level with heavy-duty frame 3 solid block acrylic vials won't break,leak,or fog can be with/without strong magnets milled working surface assure max assuracy



W// STANFORD	Size	
NIV-P09	9"	

MINI LEVEL RULER

- With magnet, thickness 1.2mm, equipped with climbing
- buckle. ABS rubber double protection



W STANFORD			
NIV-R07	7"	NIV-R10	10"
NIV-R08	8"	NIV-R12	12"
NIV-R09	9"		

LEVEL RULER

- magnetic bottom, offers comfortable holding feel, high
- accuracy 180° vial



NIV-R16	16"	NIV-R36	36"
NIV-R24	24"	NIV-R48	48"
NIV-R32	32"		

HEAVY-DUTY ALUMINUM LEVEL

- heavy-duty box aluminum frame
- accuracy can reach:0.5mm/m
 large comfortable rubberized hand grips
- milled working surface assure max accuracy
- rubberized endcaps for steong shock resistance
- thickness:1.6mm



NIV-H16	16"	NIV-H36	36"
NIV-H24	24"	NIV-H48	48"
NIV-H32	32"		

I-BEAM LEVELS

- aluminum frame
- thickness:1.4mm
- 3 high visible vials
- with magnetic tape



NIV-I16	16"	NIV-I40	40"
NIV-I24	24"	NIV-I48	48"
NIV-I32	32"		

SPIRIT LEVEL

- aluminum frame
- thickness:1 4mm
- 3 high visible vials
- No surface milling, no magnetic



NIV-E16	16"	NIV-E40	40"
NIV-E24	24"	NIV-E48	48"
NIV-F32	32"		

SPIRIT LEVEL

- Aluminum frame
- ABS ends for shock absorption
- 3high visible vials
- strong belt clip Thickness:1.2mm
- With two strong magnets



STANFORD		## STANFORD		
NIV-M16	16"	NIV-M40	40"	
NIV-M24	24"	NIV-M48	48"	
NIV-M32	32"			

SPIRIT LEVEL

- Aluminum frame
- ABS ends for shock absorption
- 3high visible vials
- strong belt clip
- Thickness:1.0mm
- With magnetic tape



/// STANFORD				
NIV-T16	16"	NIV-T40	40"	П
NIV-T24	24"	NIV-T48	48"	
NIV-T32	32"			

SPIRIT LEVEL

- Aluminum frame
- ABS ends for shock absorption
- 3high visible vials



/// STANFORD	Size	/// STANFORD	Size
NIV-S16	16"	NIV-S40	40"
NIV-S24	24"	NIV-S48	48"
NIIV-633	32"		

SPIRIT LEVEL

- aluminum frame
- thickness:1.4mm



NIV-K16	16"	NIV-K36	36"
NIV-K24	24"	NIV-K48	48"
NIIV/ K22	22"		

CAST ALUMINIUM LEVEL

- heavy duty cast aluminium frame
- ssolid block acrylic vials wont't leak,break
- milled working surfaces assure maximum accuracy
- accurcy:0.5mm/m



NIV-A24	24"
NIIV/ A26	36"

GUN

LIGHT DUTY TILE CUTTER

STANFORD

For parallel cuts

III.

CUTTER

- Cuts up to 10mm thick
- Width of the base:135mm
- Dia of chrome rod:14mm
- Thickness of the metal:0.7mm



W/ STANFORD	Working length <mm></mm>	
TIC-01	300	
TIC-04	330	
TIC-05	350	
TIC-06	400	

3 IN 1 TILE CUTTER

- For parallel cuts,angled and hole cuts
- Die castingcutting assembly for tough curring action
- Cuts up to 12mm thick
- Width of the base:195mm
- YG6X,ø 16X ø6X3mm



	Working length <mm></mm>	
TIC-03	400	
TIC-07	450	
TIC-08	500	
TIC-09	600	

HEAVY DUTY TILE CUTTER

- For parallel cuts or parallel & angled cuts<two
- Chices of gauges>
- Width of the base:165mm
- Dia of chiromed rod:16mm
- Cuts up to 12mm thick
- Replaceable cutting blades:



/// STANFORD	Working length <mm></mm>	
TIC-10	400	
TIC-11	500	
TIC-12	600	

TILE CUTTERS

- Cuts up to 14mm thick
- Replaceable cutting blades:
- ø 6, ø8mm



W// STANFORD	Working length <mm></mm>
TIC-13	400
TIC-14	450
TIC-15	500
TIC-16	600

TILE CUTTERS

- Cuts up to 14mm thick
- Replaceable cutting blades:
- ø 6, ø8mm



W/ STANFORD	Working length <mm></mm>
TIC-17	400
TIC-18	500

TILE CUTTERS

- Cuts up to 14mm thick
- Replaceable cutting blades:



/// STANFORD	Working length <mm></mm>
TIC-19	500
TIC-20	600

HAND GREASE GUN

■ 120G

STANFORD	Size
HG-02	500v285v425mm

HAND GREASE GUN

■ 500CC



/// STANFORD	
HG-01	390x260x410mm

HIGH PRESSURE OILER

GREASE GUN

Capacity: 500cc Pressure: 6000-8000psi Cap material: Zinc alloy QTY: 10pcs CTN Size: 475*375*320mm



Size:32mm

GREASE GUN

- Capacity: 500cc
- Pressure: 6000-8000psi Cap material: Zinc alloy QTY: 10pcs CTN Size: 475*375*320mm



HG-07	

Material: steel Thickness: 0.5MM Surface: paint Volume: 300CC,500CC QTY: 300cc 60pcs, 12/13kg, 48*38*44cm



/// STANFORD		
HG-03	250g	
HG-04	500g	

OPERATED OIL PUMP

Telescoping Inspecyion Mirror with 2mirror

- 50mm telescopic inspection mirror
- Materil: chrome plated brass tube
- Telescopic length: 20-36cm



W// STANFORD		L(mm)
DI L-01	6"	150

MAGNETIC PICK UP TOOL

- Telescoping magnrtic pick-up tool
- The magnetic power is 3.5LBS
- Telescoping from 5-1/8" to 25-1/4" The material is brass tube.



		L(mm)
DLLOG	C"	150

MAGNETIC PICK UP TOOL

- 8 lb magnetic pick up tool
- The cushion grip and pocket clip make it secure and handy



A: PU-03	8LBS
D. DII OA	OLDC 1 LED

39.2 486

1000 1100

450

<u>AUTOMOTIVE</u>

SPECIAL TOOLS

BJ-02

BJ-03

BJ-04

BJ-05

BJ-06

BJ-07

B.I-08

BJ-09

215

244

125

145

180





390

400

449

465

11.5

14.5

JACK STAND

PU-14

Color Box

Color Box

Color Box

Color Box

Color Box

Color Box

4.7 5.0 5.0

PROTABLE HYDRAULIC EQUIPMENT

SCISSORS JACK	

20

32



BJ-12	2	90	380
		N.W.(kg)	
	10	29	31

LONG FLOOR JACK




HYDRAULIC FLOOR JACK

PU-10	2	125	175
		N.W.(kg)	
	300	6.5	7.0



PU-10	2	125	175
		N.W.(kg)	
	300	6.5	7.0

PROTABLE HYDRAULIC EQUIPMENT





STANFORD			
PU-15	10	335	135
		N.W.(kg)	
	490	26	

THREE-JAW PULLER Superior Chrome Plated Finish SPP-13 SPP-11



HAND WINCH

- Carton steel
- Zinc plated finish for rust resistance
- With strap or galvanized aircraft cable
- Drop forged safety hooks



	Size
SPP-01	800 Lb
SPP-14	1200 Lb
SPP-15	2000 Lb

HAND PULLER

- Carton steel
- Drop forged safety hooks Zinc plated for rust resistance
- Galvanized aircraft cable





/// STANFORD	Size	
SPP-02	2T	
SPP-16	4T	

LIFTING CHAIN



Main performances and Technical specifications

W// STANFORD	Size	d	р	w	w1	kn	kn	m/kg
LCN-01	6.0	6.0	18	20	7.5	27.2	45.4	0.79
LCN-02	7.0	7.0	21	23	9	38	63.4	1.38
LCN-03	8.0	8.0	24	26	10.0	48.4	80.6	1.41
LCN-04	9.0	9.0	27	30	11.3	61.2	102	1.79
LCN-05	10.0	10.0	30	34	12.5	75.6	126	2.21

HSZ SERIES CHAIN BLOCKS



- HSZ series chain block is designed with a transmission mechanism of symmetrically arranged two-step spur gears.

 It can auttomatically brake with the friction plate and pawl brake system
- Tire high durability and efficiency make it popular all over the world as well asthe high quality and competitive price.
- Main Performances and Technical specifications

88				
8				
8)	V// STANFORD	CLN-07	CLN-08	CLN-09
80	Capacity	0.5	1	1.5
90	Standard lifting height(m)	2.5	2.5	2.5
X 5	Test load(KN)	6.13	12.25	19.6
8 5	Heard romm(drawn close up)Hmin(mm)270	270	368
Al:	Chain pull to lift full load(N)	210	330	390
š.	Extra weight per meter of extra lift(Kg)	1.7	1.7	2.3
U				
ě.	*// STANFORD	CLN-12	CLN-13	CLN-14
8	Capacity	5	10	15
	Standard lifting height(m)	3	3	3
8	Toot load/KNI)	61.25	122.5	106

Heard romm(drawn close up)Hmin(mm) 616

Extra weight per meter of extra lift(Kg) 5.3

Chain pull to lift full load(N)

HSZ-C SERIES CHAIN BLOCKS



 HSZ-C series chain block is advanced in design, reliable in quality and superior in appearance.

420

700 900

450 475

9.7

- It possesses good performances as HSZ series chain block.
- The advantages make it very popular in the market at home and abroad as well as low cost and low price.
- Main Performances and Technical specifications

Capacity	0.5	1	1.5	2
Standard lifting height(m)	2.5	2.5	2.5	2.5
Test load(KN)	6.13	12.25	19.6	24.5
Heard romm(drawn close up)Hmin(mm)	255	306	338	444
Chain pull to lift full load(N)	221	304	343	314
Extra weight per meter of extra lift/Kg)	17	17	2.3	2.5

Capacity	3	5	10	20
Standard lifting height(m)	3	3	3	3
Test load(KN)	39.2	61.25	122.5	245
Heard romm(drawn close up)Hmin(mm)	486	616	700	1000
Chain pull to lift full load(N)	343	343	392	392
Extra weight per meter of extra lift(Kg)	3.7	3.7	9.7	19.4

83 www.nbmind.com **4PCS TOOL SET**

80Z claw hammer

ratchet screwdriver

TOOL SET

TOOL

ഗ





8PCS TOOL SET

- 2pcs screwdriver
- 1pc 2m measurring tape 1pc elec screwdriver
- 1pc utility knife
- 1pc 8OZ claw hanmmer
- 2pcs precision screwdriver



14PCS TOOL SET

- 2ncs screwdriver 1pc utility knife
- 1pc 2m measurring tape
- 1pc elec screwdriver
- 1pc 6" long nose plier
- 8pcs hex key



TOL-21

12PCS TOOL SET

- 2pcs screwdriver 1pc utility knife
- 1pc elec screwdriver 1pc insulated tape
- 1pc tefion tape
- 1pc hack saw
- 1pc 3m measurring tape
- 1pc 6"spirit level
- 1pc 6" combination plier 1pc 8" adjustable wrench
- 80Z claw hammer



TOL-23

85

10PCS TOOL SET

- 1pc rubber beltdouble blister
- 1pc case
- 1pc plier 6"
- 1pc 3m measure tape
- 1pc combination wrench 12mm
- 1pc combination wrench 14mm
- 1pc hammer 8OZ
- 1pc adjustable wrench 8"
- 2pcs screwdriver 5*100



TOL-18

8PCS TOOL SET

- 2pcs screwdriver
- 1pc utility knife
- 1pc elec screwdriver 1pc insulated tape
- 1pc 3m measurring tape
- 1pc 6"combination plier
- 1pc 8OZ claw hanmmer



13PCS TOOL SET

- 3pc screwdriver
- 1pc goove joint plier
- 1pc combination plier
- 1pc claw hammer 1pc test screwdriver
- 1pc tool box
- 1pc adjustable wrench
- 1pc knife
- 1pc tape measure
- 1pc bits set
- 1pc insulation tape



TOL-22

18PCS TOOL BAG

- 10pc bits 50mm
- 1pc 8OZ claw hammer 1pc spirit level
- 1pc long nose plier
- 1pc screwdriver
- 1pc adjustable wrench
- 1pc scissors 1pc measure tape
- 1pc bag



TOL-24

9PCS TOOL BAG

- 1pc groove joint plier
- 1pc claw hammer

- 1pc torpedo level
- 1pc tape measure
- 1pc tool box
- 1pc long nose plier
- 1pc adjustable wrench 1pc ratchet screwdriver
- 1pc hardware box



40PCS TOOL SET

- 1pc kitchen scissors
- 1pc 6"combination plier
- 1pc 8"adjustable wrench
- 1pc 8OZ claw hanmmer
- 1pc 3m measurring tape 8pcs hex key 1.5,2,2.5,3,4,5,5.5,6
- 1pc insulated tape
- 1pc elec screwdriver 2ncs screwdriver
- 1pc utility knife
- 1pc LED light
- 21ps screwdriver bits set



53PCS TOOL SET

- 20pc-bits 25mm
- 8pc-hex kev black finish
- 8pc-hex key nickel finish 6pc-watch screwdriver
- 1pc-measure tape
- 1pc-spirit level
- 1pc-utility knife
- 1pc-long nose plier 1pc-8OZ claw hammer
- 1pc-1/4"screwdriver hold 1pc-adjustable wrench
- 2pc-clamp
- accessories set
- 1pc-case

TOL-29

57PCS TOOL BAG

- 1pc impact drill
- 8pc drill set
- 2pc screwdriver
- 1pc measure tape
- 1pc spirit level
- 1pc long nose plier 1pc diagonal nose plier
- 1pc utility knife
- 40pc accessories 1pc bag



TOL-31

29PCS TOOL SET

- 4pcs precision screwdriver
- 1pc utility knife
- 1pc elec screwdriver 1pc insulated tape
- 1pc BOX knife 8pcs hex key 1.5,2,2.5,3,4,5,5.5,6
- 1pc LED light
- 1pc 3m measurring tape 1pc 6" combination plier
- 1pc 8" wire strippinh plier 1pc 6" long nose plier
- 1pc 8" adjustable wrench 1pc 8OZ claw hammer
- 1pc elec soldering Iron 1nc solder wire
- 1pc desoldering pump



TOL-26

40PCS TOOL SET

- 20pc-bits 25mm 4pc-watch screwdrive
- 1pc-slip joint plier
- 1pc-1/4"screwdriver hold ■ 1pc-60mm hold
- 8pc-1.5/2/2.5/3/4/5/5.5/6mm
- 1pc-8OZ claw hammer
- 1pc-measure tape
- 1pc-spirit level 1pc-scissors 1pc- case



- 1PC 500W 13MM Impact Drill
- 1PC Test pencil
- 1PC 5m Measure Tape
- 4PCS Drill 1PC Tool bag

TOL-30

- 1pc 8" adjustable wrench
- 1pc "-"Screwdriver









12PCS TOOL SET

■ 1PC 8" Adjustable Wrench 1PC "-" Screwdriver

■ 1PC "+" Screwdriver

■ 1PC 7" Combination Pliers



21PCS TOOL SET



1pc "+"Screwdriver 1pc utility knife

 1pc 5m measure tape ■ 1pc 7" combination tape







TOOL

ഗ

STANFORD

98PCS TOOL BAG

STANFORD

- 9pc x1/4" Metric Socket:5,6,7,8,9,10,11,12,13mm
- 12pc x3/8"Metric Socket:8,9,10,11,12,13,14,15,16,17,18,20,21mm
- 1nc 1/4"x3" extension rod
- 1pc 3/8x16mm spark plug socket
- 1pc 3/8x21mm spark plug socket
- 1nc 1/4" universal joint
- 1pc 3/8" universal joint
- 1pc 3/8x3" extension rod
- 1pc 1/4x6" extension rod
- 1pc 3/8x6" extension rod
- 1pc 1/4" sliding T bar(6x110mm)
- 1pc 3/8" sliding T bar(9x160mm)
- 8pc 4th generation convex ribs combination
- wrench:8/9/10/11/12/13/14/15mm
- 4pc two-color soft handle screwdriver:PHø6x100mm.Sø6x100mm
- PHø6x38mm.Sø6x38mm
- 1PC orange & Black extension rod
- 1pc 8"ajustable wrench
- 8pc metric hex key wrench:1.5/2/2.5/3/4/5/5.5/6mm
- 8pc imperial hex key wrench: 1/16.5/64.3/32.1/8.5/32.3/16.7/32.1/4
- 1pc 1/4"quick off wrench
- 1pc 3/8"auick off wrench
- 1pc digital 250V electric tester
- 1nc 7"combination plier
- 1pc 6"long nose plier
- 10pc 25mm bit:S:3/4/4.5/5/5.5/6mm S:6.5/7/8
- 10pc 25mm bit:Sar shape:T10/T15/T20/T25/T30/PZ2/PZ2/PZ2/PZ3
- 10pc 25mm bit:PH0/PH1/PH2/PH2/PH2/PH2/PH2/PZ0/PZ1/PZ2
- 10pc 98pcs tool set bag





52PCS METAL CASE TOOL SET

- 9pc 3/8"drocket:8-10-12-13-14-17-19-21-22mm
- 7pc 3/8"dr extra long socket 8-10-12-13-14-17-19mm
- 2pc 3/8"dr spark plug socket 16&21mm
- 1pc 3/8"drx3" extension bar
- 1pc 3/8"drx6" extension bar
- 1pc 3/8"drx12" extension bar
- 1pc 3/8"dr sliding bar
- 1pc 3/8"dr unive aljoint
- 1pc 3/8"dr ratchet handle 1pc 3/8"dr flexible handle
- 5p 3/8"dr socket bits 4-5-6-8-10mm
- 4p Screwdriver 6x100 4xI00.PH2x100.PH1x75 8n combination spanner
- 8-10-12-13-14-15-17-19mm 9p Hex key
- 1.5-2-2.5-3-4-5-6-8-10 1nc Metal case



TOL-36

87

44PC TOOI WITH CARRY BAG

- 1pc Side Cutting Plier 6"(150mm)
- 1pc Combination Plier 6"(150mm)
- 1nc Water Pump Plier 9 5"(240mm)
- 1pc Mini Saw
- 1pc Claw Hammer 16 OZ
- 1pc Measuring Tape 5m
- 1pc Screwdriver Bit Handl 9pcs Hex Set:1.5,2,2.5,3,4
- 5,6,8,10mm
- 1pc Knife
- 20pcs 25MM CR-V BIT
- 1pc Spiritlevel 6pcs Precision screwdrivers

- **60PCS TOOL SET**
- 8nc combination wrenches 1 nc long nose plie 1pc drive ratchet handle
- 1pc adjustable wrench 1pc test screwdriver
 - 1pc universal joint 1pc sliding bar
- 1nc claw hammer
- 19nc socket
- 8pc hex key
 1pc insulation tape 1pc T-bit hold
 - - 1pc locking plier
 - 1nc tool box



82PCS TOOL SET

- 1PC A Screwdriver5.8*100.
- 1PC Cross Screwdriver5.8*100,
 4PC Precision Screwdriver :
- +25-25+30-30
- 1PC Utility Knife,
 1PC electroprobe,
- 1PC Insulated Tape
- 1PC Ratchet Handle
- 9PC 25mm Bit " 1PC Bit ADA,
- 9PC 1/4" Socket:5-6-7-8-9-10-11-12-13,
- 8PC Hex Key: 1.5-2-2.5-3-4-5-5.5-6,
- 1PC Small saw,
 1PC Measuring Tape:3m,
- 1PC Combination Plier:6" PC Long Nose Plier:6",
 1PC Adjustable Wrench:8
- 1PC Claw Hammer
- 1PC Flashlight,
- 1PC Fastener box 60PC, 1PC Blow molding box

TOL-35

108PCS TOOL SET

- 2pcs screwdriver
- 4pcs precision screwdriver
- 1pc utility knife 1pc BOX knife
- 1pc elec screwdrive
- 1pc insulated tape 1pc ratchet handle
- 9pcs 50mm bits 1pc 50mm bit ADA
- 9pcs 1/4"socket:
- 5,6,7,8,9,10,11,12,13mm
- 8pcs hex key: 1.5,2,2.5,3,4,5,5.5,6mm
- 1pc hack saw
- 1pc 3m measurring tape 1nc 6"combination plier
- 1pc 6"long nose plier
- 1pc 8"wire stripping plier
- 1pc water pump plier 1pc 8"adjustable wrench
- 1pc kitchen scissors
- 1pc 8OZ claw hamme 1pc LED light
- 60pcs fasteners

TOL-37

109PCS ALUMINUM CASE COMBINATION TOOL SEL

- 1pc 180mm Combination Plier, chrome matt, 2-K Handle
- 1pc 160mm Sidecutting Plier,chrome matt,2-K Handle
- 1pc 200mm Long Nose, chrome matt,2-K Handle
- 1pc 240mm Water pump Plier, Box Joint, CrV, Dipped handle
- 1pc 200mm Crimping Plier
- 1pc 9mm Cutter Knife with 2K Plastic body
- 5pcs Spare blade for cutting knife
- 1pc 200mm Flat file with 2-K handle
- 6pcs Screwdriver with 2 K handle
- 3x75,4X80,5xl 00,6.5x125mm ph1x80,ph2xl 00
- 2pcs Precision Screwdriver with 2 K handle.1.5mm&PHO
- 1pc Screwdriver Handle with 2 k Handle
- 8pcs 1/4" Dr. SUPER LOCK Sockets:matt finish 4-4.5-5-5.5-6-7-8-9mm
- 1pc 1/4" Adaptorfor Driver Bit
- 9pcs 3/8" or 1 /2" Dr. SUPER LOCK Sockets:matt finish 10-11-12-13-14-15-17-119mm
- 1pc 3/8" Extension Bar WI Hex Shank 75mm
- 1pc 3/8" Extension Bar WI Hex Shank.150mm ■ 1pc 3/8" Ratchet Handle 72 teeth with 2 K handle 3/8"
- 1pc 3/8 Spark Plug Socket,21mm Sockets with Socket holder
- 8pcs Double open End Wrench DIN 3110 matt finish 6x78x910x1'12x1314x1516x1718x1920x22mm
- 1pc Utility Knife with Die cast body
- 9pcs Hex Key Set with Plastic Holder, Satin finish, Ball po 31pcs Driver Bit 25 mm CRV Phillips
- PHO,PH1x2,2xPH2,PH3 PZO PZ1x2 2xPZ2 PZ3 torx:10T.L5.T20.T25.T27.T30 slotted: 3.4.5.6.7mm H2.5 -H3-H4-H5 H55-H6
- 60 mm Quick Release Bits Holder aluminium part with
- 1pc Locksmith Hammer,300g
- 1pc Hacksaw Frame with Aluminium Frame 150mm 3pcs Spareblade for hacksaw frame150mm
- 1pc Measuring Tape.5m
- 1pc tester pencil 120-250v,140mm
- 1pc Line Level with 3 yeals 300mm ■ 1pc Scissors Stainless Steel 180mm
- 1pc Lighter 150mm
- 6cps Cable tie 150mm 1pc Aluminium case



48PCS HAND TOOL KIT SOCKET SET

- 8pcs 3/8"ORSOCKET:14,15,16,17,18,19,20,21,22mm
- 1pc 3/8" Dr. x 6" Extension Bar, CR-V, with satin finish
- 1pc Universal joint 3/8", CR-V, with satin finist
- 1pc Adaptor 3/8x1/4".CR-V.with satin finish
- 1pc 3/8" Dr. 72 Teeth Quick Release Ratchet Handle
- 12pcs 1/4"Dr.Socket:4,4.5,5,5.5,6,7,8,9,10,11,12,13mm
- 1pc Screwdriver Socket Handle1/4"
- 4pc Sdoubte open spanner :8x9,10x11,12x13,14x15mm 4pcs Screwdriver: SL5x75,SL6x100MM ,PH1 x 75MM,PH2 x 100MM
- 1pc Long Nose plier 6"(50mm), Carbon steel with satin nicket
- 1pc Combination Plier 7"(150mm), Carbon steel with satin nickel 1pc Water Pump Ptier 9.5"(225mm), Carbon steel with satin nickel
- 1pc Locking Plier 8" Carbon steel with satin nickel
- 1pc Adjustable wrench (6"), Carbon steel with satin nickel 9pcs Hex Key:1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Carbon steet with satin finish



186PCS TOOL SET

- 6-precision s/d:(-)1.0-1.4-1.8-2.4,(+)0-1 carbon steel
- 9-hex key :1.5.2.2.5.3.4.5.6.8.10 cry
- 24 hits 25mml cry
- 1-bit handle crv
- 1-bit holder 60mmL crv
- 11-screwdrivers:(-)(+)3*75.3*100.5*75.6*38.6*100:(+)8*150 cry
- 3-screwdriver:(-)4*100,6*125,(+)4*100 crv
- 1-elec tester 100-250v carbon steel
- 1-pick up tool carbon steel
- 1- Y bits crv
- 1-7" daigonal plier crv
- 1-8" adjustable wrench crv
- 1-10" pump plier crv
- 1-8" longnose plier crv
- 1-6" slip joint plier crv 10-RATCHET combination wrench 6-810-11-12-13-14-15-17-19 crv
- 12-1/4dr*4-4.55-5.5-6-7-8-9-10-11-12-13 crv
- 171/2dr*10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30 crv
- 2-1/2dr*16&21 mm plug sockets cry
- 1-1/2universal joint crv
- 1-1/4 ubiversal joint crv
- 1-1/2dr-10" extension bar crv 1-1/2 T heard cry
- 1-1/2dr-5" extension bar cry
- 1-1/2dr-2" extension bar crv
- 1-1/2dr-4" extension bar crv
- 1-1/2 sliding T bar crv ■ 1- flexible extension 6" crv
- 1-1/4 ratchet handle 72T crv
- 1-1/2 ratchet handle 72T crv
- 1-spinner handle crv 2-nylon clamp3.5" nylon
- 60-fasterner carbon steel
- 1-80Z claw hammer carbon steel ■ 1-7"lock plier carbon steel
- 1-8" crimping plier carbon steel
- 1-measuring tape 5M carbon steel 1-glue gun with glue sticks plastic
- 1-10"level alu-alloy 1-elec.tape 10Y carbon steel
- 1-utility knife 6" alu-alloy aluminum box











STAINLESS STEEL TOOL BOX

Stainless steel toolbox,rugged beauty

17PCS TOOI SET

STANFORD

6" COMBINATION PLIERS CARBON STEEL 1PC 8OZ CALW HAMMER CARBON STEEL I 1PC 6" ADJUSTABLE WRENCH CARBON STEEL IPC BITS HOLDER CARBON STEEL

12PCS CRV BITS:

HAMMER COVER

SL: 3.4.5. PH:1.2.3. T10,15,20, H4,5,6



I 1PC

TOOL

ഗ

39PCS TOOL SET

■ 1pc 6" combination pliers

12pc 25L bits

8pc hex keys: 1.5-6mm

2pc screwdrivers: PH2x100, SL6x100mm

1pc bits holder

9pc 3/8" sockets: 8,10,11,12,13,14,15,17,19mm

■ 1pc 3/8" ratchet wrench

1pc 200g machinist hammer

■ 1pc 3/8" universal joint



STANFORD	
TOL-42	

57PCS TOOL SET

- 1PC 10" WATER PUMP
- 5PCS PERCISIONS
- 6PCS SCREW DRIVERS
- 6X38 (+,-), 5X75 (+,-), 6X100 (+,-)
- 1PC BITS HOLDER
- 9PCS 1/4" SOCKETS: 5-13MM
- 1PC 1/4" ADAPTOR
- 9PCS HEX KEYS
- 1.5-2-2.5-3-4-5-6-8-10
- 1PC 1/4" 45T RATCHET HANDLE ■ 1PC 300G MACHINIST HAMMER
- 1PC 1/4" 3"EXTENTION BAR
- 1PC 6" COMBINATION PLIER
- 1PC 6" LONG NOSE PLIER
- 20PCS BITS



TOL-43

60PCS TOOL SET

- 1PC 8" ADJUSTABLE WRENCH
- 1PC UTILITY CUTTER 1PC 6" DIAGONAL PLIERS
- 1PC 6" COMBINATION PLIERS
- 1PC 3M MEASURING TAPE
- 9PCS HEX KEYS: 1.5-10MM 9PCS 1/4" SOCKETS: 5-13MM
- 1PC 1/4" RATCHET WRENCH
- 1PC 8OZ CLAW HAMMER
- 1PC BITS HOLDER 1PC 9" LEVEL
- 32PCS 1" BITS
- 1PC MAGNETIC BITS HOLDER



TOL-44

- 1pc extension bar: 3/8"x3"
- 2pc 3/8" spark plugs: 16,21mm



	STANFORD
TO	OL-42

236PCS TOOL SET

- 4PCS SCREWDRIVERS CRV:6X38MM -,+; 6X100MM -,+
- 1PC 300G MECHANIC HAMMER
- 9PCS CRV EXTRA LENGTH HEX KEYS: 1.5-10MM
- 10" WATER PUMP PLIERS BLACK FINISH 1PC
- 1PC 8" STRIPPERS
- 1PC 6" COMBINATION PLIERS
- TERMINALS 24PCS
- COMBINATION WRENCHES: 10,11,12,13,14,15,17MM 7PCS
- 32PCS 1" CRV BITS
- 120PCS **FASTENERS**
- IPC 1/4" SOCKETS HOLDER
- 2PCS RATCHET WRENCHES: 1/4",1/2"
- 2PCS 1/2" SPARK PLUGS: 16,21MM
- 1PC 1/4" COUPLER
- 10PCS 1/4" SOCKETS: 4-13MM
- 1/4" DEEP SOCKETS : 6-10MM 5PCS
- 2PCS UNIVERSAL JOINTS: 1/4",1/2"
- 2PCS EXTENSION BARS: 1/4"X4", 1/2"X5"
- 1/2" SOCKETS: 10,11,12,13,14,15,17,19,22,24,27MM



PLASTIC TOOL BOX SET



TOL-06	10"
TOL-07	13.5"
TOL-08	16"
TOL-06-1	20"
TOL-07-1	23.5"

Complete with useful inner and outer pockets

TOOL BAG

600D Oxford Series

3 IN 1PLASTIC TOOL BOX

- Strengthen the plastic
- Set stacked
- Environmental protection plastic



W/ STANFORD		
TOL-11	15"	
TOL-12	18"	
TOL-13	21"	

TOOL BAG

- 600D Oxford Series
- Complete with useful inner and outer pockets Adjustable shoulder strap



IRON TOOL BOX

- Powder coating finish
- Size:404*200*150mm



PLASTIC STORAGE BOX

Plastic storage box with 24drawers Size: 50*16*39cm



www.nbmind.com

TOI -15 TOL-16 TOOL BAG

TOL-14

- 600D Oxford Series
- Complete with useful inner and outer pockets Adjustable shoulder strap

17"

19"



TOOL CAR

- 6 Drawer roller cabinet
- 5 pcs drawer size :
- 568*398*75mm
- Ipc drawersize: 568*398*154mm
- With powder coating finish



With drawer EVA

With abll bearing

sides with quick

disconnect

With steel drawer handle

TOL-05

TOOL BAG

TOOL BOX



TOI -10 31x22x35CM	## STANFORD	
102.10	TOL-10	31x22x35CM

PLASTIC DOUBLE-SIDE ORGANIZER



// STANFORD	
TOL-11	45.5x24x14cm

TRAY ORGANISER

- 15 Tray Organiser:
- Removable Tras :210x335x62mm



FOLDABLE PLASTIC STOO



TRAY ORGANISER

- 19 Tray Organiser
- Removable Tras :420x335x62mm



DOUBLE-SIDED LADDER

- Double-sided Ladder
- Size:41*54*61cm,



PLATFORM HAND TRUCK

- loading weight:150kg
- body size:725x475x840mm
- castor:4"
- loading weight:300kg



FOLDING TROLLEY

- loading weight:90kg
 - body size:420*400*1080mm
- castor:6"
- material:Alu frame,steel plate
- folding trolley



LUGGAGE CART

- Material:aluminium
- alloy pull rod/ aluminium base



	Capacity		Capacity
SPP-19	50KG	SPP-21	90KG
SPP-20	70KG	SPP-22	120KG

HAND PALLET TRUCK

- Load :2000KG
- Big wheel size:160*50mm





4 TIER METAL SHELF

- 70x30x150cm
- Supporting leg 0.8mm (Lower and upper)
- Beam 0.6mm (Long and short)
- MDF6mm
- 70KGS loading capacity /per





MULTI-PURPOSE LADDER

- the multi purpose ladder is by far the most versatile ladder in the world-the ultimate multi purpose ladder that can be used in
- 13 positions



SPP-24	steps:4*2 2.6m	I
SPP-25	steps:4*3 3.7m	
SPP-26	steps:4*4 4.6m	

TELESCOPE LADDER

- compact design.faster operation.
- safety lock.easy carry.
- strong meachanism
- Material:aluminium max load:150kg





SPP-27	steps:7	2m
SPP-28	steps:9	2.6m
SPP-29	steps:11	3.2m
SPP-30	steps:13	3.6m

HARDWARE ACCESSORIES

SCREW EYE
ALL I

STANFORD

W/ STANFORD	Size
SWE-01	1#,2#,3#,4#,5#,6#,7#,
	8#,10#,12#,14#,16#,18#

CUP HOOK

NINGBO MIND IMPORT & EXPORT CO.,LTD.





		2.1*18,2.1*21,2.4*22,2.7*28,2.7*35
	SWE-03	3*29,3*35,3*45,3.5*35,3.5*42,3.5*50
		4*35,4*42,4*50,5*55,4*60,4.5*42
		,4.5*47,4.5*53,4.5*61,4.5*67,5*48,
1		5*55,5*62,5*70,5*75,5*85,6*62,6*70,
		6*80,6*85,6*95








SWE-18	3"*4"	SWE-22	6"*8"
SWE-19	4"*5"	SWE-23	8"*10"
SWE-20	4"*6"	SWE-24	10"*12"
SWE-21	5"*6"	SWE-25	12"*14"


DRAWER SLIDE











SQUARE HOOK



	Size		Size
SWE-26	12"	SWE-30	20"
SWE-27	14"	SWE-31	22"
SWE-28	16"	SWE-32	24"
SWE-29	18"	SWE-33	



SWE-40

14"









HAMMOCK HOOK

	The state of the s	SV
1	50mm,75mm,90mm, 115mm,150mm	







SWE-36













CHEST HANDLE

92 www.nbmind.com

STANFORD



HARDWARE

ACCESSORIES,LOCKS



STANFORD


_			
W// STANFORD			
SWE-50	1-1/4"	SWE-54	3"
SWE-51	1-1/2"	SWE-55	4"
SWE-52	2"	SWE-56	5"
SWE-53	2-1/2"		

TOWER BOLT



/// STANFORD	Size	W// STANFORD	Size
SWE-57	25mm,	SWE-62	60mm,
SWE-58	30mm,	SWE-63	70mm,
SWE-59	35mm,	SWE-64	80mm,
SWE-60	40mm,	SWE-65	100mm
SWE-61	50mm,		

	1	
SWE-66	1.5"	
SWE-67	2"	
SWE-68	2.5"	
SWE-69	3"	
SWE-70	4"	
	SWE-66 SWE-67 SWE-68 SWE-69	SWE-66 1.5" SWE-67 2" SWE-68 2.5" SWE-69 3"



HOSE NOZZLE

10 pattern spray gun set 1/2"











20mm	21	20	11	3.3	34.5
25mm	25	25	12.5	3.9	42.5
32mm	32	30	15	5.2	54
38mm	38	35	17	6	63.5
50mm	50	43	22	8.5	78.5
63mm	63	52	25	10.5	97.5
75mm	75	58	27	11	112
	20mm 25mm 32mm 38mm 50mm	20mm 21 25mm 25 32mm 32 38mm 38 50mm 50 63mm 63	20mm 21 20 25mm 25 25 32mm 32 30 38mm 38 35 50mm 50 43 63mm 63 52	20mm 21 20 11 25mm 25 25 12.5 32mm 32 30 15 38mm 38 35 17 50mm 50 43 22 63mm 63 52 25	20mm 21 20 11 3.3 25mm 25 25 12.5 3.9 32mm 32 30 15 5.2 38mm 38 37 6 50mm 50 43 27 8.5 63mm 63 52 25 10.5

PADLOCKS

iron padlock with color coating



casting brass padlock

PLK-28



## STANFORD		Α				
PLK-08	20mm	21	20	11	3.3	34.5
PLK-09	25mm	25	25	12.5	3.8	40
PLK-10	32mm	32	29	15	5.2	52
PLK-11	38mm	38	35	17	6.3	60
PLK-12	50mm	50	43	22	8.5	78
PLK-13	63mm	63	52	25	10.5	96
PLK-14	75mm	75	58	27	11	114.5

rhomb shaped solid brass padlock

I // STANFORD						
PLK-15	20mm	20.5	20	10	7	3.5
PLK-16	30mm	29.5	27	12.5	8	5
PLK-17	40mm	40	32	13	8.5	6.3
PLK-18	50mm	49.5	36	14	9	7
PLK-19	60mm	60	43	16	10	8





heavy duty solid brass padlock



						E
PLK-20	20mm	21	19.6	10.5	5.5	3.2
PLK-21	25mm	25	24	12	6.5	4.3
PLK-22	32mm	32	30	14.5	9	5.3
PLK-23	38mm	38	35.5	15.5	9.5	6.3
PLK-24	50mm	50	43	19	10	9
PLK-25	63mm	63	52	23	12	10.5
PLK-26	75mm	74	54	24	13	12

PADLOCKS CYLINDRICAL LEVER HANDLE LOCKS

heavy duty iron padlock with color coating

PADLOCKS



		•
0		
l		
D	E 3.5	

5 3 3	A STATE OF THE PARTY OF THE PAR
	W/ STANFORD
	PI K-34

INPULSE SPRINKLER ON H BASE
AND DESCRIPTION OF THE PARTY OF
394
MANUEL COLLEGE
A STATE OF THE PARTY OF THE PAR
THE TANK OF THE PARTY OF THE PA
/// STANFORD







CYLINDRICAL DOOR LOCKS



CYLINDRICAL DOOR LOCKS

25mm 25 22 11.5 30mm 30 27 12 PLK-30 40mm 40 31 13.5 11 6. PLK-31 50mm 50 40 15.5 12 8 PLK-32 60mm 60 46 18 PLK-33 75mm 75 49 20





CLEVER LEY WAY KNOB LOCKS




METAL INPULSE SPRINKLER

die-cast zinc base with wheel max coverage is 19m dia



3 ARMS BRASS SPRINKLER

- adjustable spray pattern
- speed and overall coverage





94

SPRINKLER

HNZ-13

18" WATER WAND

SPRAY GUN WITH HOSE

■ 5m-15m expendable x-hose,quick connector

HNZ-23 75FT

HNZ-24 100FT

attach 1pc 7 function front trigger nozzle

GARDEN HOSE

Size:50 ft.

8 function metal

house of the

spray head


handle with on/off covered

BIRTHDAY CAKE SPRINKLER


STANFORD

HOLE OSCILLATING SPRINKLER ■17 holes oscillating sprinkler


NINGBO MIND IMPORT & EXPORT CO.,LTD.



17 HOLES OSCILLATING SPRINKLER



10 FUNCTION WATER WAND 28-42"



plastic/brass spray head








- super strong e light weight shrinks automatically after water is turned off
- no more tangles with heavy hose

 5m-15m expe 	endab l e x-hos	e,quick conne	ctor
		20))))	
W/ STANFORD		W STANFORD	
HNZ-25	25FT	HNZ-27	75FT
HNZ-26	50FT	HNZ-28	100FT

	W STANFORD	Size
Γ	HNZ-29	5L
Т	HNZ-30	6L





HOSE REEL



www.nbmind.com



Simple type dust mask

DISPOSABLE MASK



DUST MASK





Single filter structure using different filter tanks have dustproof or antigas function



PROTECTIVE SPECTACLES

Clear pc lens Anti-Fog



GAS PREVENTIVE MASK

 Dual filter structure better suits for hightemperature high-humidityand fuggy sites



WELDING GOGGLE

Simple type dust mask



SAFETY GOGGLE

DUST MASK

 Has supple and lightweight pvc frame as well unique air hole design



WELDING MASK SERIES

- Auto-weding Mask
 Ligt state shade din 4"
 Dark state shade din9"-13"(stepless adjustment)
- Switching time:≤0.04ms
 Batteries:two AAA alkaline one
- Viewing area:90x40mm
 Rate of uv transmittance:313nm-365nm<0.0002%
- Rate of uv transmittance:780nm-2000nm<0.0025%



NINGBO MIND IMPORT & EXPORT CO.,LTD.

SAFETY HELMET

Material:ABS,P,PE Buckle type Y:press buckle to slide tail, Looen buckle tight



HEADGEAR FACE SHIELD

Headgear with HDPE browguard eliminates forehead injury completes with 8" x 15-1/2" plastic bound pc clear



WELDING MASK

Fornt life lens lens Size:108x50mm





RUBBER-DIPPING GLOVES

• 10" rubblerized coated gloves




RUBBER-DIPPING GLOVES

 13 glove dyneema liner. Foam nitrile palm



STANFORD

EAR MUFFLE





Light duty typc 300A, 500A

LEATHER GLOVES

■ 10.5" work glove



LEATHER GLOVES

■ 10.5" work glove





300A 500A SF-25-1

■ Tip head american type300A, 500A



1			
		Size	
	SF-26	300A	
	SE 26 1	5004	

LEATHER GLOVES

■ 14" / 16" welding glove



SF-24	14"	
SF-24-1	16"	

AMERICAN TYPE EARTH CLAMP

American type earth clamp 300A, 500A



	Size	
SF-27	300A	
CE 27 1	500.4	

98 www.nbmind.com

www.nbmind.com

HOLE

SAW





NINGBO MIND IMPORT & EXPORT CO.,LTD.



SAFETY RAIN BOOT





■ Hole saw size:2-1/8"<54mm>1pc wood

3PCS HOLE SAW SET

5PCS HOLE SAW SET

Hole saw size:1-1/4"<32mm>1-1/2" <38mm>1-3/4"<44mm>2-1/8"<54mm> 1pc arbor



9PCS HOLE SAW SET

Hole saw size:2"<51mm>2-3/8"<60mm> 2-1/2"<65mm>2-3/8"<72mm>3"<75mm> 3-3/8"<86mm>1pc arbor 1pc hex key wrench 1pc drive plate



7PCS BI-METAL HOLE SAW SET

 Hole saw size:3/4"/19mm.7/8"/22mm 1-1/8"/32mm,1-3/8"/35mm 1pc arbor 1pc adapter



11PCS HOLE SAW SET

Hole saw size:1"<25mm>1-1/4"<32mm> 1-1/2"<38mm>1-3/4"<44mm>2"<51mm> 2-1/2"<64mm>2pc arbor 1pc hex key



16PCS HOLE SAW SET

Hole saw size:3/4"<19mm>7/8"<22mm> 1-1/8"<29mm>1-1/4"<32mm>1-1/2" <38mm>1-3/4"<44mm>2"<51mm> 2-1/2"<64mm>3"<76mm>3-1/2"<89mm> 4"<102mm>5"<127mm> 2pc arbor 1pc hex key wrench 1pc drive plate



9PCS BI-METAL HOLE SAW KIT

Hole saw size:7/8"<22mm>1-1/8"<29mm> 1-3/8"<35mm>1-3/4"<44mm>2"<51mm> 2-1/2"<64mm>2pc arbor 1pc adapter



8PCS BI-METAL HOLE SAW KIT

Hole saw size:7/8"<22mm>1-1/8"<29mm> 1-1/2"<38mm>1-3/4"<44mm>2-5/8" <67mm>2-7/8"<73mm> 2pc arbors 1pc bloe nold case



13PCS BI-METAL HOLE SAW KIT

Hole saw size:3/4"<19mm>7/8"<22mm> 1-1/8"<29mm>1-3/8"<35mm>1-1/2" <38mm>1-3/4"<44mm>2"<51mm> 2-1/4"<57mm>2-1/2"<64mm> 2pc arbors 1pc pilot drill 1pc adapter







99-2

60PCS DRILL & BITS SET

17pcs- wood working drill bits

9pcs-masonry drill bits

5pcs-flat wood bits

1pc-allen key

1pc-counter sink

23pcs-titanium coated high speed drill bits

PLUS SHANK ELECTRIC HAMMER DRILL



/// STANFORD		STANFORD	
DRL-34	5 x 110 mm	DRL-58	16 x 160 mm
DRL-35	6 x 110 mm	DRL-59	16 x 260 mm
DRL-36	5 x 160 mm	DRL-60	16 x 310 mm
DRL-37	6 x 160 mm	DRL-61	16 x 350 mm
DRL-38	6 x 210 mm	DRL-62	16 x 460 mm
DRL-39	8 x 160 mm	DRL-63	16 x 600 mm
DRL-40	8 x 260 mm	DRL-64	18 x 260 mm
DRL-41	10 x 160 mm	DRL-65	18 x 310 mm
DRL-42	10 x 210 mm	DRL-66	18 x 350 mm
DRL-43	10 x 260 mm	DRL-67	18 x 460 mm
DRL-44	10 x 350 mm	DRL-68	18 x 600 mm
DRL-45	10 x 410 mm	DRL-69	20 x 260 mm
DRL-46	12 x 160 mm	DRL-70	20 x 310 mm
DRL-47	12 x 260 mm	DRL-71	20 x 350 mm
DRL-48	12 x 310 mm	DRL-72	20 x 460 mm
DRL-49	12 x 350 mm	DRL-73	20 x 600 mm
DRL-50	12 x 460 mm	DRL-74	22 x 260 mm
DRL-51	12 x 600 mm	DRL-75	22 x 350 mm
DRL-52	14 x 160 mm	DRL-76	22 x 410 mm
DRL-53	14 x 260 mm	DRL-77	22 x 600 mm
DRL-54	14 x 310 mm	DRL-78	25 x 260 mm
DRL-55	14 x 350 mm	DRL-79	25 x 350 mm
DRL-56	14 x 460 mm	DRL-80	25 x 410 mm
DRL-57	14 x 600 mm	DRL-81	25 x 600 mm

6PCS FLAT BITS

DRILL

 \Box

- Finish:Polish. Titanium Coated Size:3/8"-10mm,
- 1/2"-13mm.5/8"-16mm
- 3/4"-19mm,7/8"-22mm,1"-25mm





TWIST DRILL

- Material:9341#, M35,4241 #H.S.S
- Description:2.0mm,2.5mm--12mm



DRL-13	2.0mm	DRL-24	7.5mm	
DRL-14	2.5mm	DRL-25	8.0mm	
DRL-15	3.0mm	DRL-26	8.5mm	
DRL-16	3.5mm	DRL-27	9.0mm	
DRL-17	4.0mm	DRL-28	9.5mm	
DRL-18	4.5mm	DRL-29	10.0mm	
DRL-19	5.0mm	DRL-30	10.5mm	
DRL-20	5.5mm	DRL-31	11.0mm	
DRL-21	6.0mm	DRL-32	11.5mm	
DRL-22	6.5mm	DRL-33	12.0mm	
DRL-23	7.0mm			

PLUS SHANK ELECTRIC HAMMER FLAT CHISEL

14 x 22 x 250 mm

14 x 22 x 280 mm

17 x 22 x 250 mm

17 x 22 x 280 mm

14 x 40 x 250 mm

14 x 40 x 280 mm

17 x 40 x 250 mm

17 x 40 x 280 mm

3PCS STEP DRILL BIT SET

3pcs Step Drill Bit Set

4-12mm, 4-20mm, 4-32mm

PLUS SHANK ELECTRIC HAMMER POINT CHISEL



DRL-01	14 x 250 mm
DRL-02	14 x 280 mm
DRL-03	17 x 250 mm
DRL-04	17 x 280 mm

3PCS STEP DRILL BIT SET

3pcs Step Drill Bit Set 4-12mm, 4-12mm, 4-20mm



HSD-1005

15PCS TWIST DRILL SET

Size:3,3.5,4,4.5,5,5.5,6,6.5,7,7.5,8,8.5, 9.9.5.10mm



8PCS TAP WRENCH SET

■10pcs die:M6x1.0,M6x0.75,M7x1.0,M8x1.0 M8x1.25,M10x1.0,M10x1.5,M12x1.25, M12x1.5,M12x1.75 1pc die wrench





Size:1/16",5/64",3/32",7/64",1/8",9/64",5/32". 11/64".3/16".13/64".7/32".15/64".1/4".17/64". 9/32",19/64",5/16",21/64",11/32",23/64",3/8", 25/64",13/32",27/64",7/16",39/64",15/32", 31/64",1/2"

29PCS TITANIUM DRILL BIT SET



8PCS TAP WRENCH SET

10pcs die:M6x1.0,M6x0.75,M7x1.0,M8x1.0 M8x1.25,M10x1.0,M10x1.5,M12x1.25, M12x1.5,M12x1.75 1pc die wrench



- 21pc tap<2pc per size>:M3x0.5,M4x0.7, M5x0.8,M6x1.0,
- M8x1.25,M10x1.5,M12x1.75mm
- 7pc die:M3x0.5,M4x0.7,M5x0.8,M6x1.0, M8x1.25.M10x1.5.M12x1.75mm

32PCS DIN METRIC TAP & DIE SET

- 1pc tap wrench<M3-12>
- 1pc die wrench<1"0/D>
- 1pc screw pitch guage
- 1pc screw driver



16PCS DIN TAP & DIE SET

M8x1.25,M10x1.5,M12x1.75mm

M8x1.25,M10x1.5,

1pc tap wrench<M3-12>

1pc die wrench<1" 0/D>

M12x1.75mm

7pc tap:M3x0.5.M4x0.7.M5x0.8.M6x1.0.

7pc tap:M3x0.5,M4x0.7,M5x0.8,M6x1.0,



110PCS TAP & DIE SET

70pcs tap:M2x0.4.M3x0.5.M4x0.75.M5x0.8. M6x0.75,M6x1.0,M7x0.75,M7x1.0,M8x1.25, M8x1.0,M8x0.75,M9x1.25,M9x1.0,M10x0.75 M10x1.0,M10x1.25,M10x1.5,M12x1.0,M12x 1.75.M12x1.5.M12x0.75.M14x2.0.M14x1.5. M14x1.25,M14x1.0,M16x2.0,M16x1.5,M16x 1.0 M18x1.5

35pcs die as tap 2pcs tap wrench 2pcs wrench 1pc type tap wrench



5PCS WOOD WORKING DRILL

- Size:4.5.6.8.10mm
- 8pcs wood working drill



	-	
/// STANFORD		
TWS-02	5pcs	
TWS-02-1	8pcs	

5PCS MASONRY DRILL SET

- Size:4.5.6.8.10mm 8pcs twist drill set
- Size:3.4.5.6.7.8.9.10mm



/// STANFORD	Size
TWS-03	5pcs
TWS-03-1	8pcs

HSD-1004 5PCS TWIST DRILL SET

DRL-05

DRL-06

DRL-07

DRI -08

DRL-09

DRI -10

DRL-11

DRL-12

- Size:4.5.6.8.10mm
- 8pcs twist drill set
- Size:3.4.5.6.7.8.9.10mm



TWS-01	5pcs	
TWS-01-1	8pcs	

40PCS METRIC TAP & DIE SET 17pc tap:M3x0.5.M3x0.6.M4x0.7.M4x0.75.

- M5x0.8,M5x0.9,M6x0.75,M6x1.0,M7x0.75, M7x1.0,M8x1.0,M8x1.25,M10x1.25,M10x1.5 M12x1.5,M12x1.7,1/8NPT27
- 17pc die:M3x0.5,M3x0.6,M4x0.7,M4x0.75, M5x0.8,M5x0.9,M6x0.75,M6x1.0,M7x0.75, M7x1.0,M8x1.0,M8x1.25,M10x1.25,M10x1.5
- 1pc tap wrench<M3-12>
- 1pc die wrench<1"0/D>
- 1pc t-eype tap wrench<M3-5>
- 1pc screw driver



101 www.nbmind.com www.nbmind.com Straight bit: 1/4"x6.35x15.9mm

•

SAW

BLAD



12PCS ROUTER BIT SET

- Straight bit 16mm
- Dovetail bit 12 7mm
- Flish trim bit 12.7mm
- Round over bit R9.5mm
- Straight bit 12mm

- Roman og



PR-02	

15PCS ROUTER BIT SET

- Panel pilot bit 1/4"
- Straight bit 1/4"
- Straight bit 1/2"
- Flush trim bit 1/2"
- Slot Cutter bit 1-1/4"
- Round over bit R3/8"
- Roman ogee bit R5/32"
- Flush trim bit 1/4"
- 90°"V"grooving bit 3/8"
- Mortising bit 1/2"
- Straight bit 3/4"
- Dovetail bit 1/2" 45°chamfer bit 1-3/16"
- Cover bit R1/2"
- 7°beveled trim bit 12/64"



- Straight bit 3/8"
- Round over bit R1/8"
- 45°chamfer bit 1/2"

- Dovetai bit 1/2"
- Trimming bit 3/8"
- Straight bit 1/2"

20PCS ROUTER BIT SET

- 8pcs straight bits:6x20mm,6x25mm,
- 8x20mm.10x20mm.12x30mm. 14x20mm,16x20mm,19x20mm
- dovetail bit 14.3x14mm
- 90°V grooving bit 12.7x12.7mm
- core boa bit R6x12mm
- panel pilot bit 6.35x19mm
- round nose bit R6x12mm 2pcs flush trim bit:12.7x12.7mm
- 12.7x25mm
- slot cutter bit 32x10mm
- 45°chamfer bit 37x16mm
- round over bit R9.5x16mm
- beading bit R12.7x19mm
- cove bit R9.5x13mm



Straight bit 6mm

- Cove bit R6.3mm
- 90°"V"grooving bit 12.7mm
- 45°chamfer bit 32mm
- round over

- Cove box

er bit R6.3mm bit R6.3mm gee bit R4mm	
	-

Cove bit R14"

Rabbeting bit 1/2"

Roman ogee bit R5/32"

_	D 02

24PCS ROUTER BIT SET

- Mortising bit 1/2"
- Dovetai bit 3/8"
- 90°"V"grooving bit 1/2"
- Core box bit 1/2"
- Panel pilot bit 1/4"

- Straight bit 3/4"
- Round over bit R1/4"
- Cove bit R3/8"
- Slot cutter bit 1/4"
- Combination bit 1/2"
- Core box bit 3/8"
- Straight bit 1/4"
- Flush trim bit 1/2'
- Round over bit R3/16"
- Round over bit R3/16"

35PCS ROUTER BIT SET


- cove box bit 1/4"xR1/8",1/4"xR1/4"
- V grooving bit 1/4"x1/2"
- round nose bit 1/4"xR1/4"
- mortising bit 1/4"x1/2"
- dovetail bit 1/4"x9/16",1/4"x1/2"
- straight bit 1/4"x1/8",1/4"x3/8",
- 1/2"x3/4".1/2"x1".3/4"
- panel pilot bit 1/4"x1/4"
- flush trim bit 3/8"x1/2",3/8"x1"
- 1/2"x1",1/2"x1/2",3/4"x1" 45°chamfer bit 1/4"x3/16"
- cove bit 1/4"xR1/4",1/4"xR3/8" slot cutter bit 1/4"x1/4",1/4"x5/16"
- wave edge bit 1/4"x3/16" classical cove bit 1/4"xR5/16"
- rounding over bit 1/4"xR1/2" double roman bit 1/4"xR1/8"
- 1/4"xR1/4" roman ogee bit 1/4"xR5/32",1/4"xR1/4"

rounding over bit 1/4"xR1/4",1/4"xR3/8",1/4"xR1/2"

DIAMIND SAW BLADE

Dry type Dimension: 4" 105x20x1.8mm 4.3" 110x22.2x1.8mm

5" 125x22.2x2mm 6" 150x22.2x2.2mm 7" 180x22.2x2.2mm 9" 230x22.2x2.6mm 14" 350x25.4x3.2mm



			Size
SBE-01	4"	SBE-05	6"
SBE-02	4.3"	SBE-06	7"
SBE-03	4.5"	SBE-07	9"
SBE-04	5"	SRE-08	1/1"

Wet type

Diamond Swa Blade

DIAMIND SAW BLADE

- Dimension:
- 4" 105x20x1.8mm 4.3" 110x22.2x1.8mm 4.5" 115x22.2x2mm
- 5" 125x22.2x2mm
- 6" 150x22.2x2.2mm
- 7" 180x22.2x2.2mm 9" 230x22.2x2.6mm 14" 350x25.4x3.2mm



STANFORD

				П
SBE-09	4"	SBE-13	6"	П
SBE-10	4.3"	SBE-14	7"	
SBE-11	4.5"	SBE-15	9"	ı
SBE-12	5"	SBE-16	14"	

DIAMOND SAW BLADE

- Turbo wave type Dimension:
- 4" 105x20x1.8mm 4.3" 110x22.2x1.8mm
- 4.5" 115x22.2x2mm 5" 125x22.2x2mm
- 6" 150x22.2x2.2mm 7" 180x22.2x2.2mm
- 9" 230x22.2x2.6mm 14" 350x25.4x3.2mm



W / STANFORD			Size	
SBE-17	4"	SBE-21	6"	
SBE-18	4.3"	SBE-22	7"	
SBE-19	4.5"	SBE-23	9"	
SBE-20	5"	SRE-24	1//"	

SIVER BRAZED BLADES

- Stone saw
- Dimension: 12" 300x25.4x3mm
- 14" 350x25.4x3.2mm 16" 400x25.4x3.4mm
- 18" 450x25.4x3.6mm 20" 500x25.4x3.6mm 24" 600x25.4x4.2mm



W/ STANFORD			
SBE-25	12"	SBE-28	18"
SBE-26	14"	SBE-29	20"
SBE-27	16"	SBE-30	24"

- T.C. T SAW BLADE Wood saw Dimension:
- 4-3/8" 110mmx24T 5-7/8" 150mmx24T 40T 7-1/4" 185mmx24T 40T-60T







ET STANFOR

			Size
SBE-31	4-3/8"	SBE-35	10"
SBE-32	5-7/8"	SBE-36	12"
SBE-33	7-1/4"	SBE-37	14"
CDE 24	O"		

T.C. T SAW BLADE

- Wood saw Dimension: 4-3/8" 110mmx24T 5-7/8" 150mmx24T 40T
- 7-1/4" 185mmx24T 40T-60T 9" 230mmx40T-60T 10" 250mmx40T-60T-80T





ALL DESIGNATION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN

SBE-38	4-3/8"	SBE-42	10"	
SBE-39	5-7/8"	SBE-43	12"	
SBE-40	7-1/4"	SBE-44	14"	
CDE 44	0"			

103 www.nbmind.com www.nbmind.com

The idea shape for brushing hard

to reach areas.

Multi-purpose

brushes for

light and

medium

cleaning

BRS-37

jobs

DIAMIND CUP WHEELS

STANFORD

- For grinding slabstons with
- Performences

•

SAW BLAD



7 // STANFORD	Size	W// STANFORD	Size
SBE-45	4"	SBE-47	5"
SBE-46	4.5"	SBE-48	7"

DIAMOND CUP WHEELS

- Dimension: 4" 105x22.
- 4.5" 115x22
- 5" 125x22. 6" 150x22. 7" 180x22.

n: .2x6.4mm .2x6.4mm .2x6.4mm .2x6.4mm .2x6.4mm		S. S.
Sizo	W STANFORD	Sizo

/// STANFORD			Size	
SBE-49	4"	SBE-52	6"	
SBE-50	4.5"	SBE-53	7"	
SBE-51	5"			

FINISHING WHEEL

Dimension: 4-1/2" 115x5x22.2mm 5" 125x5x22.2mm 6" 150x5x22.2mm 7" 180x5x22.2mm 9" 230x5x22.2mm



	SBE-63	4-1/2"	SBE-66	7"	
	SBE-64	5"	SBE-67	9"	
	SBE-65	6"			

CUT OFF WHEEL

Dimension: 4" 100x1x15mm 4-1/2" 115x3x22.2mm 5" 125x3x22.2mm 6" 150x3x22.2mm 7" 180x3x22.2mm 9" 230x3x22.2mm 12" 305x3x25.4mm 14" 355x3x25.4mm 16" 400x3x25.4mm



			Size
SBE-68	4"	SBE-73	9"
SBE-69	4-1/2"	SBE-74	12"
SBE-70	5"	SBE-75	14"
SBE-71	6"	SBE-76	16"
SBE-72	7"		

FLAP DISC

OIL STONE

- Grit:36#--180# Dimension:
- 4" 100x15x72mm 4-1/2" 115x22x72mm

5" 125x22x72mm 6" 150x22x72mm 7" 180x22x72mm	
	10

SBE-54	4-1/2"	SBE-57	7"	ı
SBE-55	5"	SBE-58	9"	
SBE-56	6"			

Dimension: A:9"x1-1/4"x1/2" B:6"x2"x1" C:8"x2"x1"

ı	STANFORD		
ı	SBE-83	A	
ı	SBE-84	В	
	SBE-85	С	

GRINDING WHEEL

- Grit:24#,36#,60#,80#,120#
- Dimension: 6"x3/4" 150x20mm 6"x1" 150x25mm 8"x3/4" 200x20mm 8"x1" 200x25mm 10"x1" 250x25mm 10"x1-1/4" 250x32mm



			Size
SBE-77	6"x3/4"	SBE-80	8"x1"
SBE-78	6"x1"	SBE-81	10"x1"
SBE-79	8"x3/4"	SBE-82	10"x1-1/4"

7 PCS DIAMOND CORE BIT

- Core bits:107x170mm 52x170mm 28x300mm
- Key drift:6x50mm
- Center drill:10x200mm
- HEX thread adaptor:12x88mm



SBE-59

BENCH GRINDER BRUSHES KNOTTED

- The idea shape for brushing hard to reach areas.
- light and medium cleaning jobs



	W// STANFORD	
100mm	BRS-34	175mm
125mm	BRS-35	200mm
150mm	BRS-36	
	100mm 125mm	100mm BRS-34 125mm BRS-35

BEVEL KNOTTED BRUSH

- Multi-purpose brushes for

	Size		Size
BRS-31	100mm	BRS-34	175mm
BRS-32	125mm	BRS-35	200mm
BRS-33	150mm	BRS-36	

CUP BRUSH KNOT-ARBOR



F // STANFORD			
BRS-01	65mm	BRS-04	125mm
BRS-02	75mm	BRS-05	150mm
BRS-03	100mm		

CUP BRUSH TWIST KNOT-ARBOR

90mm BRS-39

BRS-38 100mm BRS-40 125mm



W/ STANFORD	Size		
BRS-06	65mm	BRS-09	1
BRS-07	75mm	BRS-10	1:
BRS-08	90mm		

	W// STANFORD	Size		
	BRS-06	65mm	BRS-09	10
	BRS-07	75mm	BRS-10	12
1	DDC 00	000000		

2PC BRUSH SET



BRS-15	75mm	100mm

- Fill types 0.3mm steel wire:
- brass-coated steel wire stainless steel wire



	Size	
BRS-18	10"	

6PCS BRUSH SET

5PC circular brush 1-1/2",2",2-1/2",3",4"



STANFORD	
BRS-16	

KNIFE BRUSHES BRUSHES WITH WOODEN HANDLE



╛	BRS-21	2x16	BRS-24	5x16
	BRS-22	3x16	BRS-25	6x16
	DDC 22	1116		

BEVEL KNOTTED BRUSH

- Ahhressive tools for fast heavy-duty cleaning and large surface brushing
- They remove carbon, paont,rust,scale and other kinds of contamination.
- The removeable bridle prevents the trim from flexing.



STANFORD	Size		Size
BRS-41	65mm	BRS-43	100mm
BRS-42	75mm	BRS-44	125mm
DI TO IL	7 0111111	D110 11	120111

CIRCULAR BRUSH-CRIMPED WIRE



/// STANFORD	Size	STANFORD	Size
BRS-11	90mm	BRS-13	115mm
BRS-12	100mm	BRS-14	125mm

6PCS BRUSH SET

- 1PC end brush 1" 1PC cup brush 2"



FF0.47

BRUSHES WITH PLASTIC HANDLE



			Size
BRS-26	2x16	BRS-29	5x16
BRS-27	3x16	BRS-30	6x16
DD0 00	4 40		

STANFORD Palm Upward Multimeter

- Basic function
- DC Voltage:200mV/2000mV/20V/200V/500V
- AC Voltage:200V/500V
- DC Current:200mA/2000mA/20mA/200mA/10A
- Resistance: $200\Omega/2000\Omega/20k\Omega/200k\Omega/20M\Omega$
- Product Size:130 x 74 x 41 mm
- Power:9V Battery (6F22)







Pocket Miltimeter

- Basic function
- DC Voltage:400mV/4mV/40V/300V
- AC Voltage:4V/40V/300V
- Resistance:400Ω/4kΩ/40kΩ/400kΩ/4mΩ/40MΩ
- Capacitance:4nF/40nF/400nF/4mF/40mF/200mF
- Frequency:10kHz-100kHz
- Product Size:58 x 108 x 12 mm
- Power:3V (CR2032)





Analog Multimeter

Funcitionrana

MULTIMETER

- DCV0-0.1-0.5-2.5-10-50-250-1000V
- ACV0-10-50-250-1000V
- DCA0-50µ A-2 5mA-25mA-250nA
- Ω -1Ω-10Ω-100Ω-1kΩ-10kΩ Hfe<test>
- Power battery 1.5V<UM-3>x2 9V<006P>x1





Standard Digital Multimeter

- DC Voltage:200mV/2V/20V/200V/1000V
- AC Voltage:2V/20V/200V/750V
- DC Current:2mA/200mA/20A
- AC Current:2mA/200mA/20A
- Resistance:200Ω/2000Ω/20kΩ/2MΩ/20MΩ
- Capacitance:2nF/200nF/20mF
- Temperature() 40 ~1000
- Frequency:2kHz/20kHz
- Product Size:172 x 83 x 38 mm
- Power:9V Battery (6F22)





UT-39C

107

Digital Clamp Multimeter

- Basic function
- DC Voltage:200mV/2000mV/20V/200V/600V
- AC Voltage:2V/20V200V/600V
- DC Current:2A/20A/200A/400A
- Resistance:200Ω/2000Ω/20kΩ/200kΩ/2mΩ/20MΩ
- Product Size:210 x 75.6 x 30 mm
- Power:1.5V AAA













UT-201

Automotive multi-Purpose Meters

- Basic function
- DC Voltage:200mV/2V/20V/200V/1000V AC Voltage:2V/20V200V/750V
- DC Current:200mA/20A
- Resistance:200Ω/2kΩ/20kΩ/200kΩ/2mΩ/20MΩ
- Dwell angle:4CYL/6CYL/8CYL
- Rotational Speed:4CYL/6CYL/8CYL
- Product Size:179 x 88 x 39 mm
- Power:9V Battery (6F22)





Hot Melt Glue Gun

- voltage:120v or 230v
- power:10w
- preheat time:3-5minutes
- glue stick: D.M:7.2mm





Hot Melt Glue Gun

- voltage:120v or 230v
- power:12w<40w>
- preheat time:3-5minutes
- glue stick: D.M:11.2mm



Hot Melt Glue Gun

- voltage:120v or 230v
- power:12w<60w>
- preheat time:3-5minutes
- glue stick: D.M:11.2mm



(E 🕮 🗆 🗵

(E 🚅 🗆 🗵

Hot Melt Glue Gun

voltage:120v or 230v

preheat time:3-5minutes

glue stick: D.M:7.2mm

STANFORD

power:10w<20w>

Hot Melt Glue Gun

- voltage:120v or 230v
- power:12w<60w>
- preheat time:3-5minutes
- glue stick: D.M:11.2mm





Soldering Gun

- Voltage & frequency: 230/110v-50/60Hz
- Lnput power:100W
- Operation: 12s/48s/t25/e minutes
- Bulb:2.2v,0.25A



SOCKET-OUTLET

15A,125VAC,1875W,

Electrical rating:

•∭=

- can test 12-240v alternating/direct voltage no battery drive, with the functions of contact
- test and induce test
- direct measure can test phase/null line
- and display the voltage
- sensor key can test
- electromagnetic emission and microwave

TEST

PENCIL, ELECTRIC

GOLDERING IRON



TEST PENCIL

Long-life neon light Continuously

ELECTRIC SOLDERING IRON

Power:30/40/60/80/100/150/200/300W

C E 🚅 🗆 🗵

Used above 20,000 hours

Test Range:Acl00-500v

ø 6 x 205 mm

Size:ø 4 x 190 mm

DISPLAY TESTER

- this neon-electroscope is applicable for
- directly detection of 12-240v zero line,
- indirect drection of DC.
- AC power inner conductor,
- phase conductor and break-point detection
- . 3.5*160mm



NON-CONTACT DETECTOR

- test range:AC 90-1000V
- lighting:OK buzzer:OK
- automatic shutdown:OK nating voltage with
- electricity or not,esay and safe to operate,
- LED light and buzzer sound, clearly to see



- Test Range:AC 100-500v
- Size:ø 3 x 125 mm
- ø 3 x 145 mm



SWN-01 109

Voltage:120-230v

TEST PENCIL

- ø 3 x 190 mm



ELECTRIC SOLDERING IRON

- Voltage:120-230v
- Power:30/40/60/80/100W



SOLDERING WIRE

- Dimension: 0.8, 1.0, 1.5, 2.0, 2.5, 3.0 mm
- Weight:200g,500g,1000g,2000g



PVC INSULATED ELECTRICAL TAPE

Size:According to customers Requirements



SOCKET-OUTLET

- Presa 5 uscite with USB 2.1A
- Con spina 16A 2P+T 10A bipasso
- Cavo H05VV-F 3G1.0mm²x1.5m



Con spina 16A 2P+T 10A bipasso

Cavo H05VV-F 3G1.0mm²x1.5m

SOCKET-OUTLET MULTI-HOLE SOCKET

- Diverse specifications
 - Two ways socket-outlet Three ways socket-outlet
 - Four ways socket-outlet
 - Five ways socket-outlet



CABLE REEL

- H05vv-F 3G 1.0mm²Extension 15mts or20mts or25mts
- H05vv-F 3G 1.5mm²Extension 30mts or40mts or50mts



CABLE REEL

- H05vv-F 3G 1.0mm²Extension 15mts or20mts or25mts
- H05vv-F 3G 1.5mm²Extension 30mts or40mts or50mts



SOCKET-OUTLET Diverse specifications

- Three ways socket-outlet
- Four ways socket-outlet
- Five ways socket-outlet
- Six ways socket-outlet



TRAVEL ADAPTOR

Adattaore spina 16A/10A 2P +T



CABLE TIES

- Material:Nylon 66,94v-2 certificated
- by UL. heat-resisting,acid & erosion
- control, insulate well and not ape to age
- Size:L<60mm--200mm>x W2.5mm L<100mm--370mm>x W3.5mm L<120mm--350mm>x W4.5mm



STANFORD

LED LAMP

AMERICAN TYPE EXTENSION CORD

16AWG x 3C 14AWG x 3C

|40|+0

ELECTRIC

SOCKET OUTLET,

FLASHLIGHT

12AWG x 3C Size:15FT,25FT,50FT,100FT

STANFORD



ALUMINIUM ALLOY FLASHLIGHT

- 1-10LED
- Battery:1AA,2AA,2D,3D



HEAD LAMP

- Material:ABS+aluminium alloy
- bulb type:CREE XPG-3
- Battery:AAAx3
- Output power:300 lumens
- Product's Weight:207g
- Waterproof Level:IP44
- Product function: High,low,Flash,off



NINGBO MIND IMPORT & EXPORT CO.,LTD. FRENCH EXTENSION CORD

- H05vv-F 3G x 1.0mm²
- H05vv-F 3G x 1.5mm²
- 16A 250v
- Size:15FT,25FT,50FT,100FT



PLASTIC FLASHLIGHT

 3LED,5LED , Battery:2AA,4AA,2D,3D



CAMPING LANTERN

- Material:ABS
- bulb type:5 LED
 Battery:3*"AAA"+3.2V600mA
- lithium rechargeable battery
- Output power:20 lumens
- Product's Weight:300g Waterproof Level:IP44
- Product function: High,low,Flash,off

WORK LIGHT

■ 230v 25FT



PLASTIC FLASHLIGHT

- 3LED,6LED
- Battery:2AA,2D,3D



CAMPING LANTERN

- Material:ABS
- bulb type:1*1W Blue LED
- Battery:3*D

- Waterproof Level:IP44



FLT-08

- Output power:60 lumens
- Product's Weight:390g

- Product function:High,low,Flash,off



220-240V Color temperature:3000K/4000K/6000K Color rendering index:≥80 Base:GU10.MR16



/// STANFORD	Power	Lum	
LLP-02	5w	300lm	

220-240V Color temperature:3000K/4000K/6000K Color rendering index:≥80 Base:E14,E27

Color temperature:3000K/4000K/6000K

Color rendering index:≥80



	Power	Lum
LLP-03	5w	320lm

LED LAMP

Color temperature:3000K/4000K/6000K Color rendering index:≥80 Base:E27





/// STANFORD	Power	Lum
LLP-04	5W	400lm
LLP-05	7W	510lm
LLP-06	9W	580lm
LLP-07	12W	880lm

LED LAMP

LED LAMP

220-240V

LED LAMP

Base:E14.E27

220-240V Color temperature:3000K/4000K/6000K Color rendering index:≥80 Base:E27





	Power	Lum
LP-08	15W	1000lm

STANFORD	Power	Lum
LP-08	15W	1000lm

LED FLOOD LIGHT

 Material: Cover - glass; body - plastic; heat sink -Aluminum 6063; Reflector - Alumnium 6063 LED Chip: 2835 SMD Adapter: AC100-240V,50/60Hz Output 8.4V 1A

Car charger: Input DC12-24V Output:8.4V 1A Battery: Li-ion 11X34X93 3.7V 4000mAh 2pcs



	Power	Lum	
LLP-12	10W	700lm	
LLP-13	20W	1300lm	
II D-1/I	30///	2000lm	

LED TUBE

■ 110-240V Color temperature:3000K/4000K/6000K Color rendering index:≥70



	L(mm)	Power	Lum	
LLP-09	600mm	14W	1120lm	
LLP-10	1200mm	18W	1440lm	
I I P-11	1500mm	24W	1920lm	

LED FLOOD LIGHT

Material: Cover - glass; Body - plastic; heat sink - Aluminum 6063 LED Chip: 2835 SMD 60PCS AC/DC Charger : Input AC100-240V 50/60Hz

Output DC8.4V 1.5A Battery: Li-ion 18650 3.7V 2200mAh 4 or 6 or 8pcs (self-purchase) USB out to mobile: about 4 times





111